

**ELEKTRO-
PROFI**

AKCIJSKA PROFI PONUDA LED RASVJETA -60%

Akcijska ponuda traje do 31.07.2025. ili do isteka zaliha!

V-TAC
Meaningful Innovation.

**100% GARANCIJE
0% DISKUSIJE**

LED RASVJETA

LED RASVJETA

DEKORATIVNA RASVJETA

PAMETNA RASVJETA

DIGITALNI ASORTIMAN

★ HR ZALIHE

□ EU ZALIHE

V-TAC

Meaningful Innovation.




LED TRAKE

Dodajte širok spektar svjetla i boja bilo gdje, osvježite i pretvorite ambijent bilo kojeg prostora na dodir prekidača sa serijom V-TAC LED traka. Jednostavna instalacija s minimalnim potrebnim prostorom čini ovu seriju pravim izborom za restorane, auditorije, konferencijske dvorane i sl.

ZNAČAJKE

- Prilagodljivost i jednostavna instalacija
- Vrlo niska potrošnja električne energije
- Veliki broj efekata u beskonačno mnogo boja i toplina





LED STRIP LIGHTS



INDOOR STRIP LIGHTS

Indoor strip lights are a versatile and popular lighting solution used to enhance the ambiance, aesthetics, and functionality of indoor spaces. Indoor strip lights come in various colors, lengths, and styles, making them suitable for a wide range of applications in residential and commercial settings. These indoor strip lights comes with an IP20 rating.



MAGIC STRIP SET-5050 60 LEDS



AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width



SKU	Model	Watts/m
23145 - RGB	VT-5050-60-24V-M	13W

BED LIGHTS-PIR SENSOR



DC:12V	SMD LED
30 LEDs/m	120° :BA
IP20 Rating	1.2 x1 mm Width
25 Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212549 - 4000K DAY WHITE	VT-8067-N	3W	260lm	LM

STRIP SET-5050 300 LEDS



AC:100-240V, 50/60Hz	SMD LED
30 LEDs/m	0.4A /m
IP20 Rating	120° :BA
20 Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
★ 2630 - RGB	VT-5050-300-EU-Plug	4.8W	500lm	14-16lm

STRIP SETS-5050 60 LEDS



AC:100-265V,50/60Hz	SMD LED
60 LEDs/m	1.5A /m
IP20 Rating	120° :BA
20 Box Qty	8 mm Width



212558 - RGB

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212558 - RGB	VT-5050-60-RGB-EU-Plug	7W	1000lm	14-16lm

STRIP-2835 60 LEDS




DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
400 m Box Qty	6 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212559 - 3000K WARM WHITE 212560 - 4000K DAY WHITE 212561 - 6400K WHITE	VT-2835-60 -N	4.2W	420lm	6-7lm

STRIP LIGHTS 2835 120 DOUBLE PCB




DC:24V	SMD LED
120 LEDs/m	120° :BA
IP20 Rating	3 mm Width
400 m Box Qty	



23025 - 4000K DAY WHITE
23026 - 6500K WHITE

SKU	Model	Watts/m	Lumen/m	Lumen/LED
23025 - 4000K DAY WHITE 23026 - 6500K WHITE	VT-2835-120-24V	8W	800lm	20-22lm

STRIP LIGHTS 2835 240 DOUBLE PCB



DC:24V	SMD LED
240 LEDs/m	120° :BA
IP20 Rating	15 mm Width
400 m Box Qty	



SKU	Model	Watts/m	Lumen/m
10554 -3IN1	VT-2835 240-24V	21W	1100lm - 3000K 2340lm - 4000K 1200lm - 6500K



LED STRIP LIGHTS



NEW

STRIP LIGHTS 2835 120 RUNNING STRIP 24V




DC:24V	SMD LED
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
800 m Box Qty	

10
METER
ROLL

IP20
RATING

SKU	Model	Watts	Lumen/M
23607 - 3000K WARM WHITE 23609 - 6500K WHITE	VT-2835 120 24V	10W	800lm

STRIP LIGHTS 2835 120 DOUBLE PCB



DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP20 Rating	120° :BA
800 m Box Qty	10 mm Width


10
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212622 - 3000K WARM WHITE 212623 - 4000K DAY WHITE 212624 - 6400K WHITE	VT-2835 120-N	8W	750lm	6-7lm

NEW

LED STRIP-2835 48 LEDS




DC:24V	SMD LED
48 LEDs/m	170° :BA
IP20 Rating	11 mm Width
240 Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts	Lumen/M
23334 - 3000K WARM WHITE 23335 - 4000K DAY WHITE	VT-2835 48	16.5W	1320lm

LED STRIP-2835 126 LEDS -HIGH LUMEN



DC:24V	SMD LED
126 LEDs/m	0.33A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

150
LUMEN/W

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212593 - 3000K WARM WHITE 212594 - 4000K DAY WHITE 212595 - 6500K WHITE	VT-2835-126-24V-N	8W	1100lm	8-9lm

LED STRIP-4040-60




DC:12V	SMD LED
60 LEDs/m	0.66A /m
IP20 Rating	120° :BA
400 m Box Qty	8 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2931 - 3000K WARM WHITE 2932 - 4000K DAY WHITE 2933 - 6400K WHITE	VT-4040-60	8W	800lm	13-14lm

LED STRIP-2835 168 LEDS-HIGH LUMEN



DC:24V	SMD LED
168 LEDs/m	0.45A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212596 - 3000K WARM WHITE 212597 - 4000K DAY WHITE 212598 - 6500K WHITE	VT-2835-168-24V-N	12W	1680lm	10-11lm

STRIP LIGHT-5050 RGB + CCT 5IN1



DC:24V	SMD LED
60 LEDs/m	0.58A /m
IP20 Rating	120° :BA
400 m Box Qty	12 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2895 - 5IN1	VT-5050-60-24V-CCT	24W	1400lm	23-24lm

LED STRIP-2835 238 LEDS-HIGH LUMEN



DC:24V	SMD LED
238 LEDs/m	0.7A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212599 - 3000K WARM WHITE 212600 - 4000K DAY WHITE 212601 - 6500K WHITE	VT-2835-238-24V-N	18W	2430lm	10-11lm



LED STRIP LIGHTS-2835 204 LEDS




DC:12V	SMD LED
204 LEDs/m	1.5A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
★212461 - 3000K WARM WHITE ★212462 - 4000K DAY WHITE ★212463 - 6500K WHITE	VT-2835-204-N	17W	1700lm	8-9lm

LED STRIP-2835 128 LEDS



DC:24V	SMD LED
128 LEDs/m	0.37A /m
IP20 Rating	120° :BA
400 m Box Qty	4 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2907 - 4000K DAY WHITE	VT-2835-128-24V	WW-8.5W/ DW-8.5W/W-9W	1150lm 1200lm 1260lm	9-10lm

STRIP LIGHTS 2835 90-HIGH LUMEN



DC:24V	SMD LED
90 LEDs/m	0.16A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2697 - 4000K DAY WHITE 2698 - 6400K WHITE	VT-2835-90	4W	800lm	10-11lm

LED STRIP LIGHTS-2835 240 LEDS-HIGH LUMEN



DC:12V	1.66A /m
240 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
★212164 - 3000K WARM WHITE ★212165 - 4000K DAY WHITE ★212166 - 6500K WHITE	VT-2835-240-N	20W	2000lm	8-9lm

LED STRIP LIGHTS-5730 120 LEDS-HIGH LUMEN



DC:12V	1.66A /m
120 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212162 - 3000K WARM WHITE 212163 - 4000K DAY WHITE 212161 - 6500K WHITE	VT-5730-120-N	20W	2000lm	16-17lm

STRIP LIGHTS 2110 700



DC:24V	SMD LED
700 LEDs/m	0.875A /m
IP20 Rating	120° :BA
400 m Box Qty	12 mm Width

700 LED
PER METRE

CRI
95

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2603 - 4000K DAY WHITE 2604 - 6400K WHITE	VT-2110 700	21W	2000lm	8-10lm
212602 - 3000K WARM WHITE	VT-2110 700-N	22W	2100lm	8-10lm

COB STRIP LIGHTS IP20



DC:24V	0.42A /m
280 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212652 - 3000K WARM WHITE 212653 - 4000K DAY WHITE 212654 - 6500K WHITE	VT-COB-280-N	10W	950lm	3-4lm

COB STRIP LIGHTS IP20



DC:24V	0.42A /m
432 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING


SKU	Model	Watts/m	Lumen/m	Lumen/LED
212668 - 4000K DAY WHITE	VT-COB 421-N	10W	1000lm	2-3lm



LED STRIP LIGHTS



COB STRIP LIGHTS IP20



DC:24V	COB LED
420 LEDs/m	0.42A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2669 - 6400K WHITE	VT-COB-421	10W/M	1000	2-3lm
★212667 - 3000K WARM WHITE	VT-COB-421-N	10W	960lm	2-3lm

COB STRIP LIGHTS IP20



DC:24V	COB LED
512 LEDs/m	0.5A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2650 - 4000K DAY WHITE 2651 - 6000K WHITE	VT-512	12W	1000lm	2-3lm
212651 - 6500K WHITE	VT-512-N	13W	1050lm	2-3lm

COB STRIP LIGHTS IP20



DC:24V	COB LED
560 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 Box Qty	



SKU	Model	Watts/m	Lumen/m
10555 - 3IN1	VT-COB 560-CCT	2700K - 9W 4000K - 18W 6500K - 9W	500lm - 2700K 1135lm - 4000K 700lm - 6500K

COB STRIP LIGHTS IP20



DC:24V	COB LED
672 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	



SKU	Model	Watts/m
★2880 - RGB	VT-COB 422	13W/M

LED STRIP LIGHTS-3528 60 LEDS




DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
400 m Box Qty	8 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
★ 212016 - 3000K WARM WHITE ★ 212041 - 4000K DAY WHITE ★ 212005 - 6500K WHITE ★ 212015 - RED ★ 212013 - BLUE ★ 212009 - YELLOW	VT-3528 -60-N	4.2W	420lm	7-8lm

LED STRIP LIGHTS-3528 120 LEDS



DC:12V	0.66A /m
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
★ 212025 - 3000K WARM WHITE ★ 212042 - 4000K DAY WHITE ★ 212002 - 6500K WHITE	VT-3528 120-N	8W	800lm	6-7lm

LED STRIP LIGHTS-5050 30 LEDS



DC:12V	SMD LED
30 LEDs/m	0.4A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
★ 212135 - 3000K WARM WHITE ★ 212133 - 6500K WHITE ★ 212124 - RGB	VT-5050 30-N	6W	500lm	16-17lm

LED STRIP LIGHTS-5050 60 LEDS



DC:12V	SMD LED
60 LEDs/m	0.9A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
★ 212122 - 3000K WARM WHITE ★ 212143 - 4000K DAY WHITE ★ 212126 - 6400K WHITE ★ 212120 - RGB ★ 212128 - RED ★ 212137 - BLUE ★ 212138 - GREEN ★ 212156 - YELLOW ★ 212547 - 2200K WARM WHITE	VT-5050-60-N	10.8W	900lm	14-15lm



LED STRIP LIGHTS



LED STRIP LIGHTS-5050 60 LEDS



DC:12V	0.66A /m
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
★212552 - RGB+DAY WHITE 212553 - RGB+WARM WHITE	VT-5050-60-RGBW-N	8W	357lm	5-6lm

LED STRIP LIGHTS-5050 60 LEDS



DC:24V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
200 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212431 - 3000K WARM WHITE 212459 - 4000K DAY WHITE ★212591 - RGB	VT-5050-60-24V-N-5m	10W	830lm	13-14lm

LED STRIP LIGHTS-5050 60 LEDS




DC:24V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
200 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
★212592 - RGB	VT-5050-60-24V-N	7W	140lm	2-3lm

NEON FLEX IP65



DC:24V	SMD LED
240 LEDs/m	360° :BA
IP65 Rating	25 mm Width
20 Box Qty	



SKU	Model	Watts/m
6870 - 6500K WHITE 6873 - AMBER 6872 - BLUE 6871 - GREEN 6874 - PINK	VT-551	12W

NEON FLEX IP65



DC:24V	SMD LED
192 LEDs/m	360° :BA
IP65 Rating	25 mm Width
10 Box Qty	

SKU	Model	Watts/m
6876 - RGB	VT-561-M	24W





WEATHERPROOF STRIP LIGHTS

Outdoor strip lights are a versatile and effective lighting solution designed specifically for outdoor use. These flexible and weather-resistant lighting fixtures have gained popularity for their ability to enhance the aesthetics, safety, and functionality of outdoor spaces. One of the most crucial aspects of outdoor strip lights is their ability to withstand various weather conditions. They are typically designed with a high level of weather resistance, often carrying IP ratings like IP65 or higher. This ensures they can endure rain, snow, wind, and exposure to the sun without being damaged.



LED STRIP LIGHT SET 10W 2835



DC:220V	SMD LED
121 LEDs/m	0.044A /m
IP65 Rating	120° :BA
100 m Box Qty	10 mm Width


100
LUMEN/W

10
METER
ROLL


IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
23728 - 4000K DAY WHITE 23728 - 6500K WHITE	VT-2835 121-10M	10.5W	1050lm	9-10lm

LED STRIP COB LIGHT SET 12W 2025



DC:220V	COB LED
286 LEDs/m	0.052A /m
IP65 Rating	120° :BA
100 m Box Qty	8 mm Width


88
LUMEN/W

5
METER
ROLL


IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
23715 - 3000K WARM WHITE 23716 - 4000K DAY WHITE	VT-2025 286-5M	12.5W	1100lm	3-4lm

LED STRIP COB LIGHT SET 12.5W 2025



DC:24V	COB LED
286 LEDs/m	0.052A /m
IP65 Rating	120° :BA
100 m Box Qty	8 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
23717 - 6500K WHITE	VT-2025 286-5M	12.5W	1150lm	4-5lm
23719 - 4000K WHITE				
23719 - 4000K WHITE	VT-2025 286-5M	12.5W	1150lm	4-5lm

LED STRIP COB LIGHT SET 12.5W 2025



DC:220V	COB LED
286 LEDs/m	0.052A /m
IP65 Rating	120° :BA
100 m Box Qty	8 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
23722 - 4000K WHITE	VT-2025 286-50M	12.5W	1150lm	4-5lm



LED STRIP LIGHT SET 4.2W/M 6500K 60 LED/m



AC: 110-240V,12V
60 LEDs/m
IP20 Rating
5M Box Qty

5

METER

ROLL

IP20

RATING

SKU	Model	Watts/m	Lumen/m	Width
★20051 - 6500K WHITE	VT-3528 60-IP20	4.2W	300lm	8mm

LED STRIP LIGHT SET 3.6W/M 6000K 60 LED/m



DC:220V	COB LED
286 LEDs/m	0.052A /m
IP65 Rating	120° :BA
100 m Box Qty	8 mm Width

5

METER

ROLL

IP65

RATING

SKU	Model	Watts/m	Lumen/m	Width
★ 20052 - 6000K WHITE	VT-3528 60-N	3.6W	300lm	8mm

LED STRIP SET SMD5050 30 LED RGB IP20




DC:12V
30 LEDs/m
IP20 Rating
100 m Box Qty

IP20

RATING

SKU	Model	Watts/m	Lumen/m	Lumen/W
★212350 - RGB		4W	500lm	125lm

LED STRIP SET COB 422 13W RGB



DC:24V
IP20 Rating
5m Length
COB LED

5

METER

ROLL

IP20

RATING

SKU	Model	Watts/m	Lumen/W	Width
2972 - RGB	VT-COB	13W	13lm	10mm

WP-MAGIC STRIP SET-5050 60 LEDS




AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	10 mm Width



SKU	Model	Watts/m
23146 - RGB	VT-5050 60--60-24V	13W

WP-STRIP LIGHTS 2835 120 DOUBLE PCB



DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP65 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
★ 212625 - 3000K WARM WHITE ★ 212626 - 4000K DAY WHITE ★ 212627 - 6400K WHITE	VT-2835 120-IP65-N	7.5W	750lm	6-7lm

WP-STRIP LIGHTS 2835 - CCT



DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP65 Rating	120° :BA
200 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2898 - 3IN1	VT-2835-120-IP65	14.5W	1750lm	14-15lm

WP-COB STRIP LIGHTS IP67



DC:24V	COB LED
320 LEDs/m	120° :BA
IP67 Rating	8 mm Width



SKU	Model	Watts/m	Lumen/m
★ 23138 - 3000K WARM WHITE ★ 23139 - 4000K DAY WHITE ★ 23140 - 6500K WHITE ★ 23141 - RED ★ 23142 - BLUE ★ 23143 - GREEN	VT-COB-320 -24V-IP67	10W	840lm



LED STRIP LIGHTS



WP-LED STRIP LIGHTS-3528 60 LEDS



DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP65 Rating	120° :BA
400 m Box Qty	8 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212032 - 3000K WARM WHITE 212043 - 4500K DAY WHITE 212031 - 6500K WHITE 212036 - RED 212035 - BLUE 212034 - GREEN	VT-352-60-N	5W	420lm	7-8lm

WP-LED STRIP LIGHTS-3528 120 LEDS



DC:12V	0.66A /m
120 LEDs/m	120° :BA
IP65 Rating	9.2 mm Width
400 m Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212038 - 3000K WARM WHITE 212044 - 4000K DAY WHITE 212037 - 6400K WHITE	VT-3528-120-N	8W	800lm	6-7lm

WP-LED STRIP LIGHTS-5050 30 LEDS



DC:12V	SMD LED
30 LEDs/m	0.4A /m
IP65 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2144 - 6000K WHITE	VT-5050-30	4.8W	500lm	14 -16lm
212460 - 4000K DAY WHITE 212145 - 3000K WARM WHITE 212118 - RGB	VT-5050-30-N	6W - 3000K 4.8W - 4000K 4W - RGB	500lm-3000K 500lm-4000K 70lm-RGB	14 -16lm

WP-LED STRIP LIGHTS-5050 60 LEDS



DC:12V	0.9A /M
60 LEDs/m	120° :BA
IP65 Rating	11.4 mm Width
400 m Box Qty	



SKU	Model	Watts	Lumen/M	Lumen/LED
212149 - 3000K WARM WHITE 212150 - 4500K DAY WHITE 212148 - 6400K WHITE 212155 - RGB	VT-5050 60-N	11W	900lm	14-15lm

WP-TAPE-5050 60 LEDS



DC:24V	SMD LED
60 LEDs/m	0.375A /m
IP65 Rating	120° :BA
200 m Box Qty	10 mm Width

5
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212563 - 4000K DAY WHITE	VT-5050 60-24V-N	10W	830lm	13-14lm
212564 - 6400K WHITE				

WP-NEON FLEX SILICON COVER



DC:24V	SMD LED
238 LEDs/m	0.34A /m
IP65 Rating	120° :BA
200 m Box Qty	4 mm Width

5
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m
2621 - 6000K WHITE	VT-560	8W	530lm

WP-NEON FLEX-RED



DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m
2516 - RED	VT-555R	8W	320

WP-BACKLITE SILICON NEON FLEX



DC:24V	SMD LED
120 LEDs/m	120° :BA
IP65 Rating	8 mm Width
200 m Box Qty	

10
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m
2569 - 4000K DAY WHITE	VT-559	13W	1000

STRIP CONNECTORS




SKU	Model	Box Qty
2588	Flexible Connector – 5050 RGB+White With Pin	2000
2589	Connector – LED Strip 5050 RGB+White	3000
★ 3500	Flexible Connector – LED Strip 3528	100
3501	Flexible Connector – LED Strip 5050	100
★ 3502	Flexible Connector – LED Strip 5050 RGB	100
★ 3503	Connector – LED Strip 3528	100
★ 3504	Connector – LED Strip 5050	1000
★ 3505	Connector – LED Strip 5050 RGB	1000
★ 3507	Flexible Connector – LED Strip 3528 DC Female	100
3508	Flexible Connector – LED Strip 5050 DC Female	100
★ 3512	Connector – LED Strip DC Female	100






MOUNTING KIT WITH BLACK DIFFUSER ★



Model	SKU	Size(mm)	Color	Box Qty
VT-8113	2873	2000x17.4x7	Black	box




MOUNTING KIT WITH BLACK DIFFUSER ★



Model	SKU	Size(mm)	Color	Box Qty
VT-8109	2874	2000x15.8x15.8	Black	box




MOUNTING KIT WITH BLACK DIFFUSER ★



Model	SKU	Size(mm)	Color	Box Qty
VT-8106	2875	2000x24.7x7	Black	box




MOUNTING KIT WITH BLACK DIFFUSER



Model	SKU	Size(mm)	Color	Box Qty
VT-8114	2877	2000x19x19	Black	box




MOUNTING KIT WITH BLACK DIFFUSER ★




Model	SKU	Size(mm)	Color	Box Qty
VT-8110	2878	2000x17.2x14.4	Black	box




MOUNTING KIT SILVER




Model	SKU	Size(mm)	Color	Box Qty
VT-8156	10320	2000x24.7x7	Silver	100




MOUNTING KIT SILVER




Model	SKU	Size(mm)	Color	Box Qty
VT-8157	10321	2000x17.4x7	Silver	100




MOUNTING KIT SILVER




Model	SKU	Size(mm)	Color	Box Qty
VT-8158	10322	2000x15.8x15.8	Silver	100




MOUNTING KIT SILVER




Model	SKU	Size(mm)	Color
VT-8201	23173	2000x55x15	Silver




MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color
VT-8202	23174	2000x20x10	Silver




MOUNTING KIT SILVER




Model	SKU	Size(mm)	Color
VT-8203	23175	2000x20x10	Silver




MOUNTING KIT SILVER




Model	SKU	Size(mm)	Color
VT-8204-S	23176	2000x30x10	Silver




MOUNTING KIT SILVER




Model	SKU	Size(mm)	Color
VT-8204-R	23177	2000x30x10	Silver



MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color
VT-8206-S	23178	2000x50x20	Silver



MOUNTING KIT SILVER




Model	SKU	Size(mm)	Color
VT-8208	23180	2000x60x36	Silver



MOUNTING KIT WHITE

Model	SKU	Size(mm)	Color	Box Qtt
VT-8126	2871	2000x50x35	White	20



MOUNTING KIT WITH DIFFUSER SURFACED


Model	SKU	Size(mm)	Color	Box Qtt
VT-8136	2903	2000x7.8x9	Silver	box



MOUNTING KIT BENDABLE SILVER


Model	SKU	Size(mm)	Color	Box Qtt
VT-8138	2909	2000x18x6	Silver	box

MOUNTING KIT




Model	SKU	Size(mm)	Color	Box Qty
★VT-8106-M	3350	2000x24.7x7	Silver	180
★VT-8122-W	3368	2000x24.7x7	White	180

MOUNTING KIT




Model	SKU	Size(mm)	Color	Box Qty
★VT-8108-M	3352	2000x23.5x10	Silver	120
VT-8108-W	3367	2000x23.5x10	White	120

MOUNTING KIT




Model	SKU	Size(mm)	Color	Box Qty
★VT-8109-M	3353	2000x15.8x15.8	Silver	160
VT-8123-W	3369	2000x15.8x15.8	White	160

MOUNTING KIT




Model	SKU	Size(mm)	Color	Box Qty
VT-8110-M	3354	2000x17.2x14.4	Silver	120
VT-8110-W	3366	2000x17.2x14.4	White	120

MOUNTING KIT





Model	SKU	Size(mm)	Color	Box Qty
★VT-8113-M	3355	2000x17.4x7	Silver	180
★VT-8113-W	3365	2000x17.4x7	White	180

MOUNTING KIT





Model	SKU	Size(mm)	Color	Box Qty
VT-8114-M	3356	2000x19x19	Silver	120
VT-8114-W	3364	2000x19x19	White	120

MOUNTING KIT




Model	SKU	Size(mm)	Color	Box Qty
VT-8107	3351	2000x23x15.5	Silver	120

MOUNTING KIT





Model	SKU	Size(mm)	Color	Box Qty
★ VT-9327	3370	2000x16x7	Silver	200

MOUNTING KIT




Model	SKU	Size(mm)	Color	Box Qty
★ VT-8115	3357	2000x24.5x12.2	Silver	120

MOUNTING KIT





Model	SKU	Size(mm)	Color	Box Qty
★ VT-8116	3358	2000x17.4x12.1	Silver	120

MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qty
★ VT-8101	3359	2000	Silver	30


MOUNTING KIT-SILVER-SET




Model	SKU	Size(mm)	Color	Box Qty
★ VT-8102	3360	2000	Silver	50




MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qtt
VT-8103	3361	2000	Silver	40




MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qtt
VT-8104	3362	2000	Silver	30




MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qtt
VT-8105	3363	2000	Silver	30




MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8118	3371	2000x30x20	Silver	50



MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8119	3372	2000x32x20	Silver	60

V-TAC

Meaningful Innovation.



LED CIJEVI


V-TAC LED cijevi savršeno idu uz linearni namještaj i instalacije, pružajući bolje osvjjetljenje uz veću energetske učinkovitost u usporedbi s fluorescentnim cijevima.

ZNAČAJKE

- Štedljivo, sigurno kućište za T8 cijevi
- Jednostavna instalacija
- Bez žive i olova - za bolji okoliš
- Bez UV i infracrvenog zračenja
- Duži životni vijek i lako održavanje
- Dostupno u 60cm, 120cm i 180cm



T8 GLASS TUBE S



Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5 to >0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Glass
Instant start	0-100% in < 1s

03 YEAR
WARRA NTYDUMMY
STARTER
INCLUDE D

SKU	Model	Watts	Lumens	Size	Box Qty
★ 7796 - 3000K WARM WHITE 7797 - 4000K DAY WHITE 7798 - 6500K WHITE	VT-6729	9W	850	28x600	25
★ 2982 - 4000K DAY WHITE ★ 2983 - 6500K WHITE	VT-1221	18W	1850	28x1200	25
★ 7801 - 4000K DAY WHITE ★ 7803 - 6500K WHITE	VT-1575	20W	2100	28x1500	25


T8 NANO PLASTIC TUBE S



Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5 to >0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s

SKU	Model	Watts	Lumens	Size	Box Qty
216476 - 6500K WHITE	VT-1607	7W	1120	28x600	25
★ 216393 - 4000K DAY WHITE ★ 216394 - 6500K WHITE	VT-6072-NR-N	9W	850	28x600	25
216479 - 6500K WHITE	VT-1612	12W	1920	28x1200	25
216272 - 4000K DAY WHITE 216262 - 6500K WHITE	VT-9077-N	14W	1400	28x900	25
216481 - 4000K DAY WHITE	VT-1615	15W	2400	28x1200	25
★ 216263 - 3000K WARM WHITE ★ 216273 - 4000K DAY WHITE	VT-1277-N	18W	1850	28x1200	25
★ 216265 - 3000K WARM WHITE ★ 216309 - 4000K DAY WHITE ★ 216310 - 6500K WHITE	VT-1577-N	20W	2100	28x1500	25

T5 GLASS TUBE S



Holder	G5
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Glass
Instant start	0-100% in < 1s

02 YEAR
WARRA NTYDUMMY
STARTER
INCLUDE D

SKU	Model	Watts	Lumens	Size	Box Qty
216318 - 4000K DAY WHITE 216319 - 6500K WHITE	VT-6005-N	8W	880	19X600	25

SINGLE BATTEN FITTING



SKU	Model	Body Type	Size(mm)	Box Qty
6052	VT-160 10	Iron	615x45x50	20

DOUBLE BATTEN FITTING




SKU	Model	Body Type	Size(mm)	Box Qty
6053	VT-160 11	Iron	615x55x50	20
★ 6055	VT-120 21	Iron	1225x55x50	12
6057	VT-150 21	Iron	1520x55x50	12

COMMERCIAL TUBES

Specialized LED tubes designed for use in the food industry. These cost-effective LED tubes are ideal for illuminating meat, bread, vegetables, seafood, or plant cultivation. Their unique light spectrum enhances the appearance of food in stores without distorting it inappropriately.

Holder	G13
Voltage/Frequency	AC:180-240V,50Hz
PF	>0.9
CRI	>95
Beam Angle	160°
On/off	>15,000
Body Type	Glass with PET
Instant start	0-100% in < 1s



T8 BAKERY TUBE




SKU	Model	Watts	Lumens	Size	Box Qty
6322	VT-1228-B	18W	1530	26x1200	25

T8 VEGETABLE TUBE



SKU	Model	Watts	Lumens	Size	Box Qty
6324	VT-1228-V	18W	1530	26x1200	25

T8 SEAFOOD TUBE



SKU	Model	Watts	Lumens	Size	Box Qty
6325	VT-1228-S	18W	1530	26x1200	25



LED TUBE S



NEW




GRILL FITTING-SLIM SERIES

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.9
CRI	>80
Beam Angle	120°
On/off	>15,000
Body Type	Plastic

120
LUMEN/W

IP20
RATING



SKU	Model	Watts	Lumens	Size	Box Qty
8048 - 4000K DAY WHITE 8049 - 6500K WHITE	VT-8340	40W	4800	1200x75x24	30
8050 - 4000K DAY WHITE 8054 - 6500K WHITE	VT-8350	50W	6000	1500x75x24	30



DOUBLE T8 NANO PLASTIC TUBE

Holder	G13
Voltage/Frequency	AC:200-240V,50Hz
PF	>0.9
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s

02
YEAR
WARRANTY

SKU	Model	Watts	Lumens	Size	Box Qty
6313 - 4000K DAY WHITE	VT-6077	18W	2500	18.5x549	10

LED GRILL FITTING 16W 60cm 3000K



Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.9
CRI	>80
Beam Angle	110°
On/off	>15,000
Body Type	Plastic

SKU	Model	Watts	Lumens	Size	Box Qty
4974 - 3000K WARM WHITE	VT-8011	16	1200	600x135x46	10

LED GRILL FITTING 32W 120cm 3000K



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>80
Beam Angle	110°
On/off	>15,000
Body Type	Plastic
Instant start	0-100% in < 1s

SKU	Model	Watts	Lumens	Size	Box Qty
4977 - 3000K WARM WHITE	VT-8012	32W	2400	1200x135x46	10

LED TUBE FITTING 36W 120cm



Voltage/Frequency	AC:85-265V, 50/60Hz
PF	>0.9
CRI	>80
Beam Angle	120°
On/off	>15,000
Body Type	Iron, PC
Instant start	0-100% in < 1s

SKU	Model	Watts	Lumens	Size	Box Qty
6203- 6000K WHITE	VT-12042	36W	2900	1187x54x36	1



LED PANELI

Predstavljamo tanke i elegantne LED panele V-TAC brenda! – doživi iskustvo neprestanog osvjetljenja bez toplo-hladnih točaka.

ZNAČAJKE

- Ultra tanak dizajn
- Moderno i elegantno
- Viša razina svjetlosne emisije
- Površina koja se ne oštećuje lako
- Bez Infracrvenog, ne privlači insekte
- Jednostavna instalacija
- Bez žive i olova - za bolji okoliš
- Određeni modeli s opcijom prigušivanja svjetla





LED BIG PANELS



NEW

HIGH LUMENS BACKLIT LED PANELS

AC:220-240V,50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI

Aluminium+PS+SPCC Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23393- 4000K DAY WHITE 23458 - 6400K WHITE	VT-60025	25W	4500	595x595x33	10
23456 - 4000K DAY WHITE	VT-6235	36W	4320	595x595x34	5



HIGH LUMENS BACKLIT LED PANELS


AC:220-240V,50/60Hz

110° Beam Angle

>0.9 PF

>80 CRI

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 216706 - 4000K DAY WHITE	VT-6436	36W 8 pcs pack	4320	595x595x33	8

SURFACE/RECESSED LED PANELS



AC:220-240V,50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI

FE+PP Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 638011 - 4000K DAY WHITE 638021 - 6500K WHITE	VT-6139	36W	3960	595x595x30	6
236241 - 4000K DAY WHITE 236251 - 6400K WHITE	VT-61036	36W	4320	595x595x33	10



LED PANEL 29W 600x600 mm 6400K INCL DRIVER

AC:220-240V,50/60Hz


120° Beam Angle

>0.9 PF

>80 CRI

FE+PP Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216242 - 6400K WHITE	VT-6129	29W	3960	595x595x12.5	6

BIG LED BACKLITE PANELS



AC:200-240V, 50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI

FE+PP Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216625 - 4000K DAY WHITE 216626 - 6500K WHITE	VT-6147-N	40W 6 pcs pack	4400	1195x295x30	6

HIGH LUMEN BIG LED PANELS



AC:200-240V, 50/60Hz

(29W)120° / (40W)110° Beam Angle

>0.9 PF

>80 CRI

Aluminium + PMMA + PP Body

25,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216257 - 4000K DAY WHITE 216258 - 6500K WHITE	VT-12031-N	29W	3960	1195x295x12.5	6
23147 - 4000K DAY WHITE 23148 - 6500K WHITE	VT-61140	40W 6 pcs pack	4800	1195x295x30	6




LED BIG PANELS



LED PANEL 36W 595x595 mm 2IN1

AC:220-240V,50/60Hz
110° Beam Angle
>0.9 PF
>80 CRI
FE+PP Body
20,000 hr lifespan




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23765 - 4000K DAY WHITE 23766 - 6400K WHITE	VT-61037	36W	4320	595x595x33.5	10



LED PANEL 29W 600x600 mm 6400K
INCL DRIVER

AC:220-240V,50/60Hz
120° Beam Angle
>0.9 PF
>80 CRI
FE+PP Body
20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216024 - 4000K DAY WHITE 216025 - 6400K WHITE	VT-6060-6	40W	4950	595x595x12.5	6

DRIVERS - BIG PANELS

SKU	SKU	Watts	Box Qty			
	6259	29W	50			
	6328	72W	50	05 YEAR WARRANTY		
	6259	29W	50			
	11410	40W	50			

ALUMINIUM SUSPENDED MOUNTING ★


Adjustable 1m suspension kit compatible with all panel sizes. This product can be used for all sizes of panels, that is
• 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600



SKU	Box Qty
6018	50

ALUMINIUM SPRING HOLDER FOR PANEL ★

Aluminium spring holder for panel dimension: 600x600 mm.



SKU	Box Qty
9931	100


ALUMINIUM SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
11449	600x600x43	12

ALUMINIUM SURFACE MOUNTING-60X60


Convert the recessed panel to surface panel and install it easily on solid surfaces.



SKU	Size(mm)	Box Qty
9999	611x611x56	5


ALUMINIUM SURFACE MOUNTING-62X62

Convert the recessed panel to surface panel and install it easily on solid surfaces.



SKU	Size(mm)	Box Qty
9997	625x625	5

PLASTIC SURFACE MOUNTING-60X60 ★



SKU	Size(mm)	Box Qty
6627	600x600	25

ALUMINIUM SURFACE MOUNTING-60X60 ★



SKU	Size(mm)	Box Qty
8156	600x600	10

ALUMINIUM SURFACE MOUNTING-120X30



SKU	Size(mm)	Box Qty
8158	1200x300	10

PLASTIC SURFACE MOUNTING 1200X300MM



SKU	Size(mm)	Box Qty
6708	1200x300	25

ALUMINIUM SURFACE MOUNTING-120X30



SKU	Size(mm)	Box Qty
9969	1200x300	6



BACKLIT RECESSED SERIES-ROUND




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
7855 - 3000K WARM WHITE 7856 - 4000K DAY WHITE 7857 - 6500K WHITE	VT-61003RD	3W	330	90.5x28	80	100
7858 - 3000K WARM WHITE	VT-61006RD	6W	660	120.5x28.4	110	80
7861 - 3000K WARM WHITE 7862 - 4000K DAY WHITE 7863 - 6500K WHITE	VT-61012RD	12W	1200	170.8x28.4	155	60
7864 - 3000K WARM WHITE 7865 - 4000K DAY WHITE 7866 - 6500K WHITE	VT-61018RD	18W	3000K - 1850 4000K - 1980 6500K - 1980	220.8x28.9	205	40
7867 - 3000K WARM WHITE 7868 - 4000K DAY WHITE	VT-61024RD	24W	3000K - 2500 4000K - 2640 6500K - 2640	296x29.1	280	20

BACKLIT RECESSED SERIES-SQUARE




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
10481 - 4000K DAY WHITE 10482 - 6500K WHITE	VT-61006SQ	6W	660	120.5x120.5x28.4	110x110	80
10486 - 3000K WARM WHITE 10487 - 4000K DAY WHITE	VT-61018SQ	18W	3000K - 1850	220.4x220.4x28.8	205x205	40
10489 - 3000K WARM WHITE 10491 - 6500K WHITE	VT-61024SQ	24W	3000K - 2500	295x295x28.6	280x280	20

BACKLIT SURFACED SERIES-ROUND




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7870 - 3000K WARM WHITE 7871 - 4000K DAY WHITE 7872 - 6500K WHITE	VT-60006RD	6W	660	121.2x30.6	100
7873 - 3000K WARM WHITE 7874 - 4000K DAY WHITE	VT-60012RD	12W	1200	167.4x30.7	60
7876 - 3000K WARM WHITE 7877 - 4000K DAY WHITE 7878 - 6500K WHITE	VT-60018RD	18W	3000K - 1850 4000K - 1980 6500K - 1980	215.6x30.8	40
7879 - 3000K WARM WHITE 7880 - 4000K DAY WHITE	VT-60024RD	24W	3000K - 2500 4000K - 2640 6500K - 2640	288.6x31.2	20

BACKLIT SURFACED SERIES-SQUARE




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10492 - 3000K WARM WHITE 10493 - 4000K DAY WHITE	VT-60006SQ	6W	660	120.8x120.8x30.7	100
10495 - 3000K WARM WHITE 10496 - 4000K DAY WHITE	VT-60012SQ	12W	1200	167.3x167.3x30.7	60
10498 - 3000K WARM WHITE 10499 - 4000K DAY WHITE 10500 - 6500K WHITE	VT-60018SQ	18W	3000K - 1850	214x214x31	40
10514 - 3000K WARM WHITE	VT-60024SQ	24W	3000K - 2500	287x287x30.7	20

LED MINI PANELS PREMIUM SERIES-ROUND




AC:85-265V,50/60Hz

120° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
★ 216292 - 2700K WARM WHITE ★ 216293 - 4000K DAY WHITE ★ 216294 - 6400K WHITE	VT-307RD-N	3W	130	Ø84x12	Ø73	50
214856 - 6400K WHITE	VT-607RD-N	6W	490	Ø120x12	Ø110	40
★ 214858 - 4000K DAY WHITE 214859 - 6400K WHITE	VT-1207RD-N	12W	1160	Ø170x12	Ø155	20
★ 214860 - 2700K WARM WHITE ★ 214861 - 4000K DAY WHITE ★ 214862 - 6400K WHITE	VT-1807RD-N	18W	1400	Ø225x12	Ø210	20

LED MINI PANELS PREMIUM SERIES-SQUARE




AC:85-265V,50/60Hz

120° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
★ 216296 - 4000K DAY WHITE	VT-307SQ-N	3W	180	84x84x12	74x73	50
4863 - 3000K WARM WHITE	VT-607SQ	6W	420	120x120x12	110	40
★ 214864 - 4000K DAY WHITE 214865 - 6400K WHITE	VT-607SQ-N	6W	490	120x120x12	110	40
214866 - 2700K WARM WHITE 214868 - 6400K WHITE	VT-1207SQ-N	12W	1160	170x170x12	155x155	20
214871 - 6400K WHITE	VT-1807SQ-N	18W	1400	225x225x12	205x205	20

LED CHROME SURFACE PANELS



AC:85-265V,50/60Hz


120° Beam Angle

>0.6 PF

>80 CRI

Aluminium+Chrome Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6364 - 3000K WARM WHITE	VT-1205CH	12W	1000	Ø140x24	40

LED SATIN NICKEL PANELS



AC:85-265V,50/60Hz


120° Beam Angle

>0.5 PF

>80 CRI

Aluminium+Satin Nickel Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6355 - 3000K WARM WHITE 6356 - 4000K DAY WHITE	VT-2407SN	24W	2000	Ø300x25	Ø285	10

LED CHROME PANELS



AC:85-265V,50/60Hz


120° Beam Angle

>0.5 PF

>80 CRI

Aluminium+Chrome Body

20,000 hr lifespan




SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6348 - 6400K WHITE	VT-1807CH	18W	1500	Ø225x25	Ø205	20
6352 - 3000K WARM WHITE 6353 - 4000K DAY WHITE	VT-2407CH	24W	2000	Ø300x25	Ø285	10



LED TRIMLESS MINI PANELS-SQUARE



AC:85-265V,50/60Hz
120° Beam Angle
>0.9 PF
>80 CRI
Aluminium Body
20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
4798 - 6400K WHITE	VT-2222SQ	22W	2200	170x170x8	155x155	40

DRIVERS - MINI PANELS

SKU	SKU	Watts	Box Qty	Dimmable
	8036	8W	120	NO
	8037	15W	50	NO

SPRING HOLDER SET FOR RECESSED MINI PANEL



SKU	Box Qty
5999	100





LINEAR LIGHTS



- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRi
- Aluminium Body
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6415 - 6400K WHITE	VT-20002	20W	1400	290x45x72	270x32	20

6418 - 6400K WHITE	VT-30002	30W	2100	430x45x72	405x32	10
--------------------	----------	-----	------	-----------	--------	----



V-TAC

Meaningful Innovation.



LED PLAFONJERE

Stvari bolji ambijent u bilo kojem prostoru.

Kompaktne i jednostavne, V-TAC plafonjere savršena su zamjena za tradicionalne plafonjere.

ZNAČAJKE

- Bez treperenja
- Bez UV zračenja
- Jednostavna instalacija
- Vrhunska kvaliteta LED čipova
- Najbolji driveri na tržištu
- Instant start 0–100% za 0.01 sekundi
- Izvrzna otpornost na temperaturne razlike (-20°C to +45°C)



NEW

LED DOME LIGHT CYCLONE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23585 - 3IN1	VT-8559-W	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø492x71	5

NEW

LED DOME LIGHT CYCLONE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23586 - 3IN1	VT-8559-WG	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø492x71	5

NEW

LED DOME LIGHT PLUM BLOSSOM COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23587 - 3IN1	VT-8561	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø400x70	5
23588 - 3IN1	VT-8562	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø500x85	5

NEW

LED DOME LIGHT ELEGANT WHITE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 23589 - 3IN1	VT-8563	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø395x66	5

NEW

LED DOME LIGHT VICTORY WHITE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 23591 - 3IN1	VT-8565	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø390x80	5
23592 - 3IN1	VT-8566	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø495x85	5

NEW

LED DOME LIGHT PHANTOM COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23593 - 3IN1	VT-8567	3000K- 20W 4000K- 40W 6500K- 20W	4000	450x455x65	5
23594 - 3IN1	VT-8568	3000K- 30W 4000K- 60W 6500K- 30W	6000	550x65x538	5



LED DOME LIGHTS



NEW

LED DOME LIGHT BEEHIVE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz
360° Beam Angle
>0.9 PF
>80 CRI
Plastic Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23595 - 3IN1	VT-8569	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø490x70	5

LED DOME LIGHTS -WHITE FRAME



AC:220-240V,50/60Hz
>80 CRI
PP+PMMA Body
20,000 hr lifespan
IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
★ 76151 - 3000K WARM WHITE ★ 76161 - 4000K DAY WHITE	VT-8618W-RD-N	Round	18W	1830	Ø250x63
★ 76191 - 4000K DAY WHITE 76201 - 6500K WHITE	VT-8624W-RD-N	Round	24W	2500	Ø295x60
★ 76241 - 3000K WARM WHITE ★ 76251 - 4000K DAY WHITE	VT-8618W-SQ-N	Square	18W	1830	250x250x65
76271 - 3000K WARM WHITE	VT-8624W-SQ-N	Square	24W	2500	295x295x65
76301 - 3000K WARM WHITE	VT-8630W-SQ-N	Square	48W	5160	420x420x65

LED DOME LIGHTS - BLACK FRAME



AC:220-240V,50/60Hz

>80 CRI

PP+PMMA Body

20,000 hr lifespan

IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76351 - 6500K WHITE	VT-8618B-RD-N	Round	18W	1830	Ø250x63
★ 76361 - 3000K WARM WHITE ★ 76371 - 4000K DAY WHITE	VT-8624B-RD-N	Round	24W	2500	Ø295x60
★ 76401 - 4000K DAY WHITE	VT-8630B-RD-N	Round	36W	3820	Ø350x61
★ 76421 - 3000K WARM WHITE ★ 76431 - 4000K DAY WHITE	VT-8618B-SQ-N	Square	18W	1830	250x250x65
76451 - 3000K WARM WHITE	VT-8624B-SQ-N	Square	24W	2500	295x295x65
★ 76481 - 3000K WARM WHITE ★ 76491 - 4000K DAY WHITE 76501 - 6500K WHITE	VT-8630B-SQ-N	Square	48W	5160	420x420x65

LED DOME LIGHTS WITH SENSOR - WHITE FRAME



AC:220-240V,50/60Hz

>80 CRI

PP+PMMA Body

20,000 hr lifespan

IP44 Rating



SKU	Model	Shape	Watts	Lumens	Size(mm)
★ 76591 - 3000K WARM WHITE ★ 76601 - 4000K DAY WHITE 76611 - 6500K WHITE	VT-8618S-W-RD-N	Round	18W	1830	Ø295x60
★ 76621 - 3000K WARM WHITE ★ 76631 - 4000K DAY WHITE 76641 - 6500K WHITE	VT-8624S-W-RD-N	Round	24W	2500	Ø350x61
76661 - 4000K DAY WHITE	VT-8618SW-SQ-N	Square	18W	1830	295x295x65
76681 - 4000K DAY WHITE	VT-8630SW-SQ-N	Square	36W	3820	420x420x65



LED DOME LIGHTS WITH SENSOR - BLACK FRAME



AC:220-240V,50/60Hz
>80 CRI
PP+PMMA Body
20,000 hr lifespan
IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
★ 76691 - 4000K DAY WHITE	VT-8618S-B-RD-N	Round	18W	1830	Ø295x60
★ 76701 - 4000K DAY WHITE	VT-8624S-B-RD-N	Round	24W	2500	Ø350x61
76711 - 4000K DAY WHITE	VT-8630S-B-RD-N	Round	36W	3820	Ø420x65
★ 76721 - 4000K DAY WHITE	VT-8618S-B-SQ-N	Square	18W	1830	295x295x65

LED DOME LIGHTS -WHITE FRAME



AC:220-240V,50Hz
120° Beam Angle
>0.7 PF
>80 CRI
PC Body
25,000 hr lifespan
IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7626 - 6500K WHITE	VT-8618W-SQ	Square	18W	1800	225x225
7632 - 6500K WHITE	VT-8630W-SQ	Square	30W	3000	420x420



LED DOME LIGHTS



LED DOME LIGHT STARRY COVER



- AC:220-240V, 50/60Hz
- 360° Beam Angle
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 217602 - 3IN1	VT-8412-S-N	12W	1200	Ø260x55	5
★ 217604 - 3IN1	VT-8418-S-N	18W	1800	Ø310x55	5
★ 217606 - 3IN1	VT-8424-S-N	24W	2600	Ø350x55	5
★ 217608 - 3IN1	VT-8436-S-N	36W	3900	Ø500x80	5

LED DOME LIGHT MILKY COVER



- AC:220-240V, 50/60Hz
- 360° Beam Angle
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 217603 - 3IN1	VT-8412-M-N	12W	1200	Ø260x55	5
★ 217605 - 3IN1	VT-8418-M-N	18W	1800	Ø310x55	5
★ 217607 - 3IN1	VT-8424-M-N	24W	2600	Ø350x55	5
★ 217609 - 3IN1	VT-8436-M-N	36W	3900	Ø500x80	5

LED DOME LIGHTS WITH SENSOR - WHITE FRAME



- AC:220-240V,50Hz
- 120° Beam Angle
- >0.7 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7659 - 3000K WARM WHITE	VT-8618S-W-RD	Round	18W	1800	Ø225

LED DOME LIGHT DIAMOND COVER WITH REMOTE CONTROL



- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >0.9 PF
- >80 CRI
- Plastic+Metal Body
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114921- 3IN1	VT-8557-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø500x75	5



LED DOME LIGHT WITH REMOTE CONTROL



AC:175-265V,50/60Hz
120° Beam Angle
>0.9 PF
>80 CRI
Plastic+Metal Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 2114941- 3IN1	VT-8405-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø393x80	5
2114911- 3IN1	VT-8556-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø493.9x75	5

LED DOME LIGHT WITH REMOTE CONTROL



AC:175-265V,50/60Hz
120° Beam Angle
>0.9 PF
>80 CRI
Plastic+Metal Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 2114761- 3IN1	VT-8402-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø410x75	10

LED DOME LIGHT WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

Plastic+Metal Body

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 2114601- 3IN1	VT-8403-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø395x80	5
2114611- 3IN1	VT-8503-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø500x90	5

LED DOME LIGHT WITH REMOTE CONTROL



AC:175-265V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

Plastic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114621- 3IN1	VT-8504-N	3000K- 30W 4000K- 60W 6500K- 30W	3000K 2100 4000K 4200 6500K 2100	Ø500x85	5

LED ROUND DOMELIGHTS-BULKHEAD



AC:220-240V,50/60Hz

110° Beam Angle

>0.7 PF

>80 CRI

25,000 hr lifespan

IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 10195 - 3000K WARM WHITE ★ 10196 - 4000K DAY WHITE 10197 - 6500K WHITE	VT-8095	12W	1160	151x38	80
★ 10198 - 3000K WARM WHITE ★ 10199 - 4000K DAY WHITE 10200 - 6500K WHITE	VT-8096	18W	1820	195x38	40
23596 - 3000K WARM WHITE 23597 - 4000K DAY WHITE 23598 - 6500K WHITE	VT-80024	24W	2500	240x38	



LED OVAL DOME LIGHTS



AC:200-240V,50/60Hz
120° Beam Angle
>0.5 PF
>70 CRI
PC+PC Body
20,000 hr lifespan
IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 1350 - 3000K WARM WHITE	VT-8010-B	12W	840	Ø242x96	10

LED ROUND DOME LIGHTS



AC:200-240V,50/60Hz
120° Beam Angle
>0.5 PF
>70 CRI
PC+PC Body
20,000 hr lifespan
IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1349 - 3000K WARM WHITE	VT-8015-B	12W	840	Ø220x105	10

LED ROUND DOME LIGHT MICROWAVE SENSOR E27



AC:200-240V,50/60Hz
360° Beam Angle
>80 CRI
Plastic clad aluminium
>20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
4966	VT-8002 C	60W	Depends on the bulb	Ø296x96	5

V-TAC

Meaningful Innovation.



LED REFLEKTORI

V-TAC Led reflektori idealni su za osvjetljenje prilaza, vrtova i zgrada. Energetski učinkoviti s jakim izvorom svjetla, čine odličnu alternativu klasičnim halogenim reflektorima.


ZNAČAJKE

- Dostupni u rasponu od 10W do 100W
- Vrhunska kvaliteta u aluminijskom tijelu
- Staklo zapečaćeno silikonom osigurava vrhunske vodootporne karakteristike
- Snažan LED čip
- Ugrađeni izvor konstantnog napona

NEW FLOODLIGHT CCT 3IN1



Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)
★ 23613 - 3IN1	VT-44 030 CCT	30W	2350	171x26x176mm
★ 23614 - 3IN1	VT-44050 CCT	50W	4000	194x26x209mm
★ 23615 - 3IN1	VT-44 100 CCT	100W	8150	276x26x263mm

NEW FLOODLIGHT RGB+WHITE - REMOTE CONTROL



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)
23462 - RGB+6500K	VT-44 034	30W	2310	164.5x34x153mm
23463 - RGB+6500K	VT-440 53	50W	4000	183.5x34x169mm

ECONOMICAL SERIES-BLACK



Voltage/Frequency	AC:220-240V, 50/60Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 6738 - 4000K DAY WHITE ★ 6739 - 6500K WHITE	VT-4924-B	20W	1650	120x105x27	40
★ 6744 - 4000K DAY WHITE ★ 6745 - 6500K WHITE	VT-4934-B	30W	2510	150x122x27	20
★ 6733 - 4000K DAY WHITE ★ 6734 - 6500K WHITE	VT-49204-B	200W	17600	400x333x32.5	5

ECONOMICAL SERIES-WHITE



Voltage/Frequency	AC:220-240V, 50/60Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 6731 - 4000K DAY WHITE	VT-4914-W	10W	750	90x27x86	60
★ 6742 - 6500K WHITE	VT-4924-W	20W	1650	120x105x27	40
★ 6747 - 4000K DAY WHITE ★ 6748 - 6500K WHITE	VT-4934-W	30W	2510	150x122x27	20
★ 6735 - 4000K DAY WHITE	VT-49204-W	200W	17600	400x333x32.5	5

COLOR FLOODLIGHTS




Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Size(mm)	Box Qty
5991 - GREEN 5992 - RED	VT-4021	20W	150x143x26	20

E SERIES-WHITE



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 215950 - 4000K DAY WHITE 215951 - 6500K WHITE	VT-4021W-N	20W	1620	121x114x26	20
★ 215956 - 4000K DAY WHITE 215957 - 6500K WHITE	VT-4031W-N	30W	2510	153x132x27	20
★ 215963 - 6500K WHITE	VT-4051W-N	50W	4300	198x167x28	10
★ 215968 - 4000K DAY WHITE 215969 - 6500K WHITE	VT-40101W-N	100W	8700	261x217x32	10

E SERIES-BLACK



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
★ 215948 - 6500K WHITE	VT-4021B-N	20W	1620	121x114x26	20
★ 215953 - 4000K DAY WHITE 215954 - 6500K WHITE	VT-4031B-N	30W	2510	153x132x27	20
★ 215959 - 4000K DAY WHITE 215960 - 6500K WHITE	VT-4051B-N	50W	4300	198x167x28	10
★ 215965 - 4000K DAY WHITE 215966 - 6500K WHITE	VT-40101B-N	100W	8700	261x217x32	10

SMART SERIES FLOODLIGHTS



Voltage/Frequency	AC:220-240V
PF	>0.9
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5984 - RGB+W/WW/DW	VT-5020-White	20W	1400	141.6x126.3x42.7	20



HIGH LUMEN EVOLUTION SERIES

- IP65 Rating.
- SMD
- 2 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
★ 9892 4000K DAY WHITE	VT-4456	50W	9250	10 pcs		183.5x34x169mm
9894 4000K DAY WHITE	VT-44105	100W	18500	4 pcs		253.5x40x242.5mm
9896 4000K DAY WHITE	VT-44205	200W	37000	2 pcs		402.5x44x349.5mm

LED FLOODLIGHT BLACK BODY GREY GLASS 5 YEARS WARRANTY



Voltage/Frequency	AC:220-240V,50Hz
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)
23692 - 4000K DAY WHITE	VT-44 031	30W	4800	164.5x34x153mm
23693 - 6500K WHITE	VT-44 031	50W	8000	183.5x34x169mm
★ 23694 - 4000K DAY WHITE	VT-44 051	50W	8000	183.5x34x169mm



- Detection Distance: 0-12M
- Detection Angle: 180°
- Video Compression: H.264 / MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4" 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- AC: 100-240V, 50/60 Hz
- PF: >0.5
- CRI: >70
- 180° Beam Angle
- 248x162x181mm 180°

PIR SENSOR-WI-FI-CAMERA




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5745 - 6000K WHITE	VT-4818-White	18W	600	248x162x181	4




- Detection Distance: 0-12M
- Detection Angle: 180°
- Video Compression: H.264 / MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4" 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30 S
- AC:100-240V,50/60 Hz
- PF: >0.5
- CRI: >70
- 180° Beam Angle
- 248x162x181mm 180°

PIR SENSOR-WI-FI-CAMERA



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5917 - 6000K WHITE	VT-4818-BLack	18W	600	248x162x181	4

★ WATER PROOF BOX TERMINAL BLOCK




Model No: VT-868
 Cable Diameter: 5-9mm

SKU: 5977
 Ampere: 16A

Wire Range : 0.5~1.5mm²
 Fire Retardant Level: V2

Voltage: AC:450V
 Box Qty: 1000

WATER PROOF BOX TERMINAL BLOCK




Model No: VT-870-B
 Cable Diameter: 8-12mm

SKU: 5980
 Ampere: 24A

Wire Range : 0.5~4mm²
 Fire Retardant Level: V2

Voltage: AC:450V
 Box Qty: 100

WATER PROOF BOX TERMINAL BLOCK



Model No: VT-869-W
 Cable Diameter: 8-12mm

SKU: 5979
 Ampere: 24A

Wire Range : 0.5~4mm²
 Fire Retardant Level: V2

Voltage: AC:450V
 Box Qty: 200

WATER PROOF BOX TERMINAL BLOCK




Model No: VT-871-B
 Cable Diameter: 8-12mm

SKU: 5982
 Ampere: 24A

Wire Range : 0.5~4mm²
 Fire Retardant Level: V2

Voltage: AC:450V
 Box Qty: 100

★ WATER PROOF BOX TERMINAL BLOCK



IP68
RATING

ULTRAVIOLET
PROTECTION

Model No:	VT-870-W	Cable Diameter:	8-12mm
SKU:	5981	Ampere:	24A
Wire Range :	0.5~4mm ²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	100

WATER PROOF BOX TERMINAL BLOCK




IP68
RATING

ULTRAVIOLET
PROTECTION

Model No:	VT-792-B	Material:	Flame Retardant PP
SKU:	3621	Dimension:	Ø27x76
Wire Range :	4-6.5mm	IP Rating:	IP68
Voltage:	AC:220V	Box Qty:	500

★ WATER PROOF BOX TERMINAL BLOCK



IP68
RATING

ULTRAVIOLET
PROTECTION

Model No:	VT-871-W	Cable Diameter:	8-12mm
SKU:	5983	Ampere:	24A
Wire Range :	0.5~4mm ²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	100

★ WATER PROOF BOX TERMINAL BLOCK



IP68
RATING

ULTRAVIOLET
PROTECTION

Model No:	VT-792-W	Material:	Flame Retardant PP
SKU:	5896	Dimension:	Ø27x76
Wire Range :	4-6.5mm	IP Rating:	IP68
Voltage:	AC:220V	Box Qty:	500

FLOODLIGHT SPIKE-WHITE



SKU	Model	Suitable For	Size(mm)	Box Qty
7537	VT-855-W	10-150 W	Ø60 x H 265	100

★ WATERPROOF BOX TERMINAL BLOCK




IP66
RATING

Model No:	VT-881	Cable Diameter:	5-9mm
SKU:	5987	Ampere:	24A
Wire Range :	0.5~2.5mm ²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	150



TRIPOD STAND-YELLOW ★



SKU	Model	Size(mm)	Box Qty
9104	VT-4115Y	900 x 940 ~ 1800	8

V-TAC

Meaningful Innovation.




LED ŽARULJE

Definicija održivosti - sa klasičnim dizajnom pri maksimalnoj učinkovitosti. Širok raspon LED termoplastičnih žarulja Vaš su idealan izbor za bilo koji prostor.

ZNAČAJKE

- Traje i do 20 puta duže nego klasične žarulje
- Širok raspon prihvata
- Koristi 80% manje energije nego klasična žarulja
- Odlična učinkovitost toplinske disipacije
- Izdržljivo tijelo
- LED čipove visoke kvalitete
- Bez treperenja
- Dimabilne opcije



RF REMOTE CONTROL
BULBS-CANDLE

Voltage/Frequency AC:220-240V,50Hz

Beam Angle 200°

PF >0.4

CRI >80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2771 -RGB+6400K	VT-2214	3.5W	320	30W	E14	Candle	Ø37x100	200
2926 -RGB+3000K 2929 -RGB+4000K	VT-2214-N-1	4.8W	470	30W	E14	Candle	Ø36.5x110	200

RF REMOTE CONTROL
BULBS-P45

Voltage/Frequency AC:220-240V,50Hz

Beam Angle 180°

PF >0.4

CRI >80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
3029 - RGB+3000K	VT-2234-SQ	4.8W Square Remote	470	40W	E14	P45	Ø47.5x88	200

RF REMOTE CONTROL
BULBS-A60

Voltage/Frequency AC:220-240V, 50Hz

Beam Angle 200°

PF >0.5

CRI >80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2928 -RGB+4000K	VT-2229-N-1	8.5W	806	60W	E27	A60	Ø60x120	100



3 STEP DIMMING BULBS-A60



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
4449 - 6400K WHITE	VT-2011	9W	806	60W	E27	A60	Ø60x112	100



3 STEP DIMMING BULBS 2PCS BLISTER PACK




Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
7288 - 2700K WARM WHITE 7289 - 4000K DAY WHITE 7290 - 6400K WHITE	VT-2129	9W	806	60W	E27	A60	Ø60x112	25



COLOR CHANGING BULBS 2PCS BLISTER PACK



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
7309 - 3 IN 1	VT-2149	9W	806	60W	E27	A60	Ø60x112	25



LED CANDLE BULBS


Our candle-shaped LED bulbs are energy-efficient replacements for traditional halogen lamps that come with chandeliers, wall lights, desk lamps, and other decorative lighting fixtures.

- Includes E14 and E27 base variations
- No UV radiation and mercury-free



LED CANDLE BULBS-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★ 2984 - 3000K WARM WHITE ★ 2985 - 4000K DAY WHITE ★ 2986 - 6500K WHITE	VT-2323	2.9W	250	25W	E14	Candle	Ø36.5x100	200


★ 214166 - 4000K DAY WHITE ★ 214122 - 6500K WHITE	VT-1818-N	3.7W	320	25W	E14	Candle	Ø37x100	200
--	-----------	------	-----	-----	-----	--------	---------	-----

★ 2142151 - 3000K WARM WHITE ★ 2142581 - 4000K DAY WHITE ★ 2142411 - 6500K WHITE	VT-1855-N	4.5W	470	40W	E14	Candle	Ø36.5x100	200
--	-----------	------	-----	-----	-----	--------	-----------	-----



LED CANDLE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4156 - 4000K DAY WHITE	VT-1818TP	4W	320	30W	E14	Candle	Ø37x124	200
214164 - 3000K WARM WHITE	VT-1818TP-N	3.7W	320	30W	E14	Candle	Ø36.5x124	200



LED CANDLE BULBS-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
On/Off	>20000
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
211111 - 3000K WARM WHITE 211121 - 4000K DAY WHITE 211131 - 6400K WHITE	VT-268	6.5W	600	45W	E14	Candle	Ø36.5x100	200



LED CANDLE BULBS-6PCS BLISTER-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212738 - 6500K WHITE	VT-2246-N	4.5W	470	40W	E14	Candle	Ø36.5x100	180



LED BULB 3W E14 R39


Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	120°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★ 4220 - 4000K DAY WHITE	VT-1861	3W	210	25W	E14	R39	Ø39x67	200



LED CANDLE BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2143421 - 3000K WARM WHITE	VT-1821N-N	4.5W	470	40W	E27	Candle	Ø36.5x100	200

LED G45 BULBS


Small, round, 45mm golf bulbs usually used in vanities, bedside lamps, desk lamps, and other fixtures in residential spaces.

- Available in blister packs and 3/6pc multipacks
- No UV radiation and mercury-free



LED G45 BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★ 214160 - 3000K WARM WHITE ★ 214162 - 4000K DAY WHITE ★ 214207 - 6500K WHITE	VT-1830-N	3.7W	320	25W	E27	G45	Ø45x80	200
★ 217407 - 3000K WARM WHITE ★ 217408 - 4000K DAY WHITE ★ 217409 - 6500K WHITE	VT-1879N-N	4.5W	470	40W	E27	G45	Ø45x80	200



LED P45 BULBS


Ball-shaped E14 base-type bulbs usually used in chandeliers, table lamps, wall lamps, and other decorative lighting fixtures in residential and commercial spaces.

- Available in blister packs and 3/6pc multipacks
- No UV radiation and mercury-free



LED P45 BULBS-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214124 - 6400K WHITE	VT-1819	4W	320	30W	E14	P45	Ø45x82	200
214123 - 3000K WARM WHITE 214174 - 4000K DAY WHITE 214124 - 6500K WHITE	VT-1819-N	3.7W	320	25W	E14	P45	Ø45x80	200
2142501 - 3000K WARM WHITE 2142511 - 4000K DAY WHITE 2142521 - 6500K WHITE	VT-1880N-N	4.5W	470	40W	E14	P45	Ø45x80	200



LED P45 3PCS PACK-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217357 - 3000K WARM WHITE	VT-2156-N	4.5W	470	40W	E14	A60	Ø45x80	180



LED P45 6PCS PACK-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ Watts	Base	Shape	Size(mm)	Box Qty
2127233 - 3000K WARM WHITE 212734 - 4000K DAY WHITE	VT-2266-N	4.5W	470	40W	E14	P45	Ø45x80	180



LED THERMOPLASTIC BULBS

Our extensive range of classic, thermoplastic GLS bulbs are efficient replacements for traditional incandescent light fittings in both indoor and outdoor locations.

- Includes standard base variations (E27 and B22)
- Various power and size options (A60, A65, and A80) available
- Available in blister packs and 3/6pc multipacks



LED BULB 17W PAR38 E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	100°
On/Off	>15000
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
92065 - RED 92066 - BLUE 92067 - GREEN	VT-1227	17W	1300	95W	E27	PAR38	Ø120x132	40



LED BULB 2W ST26


Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
On/Off	>20000
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212341 - 3000K WARM WHITE	VT-202	2W	180	18W	E14	ST26	Ø39x67	200



LED A60 BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217260 - 3000K WARM WHITE 217262 - 6500K WHITE	VT-2099-N	8.5W	806	60W	E27	A60	Ø60x108	200

217350 - 3000K WARM WHITE 217349 - 4000K DAY WHITE 217351 - 6500K WHITE	VT-2112-N	10.5W	1055	75W	E27	A60	Ø60x110	100
---	-----------	-------	------	-----	-----	-----	---------	-----



LED A60 BULBS 3PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217240 - 3000K WARM WHITE 217241 - 4000K DAY WHITE 217242 - 6500K WHITE	VT-1900-N	8.5W	806	60W	E27	A60	Ø60x108	120





LED A65 BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★ 214453 - 3000K WARM WHITE ★ 214454 - 4000K DAY WHITE ★ 214455 - 6500K WHITE	VT-2015-E27-N	15W	1521	100W	E27	A65	Ø65x134	100
★ 214456 - 3000K WARM WHITE ★ 214457 - 4000K DAY WHITE ★ 214458 - 6500K WHITE	VT-2017-N	17W	1710	110W	E27	A65	Ø65x134	100



LED A65-2PCS BLISTER PACK-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★ 7302 - 6400K WHITE	VT-2117	15W	1350	90W	E27	A65	Ø66.5x134	25



LED A80-E27 BULBS

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★ 2707 - 3000K WARM WHITE	VT-2218	18W	2000	125W	E27	A80	Ø80x142	50
23747 - 3000K WARM WHITE 23748 - 4000K DAY WHITE 23749 - 6400K WHITE	VT-22022	20W	2452	150W	E27	A80	Ø80x150	100



LED BULBS T37

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	230°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★ 7173 - 2700K WARM WHITE	VT-2029	9W	750	50W	E14	T37	Ø37x115	200



LED BULBS-R7S

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212713 - 3000K WARM WHITE 212714 - 4000K DAY WHITE 212715 - 6500K WHITE	VT-2237-N	7W	700	50W	R7S	R7S	Ø28x78	200



LED GLOBE BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4278 - 6400K WHITE	VT-1893	10W	810	60W	E27	G95	Ø95x140	12



LED BULB 6W-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	120°
PF	>0.6
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4116 - 6000K WHITE	VT-1926	6W	485	60W	E27	FL	Ø38x1407	50



LED BULB 16W-E27 UFO F200

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	120°
PF	>0.65
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
71586 - 3000K WARM WHITE	VT-1926	6W	485	60W	E27	FL	Ø38x1407	50



LED BULBS



NEW

LED BIG BULBS



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	160°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	Base	Shape	Size(mm)	Box Qty
★ 23568 - 4000K DAY WHITE ★ 23569 - 6500K WHITE	VT-21020	20W	2060	E27	T80	80x133mm	50
★ 23570 - 4000K DAY WHITE ★ 23571 - 6500K WHITE	VT-21031	30W	3210	E27	T100	100x157mm	20
★ 23572 - 4000K DAY WHITE ★ 23573 - 6500K WHITE	VT-21040	40W	4320	E27	T120	118x191mm	10
★ 23574 - 4000K DAY WHITE ★ 23575 - 6500K WHITE	VT-21050	50W	5400	E27	T140	138x220mm	10
★ 23576 - 4000K DAY WHITE ★ 23577 - 6500K WHITE	VT-21065	60W	6600	E27	T160	160x255mm	6

HIGH LUMEN CLEAR GLASS FILAMENT BULBS

Introducing the pinnacle of lighting innovation: the High Lumen Clear Glass Filament Bulb, boasting an astounding 120 lumens efficacy and an awe-inspiring 95% energy saving capability. This remarkable creation redefines the way we illuminate our world, blending efficiency, elegance, and environmental consciousness into a single lighting marvel.


What truly sets this bulb apart, however, is its unrivaled efficiency. With a luminous efficacy of 210 lumens per watt, it transforms the way we perceive light. Its ability to convert electrical energy into a brilliant glow not only illuminates spaces in a remarkably cost-effective manner but also makes a substantial dent in energy consumption. A staggering 95% reduction in energy usage compared to traditional incandescent bulbs heralds a new era of sustainable lighting solutions.

Imagine the possibilities – spaces bathed in the gentle radiance of these bulbs while simultaneously witnessing a significant decrease in energy bills. The journey toward a brighter, more sustainable future starts with choices like these, where innovation meets efficiency and elegance in a harmonious blend of form and function.



HIGH LUMEN FILAMENT BULBS-ST64-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210
LUMEN/W

95%
ENERGY
SAVING

SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
2996 - 3000K WARM WHITE	VT-2364	4W	840	60W	E27	ST64	Ø64x143	100




LED FILAMENT & DECORATIVE BULBS

LED filament decorative bulbs are a captivating fusion of vintage aesthetics and modern lighting technology. These bulbs cleverly mimic the appearance of traditional incandescent filament bulbs while harnessing the energy-efficient prowess of LEDs. The result is a lighting solution that not only evokes nostalgia but also embraces sustainability and efficiency.

Available in various shapes, sizes, and designs, LED filament decorative bulbs cater to a wide array of interior styles. Whether suspended in pendant lights, nestled in chandeliers, or showcased in table lamps, these bulbs are as much an element of interior design as they are a source of illumination.

LED FILAMENT VASE SHAPE
BULBS E27


Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8056	VT-2264	4W	NA	NA	E27	Vase	Ø140x200	8

LED FILAMENT COBBLE SHAPE
BULBS E27


Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8057	VT-2265	4W	NA	NA	E27	Cobble	Ø220x225	6

LED FILAMENT APPLE SHAPE
BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8064	VT-2263	4W	NA	NA	E27	Apple	Ø190x275	6



BIG PACK PROMO SET 10 LED BULBS 3.7W,E14, CANDLE

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
9214216 - 3000K WARM WHITE 9214166 - 4000K DAY WHITE	VT-1818	3.7W	320	25W	E14	Candle	Ø37x100	180



BIG PACK PROMO SET 10 LED BULBS 4.5W,E14, CANDLE

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.45
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
92142581 - 4000K DAY WHITE 92142411 - 6500K WHITE	VT-1855	4.5W	470	40W	E14	Candle	Ø36.5x100	200



BIG PACK PROMO SET 10 LED BULBS 8.5W,E27, A60

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
9217260 - 3000K WARM WHITE	VT-2099	8.5W	806	60W	E27	A60	Ø60x108	10



BIG PACK PROMO SET 10 LED BULBS E27, A65, 4000K


Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
On/Off	>20000
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
9214454 - 4000K DAY WHITE	VT-2015	15W	1521	100W	E27	A65	Ø65x134	100
9214457 - 4000K DAY WHITE	VT-2017	17W	1710	110W	E27	A65	Ø65x134	100




LED 3D FILAMENT BULBS A60

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
212704 - 3000K WARM WHITE	VT-2203-N	3W	20	NA	E27	A60	Ø60x105	100



LED 3D FILAMENT BULBS ST64

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
212705 - 3000K WARM WHITE	VT-2223-N	3W	25	NA	E27	ST64	Ø64x135	100



LED 3D FILAMENT BULBS G125

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
212706 - 3000K WARM WHITE	VT-2233-N	3W	40	NA	E27	G125	Ø125x165	20



FILAMENT-G125-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
2700 - 2200K WARM WHITE	VT-2205	5W	70	30W	E27	G125	Ø125x175	50



FILAMENT-T180-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
212790 - 1800K WARM WHITE	VT-2308-N	8W	620	55W	E27	T180	ØD:175x150	12



FILAMENT-G200-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	340°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
★ 217462 - 2000K WARM WHITE	VT-2158D-N	8W	500	40W	E27	G200	Ø200x297	12



SMOKY FILAMENT-S200-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	340°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
217465 - 1800K WARM WHITE	VT-2188D-N	8W	350	30W	E27	S200	Ø180x390	12



FILAMENT-R125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	110°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
7468 - 6500K WHITE	VT-2198D	8W	600	50W	E27	R125	Ø125x182	24



AMBER COVER -LED FILAMENT BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217335 - 1800K WARM WHITE	VT-2154-N	4W	220	40W	E27	A60	Ø60x105	100



CLEAR FILAMENT-A60-E28

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217336 - 3000K WARM WHITE	VT-2164-N	4W	300	40W	E27	A60	Ø60x105	100



AMBER COVER -FILAMENT-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★217157 - 2200K WARM WHITE	VT-2028-N	10W	950	65W	E27	A67	Ø60x105	100
217457 - 2200K WARM WHITE	VT-2123-N	12W	1350	85W	E27	A70	Ø60x105	100



AMBER COVER FILAMENT BULB - E27


Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
On/Off	>15000
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217148 - 2200K WARM WHITE	VT-2004-N	4W	400	35W	E27	G80	Ø80x120	50



AMBER COVER -FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
217220 - 2200K WARM WHITE	VT-2066-N	4.8W	280	30W	E27	ST64	Ø64x143	100



AMBER COVER -FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
214361 - 2200 WARM WHITE	VT-1964-N	4W	350	40W	E27	ST64	Ø64x143	100
214362 - 2200K WARM WHITE	VT-1966-N	6W	550	45W	E27	ST64	Ø64x143	100
214421 - 2200K WARM WHITE	VT-1968-N	8W	720	60W	E27	ST64	Ø64x143	100
217218 - 1800K WARM WHITE	VT-2065-N	4.8W	300	30W	E27	ST64	Ø64x143	100



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
217146 - 2200K WARM WHITE	VT-2024-N	4W	350	35W	E27	G95	Ø95x138	20



AMBER COVER -FILAMENT-GLOBE-E27



Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
217217 - 1800K WARM WHITE	VT-2075-N	4,8W	280	30W	E27	G95	Ø95x138	20
217216 - 1800K WARM WHITE	VT-2085-N	4,8W	280	30W	E27	G125	Ø125x173	20
214473 - 2200K WARM WHITE	VT-1956-N	6W	550	55W	E27	G125	Ø125x173	20
217155 - 2200K WARM WHITE	VT-2018D-N	8W Dimmable	700	60W	E27	G125	Ø125x173	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
217147 - 2200K WARM WHITE	VT-2027-N	7W	700	60W	E27	G95	Ø95x138	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
217145 - 2200K WARM WHITE	VT-2019-N	8W	700	65W	E27	G95	Ø95x138	20



FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
217475 - 1800K WARM WHITE	VT-2195-N	4W	200	20W	E27	G125	Ø125x164	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>70



SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
★ 217328 - 1800K WARM WHITE	VT-2126-N	6W	400	55W	E27	G125	Ø125x173	20



AMBER COVER -FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
217473 - 1800K WARM WHITE	VT-2162-N	2W	65	9W	E27	T30	Ø30x185	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
217142 - 2200K WARM WHITE	VT-2005-N	5W	500	45W	E27	T30	Ø30x300	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
★ 217113 - 2200K WARM WHITE	VT-1955-N	4W	350	40W	E14	Candle	Ø35x98	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★ 217113 - 2200K WARM WHITE	VT-1955-N	4W	350	40W	E14	Candle	Ø35x98	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217115 - 2200K WARM WHITE	VT-1948-N	4W	350	35W	E14	Candle	Ø35x100	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217115 - 2200K WARM WHITE	VT-1948-N	4W	350	35W	E14	Candle	Ø35x100	100



AMBER COVER -FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★ 217100 - 2200K WARM WHITE	VT-1957-N	4W	350	30W	E27	G45	Ø45x75	100



FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
217472 - 1800K WARM WHITE	VT-2152-N	2W	65	9W	E14	Candle	Ø35x103	100



FROST COVER-CROSS FILAMENT-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
44801 - 2700K WARM WHITE	VT-1935C	6W	660	55W	E27	A60	Ø60x107	50

★ 71811 - 2700K WARM WHITE	VT-2047C	7W	840	60W	E27	A60	Ø60x107	50
----------------------------	----------	----	-----	-----	-----	-----	---------	----



FROST COVER -FILAMENT-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
★ 7178 - 2700K WARM WHITE 7180 - 6400K WHITE	VT-2045	5W	600	50W	E27	A60	Ø60x107	50
4483 - 2700K WARM WHITE 4485 - 6400K WHITE	VT-1938	8W	800	60W	E27	A67	Ø67x123	50
7154 - 6400K WHITE	VT-2023	10W	1055	75W	E27	A67	Ø67x123	50



FROST COVER -FILAMENT-GLOBE-E27



Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7188 - 6400K WHITE	VT-2057	7W	840	60W	E27	G95	Ø95x135	12
7190 - 6400K WHITE	VT-2067	7W	840	60W	E27	G125	Ø125x177	12



CLEAR GLASS-FILAMENT-A60-E27



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214272 - 3000K WARM WHITE 214303 - 4000K DAY WHITE	VT-1887-N	6W	600	30W	E27	A60	Ø60x107	100
217120 - 6500K WHITE	VT-1885-N	4W	400	35W	E27	A60	Ø60x105	100



CLEAR GLASS-FILAMENT-A67-E27



Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212815 - 2700K WARM WHITE	VT-2288D-N	8W Dimmable	720	50W	E27	A67	Ø67x123	100
214411 - 4000K DAY WHITE 214412 - 6500K WHITE	VT-1981-N	10W	1055	75W	E27	A67	Ø67x123	20



FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217251 - 3000K WARM WHITE	VT-2042-N	2W	200	20W	E27	T30	Ø30x136	100



FILAMENT-T20-E14

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	360°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212701 - 3000K WARM WHITE	VT-2204-N	4W	400	NA	E14	T20	Ø20x135	100



CLEAR GLASS-FILAMENT-ST26-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★ 214444 - 3000K WARM WHITE	VT-1952-N	2W	200	20W	E14	ST26	Ø26x58	200
★ 214445 - 4000K DAY WHITE								



HIGH LUMEN CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212848 - 3000K WARM WHITE	VT-2327-N	6W	800	60W	E14	Candle	Ø35x100	100



CLEAR GLASS-FILAMENT-CANDLE-E14



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
★ 214301 - 3000K WARM WHITE 214413 - 4000K DAY WHITE 214414 - 6500K WHITE	VT-1986-N	4W	400	35W	E14	Candle	Ø35x98	100
2870 - 3000K WARM WHITE	VT-2304D	4W Dimmable	400	35W	E14	Candle	Ø35x98	200
7806 - 3000K WARM WHITE 7807 - 4000K DAY WHITE	VT-21125	5.5W	600	45W	E14	Candle	Ø35x98	100
217423 - 3000K WARM WHITE 217424 - 4000K DAY WHITE 217425 - 6500K WHITE	VT-2127-N	6W	600	45W	E14	Candle	Ø35x100	100



CLEAR GLASS-FILAMENT-CANDLE-E14



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
★ 214431 - 4000K DAY WHITE	VT-1995-N	4W	400	40W	E14	Candle	Ø35x121	100



CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
214302 - 3000K WARM WHITE 214430 - 6500K WHITE	VT-1997-N	4W	400	40W	E14	Candle	Ø35x121	100



CLEAR GLASS-FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
214300 - 3000K WARM WHITE	VT-1996-N	4W	400	40W	E14	P45	Ø45x77	100
2845 - 3000K WARM WHITE	VT-2466	6W	600	45W	E14	P45	Ø45x78	100
212846-4000K WHITE	VT-2466	6W	600	45W	E14	P45	Ø45x78	100
212847 - 6500K WHITE	VT-2466-N	6W	600	45W	E14	P45	Ø45x78	100



HIGH LUMENS CLEAR GLASS-FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
2854 - 3000K WARM WHITE	VT-2486	6W	800	60W	E14	P45	Ø45x77	100



CLEAR GLASS-FILAMENT-G45-E27


Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ.Watts	Base	Shape	Size(mm)	Box Qty
214306 - 3000K WARM WHITE 214428 - 6500K WHITE	VT-1980-N	4W	400	40W	E27	G45	Ø45x75	100
212844 - 6500K WHITE 212843 - 4000K DAY WHITE 212842 - 3000K WARM WHITE	VT-2366-N	6W	600	45W	E27	G45	Ø45x72	100

HIGH LUMENS CLEAR GLASS-FILAMENT-
G45-E27
130
LUMEN/W

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2851 - 3000K WARM WHITE 2853 - 6400K WHITE	VT-2386	6W	800	60W	E27	G45	Ø45x75	100



PINK COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217410 - PINK	VT-2132-P-N	2W	60	10W	E27	G45	Ø45x75	100



GREEN COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217411 - GREEN	VT-2132-G-N	2W	60	10W	E27	G45	Ø45x75	100



BLUE COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217412 - BLUE	VT-2132-B-N	2W	60	10W	E27	G45	Ø45x75	100



RED COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217413 - RED	VT-2132-R-N	2W	60	10W	E27	G45	Ø45x75	100



CLEAR GLASS-FILAMENT-GLOBE-G125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214304 - 3000K WARM WHITE	VT-1983-N	6W	600	30W	E27	G125	Ø125x177	20

7427 - 6400K WHITE	VT-2147	6W	806	60W	E27	G125	Ø125x177	20
--------------------	---------	----	-----	-----	-----	------	----------	----


★ 214422 - 3000K WARM WHITE ★ 214423 - 4000K DAY WHITE	VT-1979-N	10W	1055	60W	E27	G125	Ø125x177	20
---	-----------	-----	------	-----	-----	------	----------	----

217455 - 6500K WHITE	VT-2143-N	12W	1521	100W	E27	G125	Ø125x177	20
----------------------	-----------	-----	------	------	-----	------	----------	----



CLEAR GLASS-FILAMENT-GLOBE-G95-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	330°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
★ 214305 - 2700K WARM WHITE	VT-1993-N	6W	600	60W	E27	G95	Ø95x135	20



LED STRING LIGHT-13M-RGB

- 13 Meter Long String
- 0.5 watts per Bulb
- 15 G50 Bulbs included
- IP rating IP44
- 270° Beam Angle
- PVC wire, plastic bulb
- EU Plug

SKU	Model	Watts	Size	Box Qty
★ 23159 - RGB	VT-713S	7.5W	13M	10



LED STRING LIGHT-5M

- 5 Meter Long String
- 0.4 watts per Bulb
- 10 Bulbs included
- IP rating IP44


SKU	Model	Watts	Size	Box Qty
★ 212728 - 3000K WARM WHITE	VT-71510-N	4W	5M+3M cord	10



LED STRING LIGHT-5M

- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
★ 7435 - RGB+YELLOW	VT-70510	5W	5M	10
★ 217436 - 3000K WARM WHITE	VT-70510-N	5W	5M	10



LED STRING LIGHT-10M

- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
7438 - RGB+YELLOW	VT-71020	10W	10M	10
★ 217439 - 3000K WARM WHITE 217440 - 6000K WHITE	VT-71020-N	10W	10M	5



STRING LIGHT WP SOCKET-E27-EU PLUG-15M

- 15 Meter Long String
- 15 E27 Holders with Rubber Cable
- IP65
- Max 40 Watts Each Holder
- Designed with EU Plug
- Bulbs are not included



SKU	Model	Size(Meter)	Box Qty
7699	VT-713-EU	15M	4



STRING LIGHT SOCKET-E27-5M

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included



SKU	Model	Size(Meter)	Box Qty
★ 3698	VT-7135	5M	4



STRING LIGHT SOCKET-E27-15M

- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included



SKU	Model	Size(Meter)	Box Qty
★ 3673	VT-713	15M	4



V-TAC

Meaningful Innovation.



LED SPOT ŽARULJE

Predstavljamo održive i efikasne zamjene za halogene žarulje gladne snage. Naš asortiman LED spot žarulja (1.2W - 8W).

ZNAČAJKE

- Koristi 80% manje energije nego klasična žarulja
- Izbor Kutova svjetla od 38° do 300°
- Odlična učinkovitost toplinske disipacije
- Izdržljivo tijelo
- LED čipove visoke kvalitete





LED SPOTLIGHTS



GU10 SPOTLIGHT-RIPPLE PLASTIC
38°

Voltage/Frequency	AC:220-240V, 50Hz
On/Off	>20000
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211901 - 4000K DAY WHITE 211911 - 6500K WHITE	VT-227	6W	445	60W	GU10	38°	50x55	200
218751- 3000K WARM WHITE	VT-291	7.5W	610	70W	GU10	38°	50x55	200



GU10 SPOTLIGHT-RIPPLE PLASTIC
110°

Voltage/Frequency	AC:220-240V, 50Hz
On/Off	>20000
CRI	>80


SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211921 - 3000K WARM WHITE 211931 - 4000K DAY WHITE 211941 - 6500K WHITE	VT-247-NN	6W	445	60W	GU10	110°	50x55	200
218721 - 3000K WARM WHITE 218731 - 4000K DAY WHITE	VT-292	7.5W	610	70W	GU10	110°	50x55	200



GU10 SPOTLIGHT-RGB WITH
REMOTE CONTROL

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2927 - RGB+3000K WARM WHITE	VT-2244-N-1	5.5W	420	35W	GU10	110°	56.5x50	200



GU10 SPOTLIGHT MILKY COVER-100°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2987 - 3000K WARM WHITE 2988 - 4000K DAY WHITE 2989 - 6500K WHITE	VT-2333	2.9W	250	25W	GU10	100°	50x56.5	200



GU10 SPOTLIGHT MILKY COVER-110°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ.Watts	Base	Beam Angle	Size(mm)	Box Qty
★ 211685 - 3000K WARM WHITE ★ 211686 - 4500K DAY WHITE ★ 211687 - 6000K WHITE	VT-1975-N	4.5W	400	35W	GU10	100°	50x56.5	200
218781 - 3000K WARM WHITE 218801 - 6500K WHITE	VT-271	10W	1000	70W	GU10	100°	50x56.5	200



GU10 SPOTLIGHT RIPPLE PLASTIC 10°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.45
CRI	>80

SKU	Model	Watts	Lumens	EQ.Watts	Base	Beam Angle	Size(mm)	Box Qty
21200271	VT-249	6W	445	60W	GU10	10°	50x55	100



GU10 SPOTLIGHT RIPPLE PLASTIC 110°

Voltage/Frequency	AC:220-240V,50Hz
Lifespan	20.000hr
CRI	>80

SKU	Model	Watts	Lumens	EQ.Watts	Base	Beam Angle	Size(mm)	Box Qty
★ 212071 - 3000K WARM WHITE ★ 212081 - 4000K WHITE	VT-267-NN	6W	455	60W	GU5.3	110°	50x52	200
212051 - 3000K WARM WHITE	VT-257-NN	6W	455	60W	GU5.3	110°	50x52	200



GU10 SPOTLIGHT RIPPLE PLASTIC 110° DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
Lifespan	20.000hr
CRI	>80

SKU	Model	Watts	Lumens	EQ.Watts	Base	Beam Angle	Size(mm)	Box Qty
211981 - 3000K WARM WHITE 211991 - 4000K DAY WHITE	VT-247D-N-N	6W	445	60W	GU10	110°	50x55	200

GU10 SPOTLIGHT RIPPLE PLASTIC 38°
DIMMABLE


Voltage/Frequency	AC:220-240V,50Hz
Lifespan	20.000hr
CRI	>80

SKU	Model	Watts	Lumens	EQ Watts	Base	Beam Angle	Size(mm)	Box Qty
211971 - 6500K WHITE	VT-227D	6W	445	60W	GU10	38°	50x55	200
1668 - 3000K WARM WHITE	VT-2886D	7W	550	50W	GU10	38°	50x5	200



GU10 SPOTLIGHT MILKY COVER-110°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211685 - 3000K WARM WHITE 211686 - 4500K DAY WHITE 211687 - 6000K WHITE	VT-1975-N	4.5W	400	35W	GU10	100°	50x56.5	200



GU10 SPOTLIGHT MILKY COVER-
6PCS PACK


Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
212739 - 3000K WARM WHITE 212741 - 6500K WHITE	VT-2225-N	4.5W	400	35W	GU10	100°	56.5x50	180



ALUMINIUM MODULE SPOTLIGHT

Voltage/Frequency	AC:220-240V,50Hz
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
10301 - 3000K WARM WHITE 10302 - 4000K DAY WHITE 10303 - 6400K WHITE	VT-1018	18W	1900	NA	NA	34°	78x63x50	50

AR111 DOWNLIGHT



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
212793 - 4000K DAY WHITE 212794 - 6500K WHITE	VT-1121-N	20W	1700	130W		40°/20°	Ø111x53	50

AR111 PAR LIGHT-RECESSED-G53



Voltage/Frequency	AC/DC:12V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
214084 - 3000K WARM WHITE	VT-1110-20-N	12W	3000K-1030	75W	G53	20°	Ø111x86x63	60
214257 - 3000K WARM WHITE 214256 - 4000K DAY WHITE	VT-1110-40-N	12W	3000K-1085 4000K-1160	25W	G53	40°	Ø111x86x63	60


AR111 LED SPOTLIGHT- GU10



Voltage/Frequency	AC:200-240V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
214225 - 6000K WHITE	VT-1112-N	12W	6000K-1120	60W	GU10	40°	Ø111x86	60
217234 - 3000K WARM WHITE 217235 - 4000K DAY WHITE 217236 - 6000K WHITE	VT-1112D-N	12W Dimmable	3000K-1030 6000K-1300	60W	GU10	40°	Ø111x86	



1XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3575	VT-7221-W	White	Aluminium	1XAR111	163x163	174x174	24


3581	VT-7221-B	Black	Aluminium	1XAR111	163x163	174x174	24
------	-----------	-------	-----------	---------	---------	---------	----



2XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3576	VT-7222-W	White	Aluminium	2XAR111	167x305	325x174	12

3582	VT-7222-B	Black	Aluminium	2XAR111	167x305	325x174	12
------	-----------	-------	-----------	---------	---------	---------	----



3XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
35831	VT-7223-B	Black	Aluminium	3XAR111	168x455	475x174	12

3577	VT-7223	White	Aluminium	3XAR111	168x455	475x174	12
------	---------	-------	-----------	---------	---------	---------	----

3583	VT-7223	Black	Aluminium	3XAR111	168x455	475x174	12
------	---------	-------	-----------	---------	---------	---------	----

GU10-HOLDER-PVC CABLE



Model No: PVC Cable

SKU: 3423

Base: GU10


Material: Ceramic

Color: White

Size(mm): 150

Cutting Size: NA

Box Qty: 500



E14-HOLDERS

SKU	Box Qty
8751	400

SKU	Box Qty
8753	400

SKU	Box Qty
8840	400

V-TAC

Meaningful Innovation.



DOWNLIGHT RASVJETA

Zamijenite staru CFL rasvjetu sa visokom kvalitetom i postignite dugotrajno i efikasno osvjetljenje. Odaberite iz širokog asortimana i varijacija 3W do 40W.

ZNAČAJKE

- Velik broj stilova i dizajna
- Bez treperenja
- Visoka kvaliteta
- Jednostavna instalacija
- Raznolikost završne obrade sa jakim alu tijelom
- Jednostavno održavanje



COB DOWNLIGHT




AC:100-240V,50/60Hz

25° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10578 - 3IN1	VT-2512-B	12W	785	Ø 120x43	20
10580 - 3IN1	VT-2520-B	20W	1408	Ø 165x50	20
10582 - 3IN1	VT-2532-B	28W	2500	Ø 200x58	10

COB DOWNLIGHT




AC:100-240V,50/60Hz

25° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10579 - 3IN1	VT-2512-W	12W	785	Ø 120x43	20
10581 - 3IN1	VT-2520-W	20W	1408	Ø 165x50	20
10583 - 3IN1	VT-2532-W	28W	2500	Ø 200x58	10

COB DOWNLIGHT-SURFACE




AC:100-240V,50/60Hz

90° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)
23156 - 3IN1	VT-2825-B	20W	1408	Ø 148x75
23158 - 3IN1	VT-2833-B	28W	2500	Ø 178x87

COB DOWNLIGHT-SURFACE




AC:100-240V,50/60Hz

90° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Shape	Watts	Lumens	Size(mm)
23155 - 3IN1	VT-2825 -W		20W	1408	Ø 148x75
23157 - 3IN1	VT-2833-W		28W	2500	Ø 178x87



COB DOWNLIGHTS



HOONEY COMB DOWNLIGHT 3IN1 BLACK RING+BLACK HEATING



AC:100-240V,50/60Hz
24° Beam Angle
>0.7 PF
>90 CRI
IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23671 - 3IN1	VT-17012	12W	1180	Ø86 x44	40
23673 - 3IN1	VT-17018	18W	1860	Ø106x46	40
23675 - 3IN1	VT-17024	24W	2540	Ø135x51	20

LED DUAL WALL LIGHT



AC:100-240V,50/60Hz
120° Beam Angle
>0.6 PF
>80 CRI
Die Cast Aluminium Body
20,000 hr lifespan
IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211488 - 3000K WARM WHITE	VT-2953-N	3+6W	180+500	300x50x35	30

HOONEY COMB DOWNLIGHT 3IN1 WHITE RING+BLACK HEATING



AC:100-240V,50/60Hz

24° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23674 - 3IN1	VT-17018	18W	1860	Ø106x46	40
23676 - 3IN1	VT-17024	18W	2540	Ø135x51	20

LED WALL LIGHT WITH SWITCH & USB PORT



AC:100-240V,50/60Hz

30° Beam Angle

>0.6 PF

>80 CRI

Die Cast Aluminium Body

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211487 - 3000K WARM WHITE	VT-2943-N	3W	150	120x120x45	20

HIGH LUMEN REFLECTOR COB DOWNLIGHTS



120
LUM EN/W

AC:220-240V,50Hz

120° Beam Angle

>0.5 PF

>80 CRI

PKW Body

20,000 hr lifespan

IP20 Rating



Cutting Size
Ø207mm

SKU	Model	Watts	Lum ens	Size(mm)	Cutting Si ze(mm)	Box Qty
211278 - 6500K WHITE	VT-263 01-N	30W	3100	Ø220x103	Ø207	12
211279 - 4000K DAY WHITE 211280 - 6400K WHITE	VT-264 51-N	40W	4200	Ø220x103	Ø207	12

COB FIRE RATED DOWNLIGHT WITH WHITE BEZEL

3 BEZELS

INTERCHANGEABLE
(OPTIONAL)




AC:220-240V,50Hz

38° Beam Angle

Aluminium Body

30,000 hr lifespan

IP65 Rating



Sm art
V-TAC
CCT AND DD IMMING
VIASM ARTP PHONE APP

SKU	Model	Watts	Lum ens	Size(mm)	Box Qty
1424 - 3 IN 1	VT-7710	10 W	850	Ø8 3x57	100

LED COB DOWNLIGHT WHITE BODY



1700
LUMEN

AC:190-240V,50Hz

120° Beam Angle

>0.5 PF

>80 CRI

PKW Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
1216 - 6000K WHITE	VT-2625	20W	1700	Ø135x71	Ø105	27

LED COB HOTEL DOWNLIGHT 3000K



AC:220-240V,50Hz

0-27° Adjustable


Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1477 - 3000K WARM WHITE	VT-2936	35 W	2300	Ø160x176	8



KUĆIŠTA ZA SPOT ŽARULJE

Kućišta za spot žarulje primarno se koriste u rezidencijalnim i komercijalnim prostorima.

Ova kućišta su višenamjenska i mogu se koristiti u raznim scenarijima. Najčešće ih nalazimo u sustavima tračne rasvjete, ugradbenih svjetala, visećih svjetala, i zidnim instalacijama. Njihova prilagodljivost čini ih prikladnima kako za praktičnu tako i za ambijentalnu rasvjetu.

Neki od najčešćih modela prihvata:

- GU10
- GX53
- G9
- E14




NEW

SURFACED WALL FITTING G9

02
YEAR
WARRANTY

Model No: VT-10113-B
SKU: 23407
Base: G9
Material: Steel+Glass
Color: Black
Size(mm): 95x120x250
Cutting Size: NA
Box Qty: 10

RECESSED FITTING GU10



Model No: VT-11001
SKU: 6761
Base: GU10
Material: Plaster
Color: White
Size(mm): 80x80x50
Cutting Size: 85x85
Box Qty: 30

NEW

SURFACED WALL FITTING G9

02
YEAR
WARRANTY


Model No: VT-10113-W
SKU: 23408
Base: G9
Material: Steel+Glass
Color: White
Size(mm): 95x120x250
Cutting Size: NA
Box Qty: 10

RECESSED FITTING GU10




Model No: VT-11011
SKU: 6775
Base: GU10
Material: Plaster
Color: White
Size(mm): 150x80x50
Cutting Size: 155x85
Box Qty: 12

RECESSED FITTING GU10




Model No: VT-439
SKU: 10298
Base: 2xGU10
Material: Iron+PC
Color: White+White
Size(mm): 175x88x30
Cutting Size: 160x75
Box Qty: 50

RECESSED FITTING GU10



Model No: VT-11014
SKU: 6776
Base: GU10
Material: Plaster
Color: White
Size(mm): 220x80x50
Cutting Size: 225x85
Box Qty: 6

RECESSED FITTING GU10




Model No: VT-441
SKU: 10299
Base: 3xGU10
Material: Iron+PC
Color: White+White
Size(mm): 261x88x30
Cutting Size: 245x75
Box Qty: 50

RECESSED FITTING GU10




Model No: VT-11003
SKU: 6764
Base: GU10
Material: Plaster
Color: White
Size(mm): 280x100x40
Cutting Size: 285x105
Box Qty: 6

RECESSED FITTING GU10




Model No: VT-442
SKU: 23003
Base: 4xGU10
Material: Iron+PC
Color: White+White
Size(mm): 175x175x30
Cutting Size: 165x160
Box Qty: 20

RECESSED WALL FITTING E14




Model No: **VT-11004**
SKU: **6767**
Base: E14
Material: Plaster
Color: White
Size(mm): 255x180x315
Cutting Size: 260x320
Box Qty: 6

RECESSED WALL FITTING G9




Model No: **VT-11006**
SKU: **6769**
Base: G9
Material: Plaster
Color: White
Size(mm): 310x260x170
Cutting Size: 315x265
Box Qty: 6

RECESSED WALL FITTING G9



Model No: **VT-11005**
SKU: **6768**
Base: G9
Material: Plaster
Color: White
Size(mm): 400x400x65
Cutting Size: 405x405
Box Qty: 1

RECESSED FITTING GU10




Model No: **VT-11007**
SKU: **6770**
Base: GU10
Material: Plaster
Color: White
Size(mm): 180x120x70
Cutting Size: 185x125
Box Qty: 12

RECESSED FITTING GU10




Model No: **VT-11010**
SKU: **6774**
Base: GU10
Material: Plaster
Color: White
Size(mm): 350x100x75
Cutting Size: 355x105
Box Qty: 6

RECESSED FITTING GU10




Model No: **VT-11008**
SKU: **6771**
Base: GU10
Material: Plaster
Color: White
Size(mm): 250x210x80
Cutting Size: 255x215
Box Qty: 6

PENDANT WHITE-GU10-30CM




Model No: **VT-976-300-W**
SKU: **6779**
Base: GU10
Material: Aluminium
Color: White
Size(mm): 60x300x1700
Cutting Size: NA
Box Qty: 20

PENDANT BLACK-GU10-30CM



Model No: **VT-976-300-BK**
SKU: **6686**
Base: GU10
Material: Aluminum
Color: Black
Size(mm): 55x60x1500
Cutting Size: NA
Box Qty: 20

PENDANT WHITE-GU10-50CM




Model No: **VT-976-500-W**
SKU: **6780**
Base: GU10
Material: Aluminium
Color: White
Size(mm): 60x500x1700
Cutting Size: NA
Box Qty: 20

PENDANT BLACK-GU10-50CM



Model No: **VT-976-500-BK**
SKU: **6687**
Base: GU10
Material: Aluminum
Color: Black
Size(mm): 55x60x1700
Cutting Size: NA
Box Qty: 20

PENDANT BLACK-GU10-30CM



Model No: VT-977-30CM
SKU: 6688
Base: GU10
Material: Aluminum
Color: Black+Gold
Size(mm): 60x60x1500
Cutting Size: NA
Box Qty: 20

PENDANT BLACK-GU10-30CM



Model No: VT-975-30CM
SKU: 6685
Base: GU10
Material: Aluminum
Color: Black
Size(mm): 55x60x1500
Cutting Size: NA
Box Qty: 20

PENDANT BLACK-GU10-20CM




Model No: VT-975-20CM
SKU: 6684
Base: GU10
Material: Aluminum
Color: Black
Size(mm): 55x60x1400
Cutting Size: NA
Box Qty: 20

CEILING FITTING-GU10



Model No: VT-7900-B
SKU: 7573
Base: GU10
Material: Aluminium
Color: Black
Size(mm): 60x80x1170
Cutting Size: NA
Box Qty: 20

CEILING FITTING-GU10



Model No: VT-7900-W
SKU: 7574
Base: GU10
Material: Aluminium
Color: White
Size(mm): 60x80x1170
Cutting Size: NA
Box Qty: 20

CEILING FITTING-GU10



Model No: VT-788
SKU: 3617
Base: 1XGU10
Material: Aluminium
Color: White
Size(mm): 140x75x138
Cutting Size: NA
Box Qty: 20

CEILING FITTING-GU10




Model No: VT-789
SKU: 3618
Base: 2XGU10
Material: Aluminium
Color: White
Size(mm): 230x75x138
Cutting Size: NA
Box Qty: 20

SURFACE METAL-GUN BLACK BOTTOM



Model No: VT-865-GBM
SKU: 3136
Base: GU10
Material: Gypsum with metal
Color: White+Gun Black
Size(mm): ø80x200
Cutting Size: N/A
Box Qty: 9

CEILING/WALL FITTING-GU10




Model No: VT-897
SKU: 7981
Base: 2XGU10
Material: PC
Color: White
Size(mm): 120x144.8
Cutting Size: NA
Box Qty: 50

SURFACE METAL-MATT ROSE GOLD BOTTOM



Model No: VT-865-MRC
SKU: 3137
Base: GU10
Material: Gypsum with metal
Color: Grey+Matt Rose Gold
Size(mm): ø80x200
Cutting Size: N/A
Box Qty: 9

CEILING/WALL FITTING-GU10




Model No: **VT-899**
SKU: **7982**
Base: 3XGU10
Material: PC
Color: White
Size(mm): 145x144.8
Cutting Size: NA
Box Qty: 20

SURFACE METAL-CHROME BOTTOM




Model No: **VT-865CHC**
SKU: **3138**
Base: GU10
Material: Gypsum with metal
Color: Grey+Chrome
Size(mm): ø80x200
Cutting Size: N/A
Box Qty: 9

WALL FITTING-GU10 ★




Model No: **VT-429-B**
SKU: **10294**
Base: GU10
Material: Aluminium
Color: Black
Size(mm): 55x150x160
Cutting Size: NA
Box Qty: 50

RECESSED FITTING GU10




Model No: **VT-920-W**
SKU: **6632**
Base: GU10
Material: PC
Color: White
Size(mm): 88x40
Cutting Size: 80
Box Qty: 50

WALL FITTING-GU10 ★



Model No: **VT-429-W**
SKU: **10295**
Base: GU10
Material: Aluminium
Color: White
Size(mm): 55x150x160
Cutting Size: NA
Box Qty: 50

RECESSED FITTING GU10




Model No: **VT-920-B**
SKU: **6633**
Base: GU10
Material: PC
Color: Black
Size(mm): 88x40
Cutting Size: 80
Box Qty: 50

SURFACE FITTINGS GU10



Model No: **VT-978-B**
SKU: **6691**
Base: GU10
Material: Iron
Color: Black
Size(mm): Ø98x118
Cutting Size: N/A
Box Qty: 20

RECESSED FITTING GU10




Model No: **VT-925-W**
SKU: **6636**
Base: GU10
Material: PC
Color: White
Size(mm): 93x55
Cutting Size: 83
Box Qty: 50

SURFACE FITTINGS GU10



Model No: **VT-979-W**
SKU: **6692**
Base: GU10
Material: Iron
Color: White
Size(mm): 100x100x120
Cutting Size: N/A
Box Qty: 20

RECESSED FITTING GU10



Model No: **VT-925-B**
SKU: **6637**
Base: GU10
Material: PC
Color: Black
Size(mm): 93x55
Cutting Size: 83
Box Qty: 50

SURFACE FITTINGS GU10



Model No: **VT-979-B**
SKU: **6693**
Base: GU10
Material: Iron
Color: Black
Size(mm): 100x100x120
Cutting Size: N/A
Box Qty: 20

RECESSED FITTING GU10 ★



Model No: **VT-929-W**
SKU: **6640**
Base: GU10
Material: PC
Color: White
Size(mm): 81x40
Cutting Size: 63
Box Qty: 50

RECESSED FITTING GU10 ★



Model No: **VT-929-B**
SKU: **6641**
Base: GU10
Material: PC
Color: Black
Size(mm): 81x40
Cutting Size: 63
Box Qty: 50

RECESSED FITTING GU10



Model No: **VT-930-W**
SKU: **6642**
Base: GU10
Material: PC
Color: White
Size(mm): 81x81x40
Cutting Size: 63
Box Qty: 50

RECESSED FITTING GU10



Model No: **VT-921-W**
SKU: **6634**
Base: GU10
Material: PC
Color: White
Size(mm): 88x88x40
Cutting Size: 80
Box Qty: 50

RECESSED FITTING GU10



Model No: **VT-930-B**
SKU: **6643**
Base: GU10
Material: PC
Color: Black
Size(mm): 81x81x40
Cutting Size: 63
Box Qty: 50

RECESSED FITTING GU10



Model No: **VT-921-B**
SKU: **6635**
Base: GU10
Material: PC
Color: Black
Size(mm): 88x88x40
Cutting Size: 80
Box Qty: 50

RECESSED FITTING GU10



Model No: **VT-931-W**
SKU: **6644**
Base: GU10
Material: PC
Color: White+White
Size(mm): 85x40
Cutting Size: 72
Box Qty: 50

RECESSED FITTING GU10



Model No: **VT-927-W**
SKU: **6638**
Base: GU10
Material: PC
Color: White
Size(mm): 93x93x55
Cutting Size: 83x83
Box Qty: 50

RECESSED FITTING GU10




Model No: **VT-931-WB**
SKU: **6645**
Base: GU10
Material: PC
Color: White+Black
Size(mm): 85x40
Cutting Size: 72
Box Qty: 50

RECESSED FITTING GU10




Model No: **VT-927-B**
SKU: **6639**
Base: GU10
Material: PC
Color: Black
Size(mm): 93x93x55
Cutting Size: 83x83
Box Qty: 50



RECESSED FITTING GU10



Model No: **VT-931-B**
SKU: **6646**
Base: GU10
Material: PC
Color: Black+Black
Size(mm): 85x40
Cutting Size: 72
Box Qty: 50



RECESSED FITTING GU10




Model No: **VT-931-WC**
SKU: **6647**
Base: GU10
Material: PC
Color: White+Chrome
Size(mm): 85x40
Cutting Size: 72
Box Qty: 50



RECESSED FITTING GU10



Model No: **VT-932-B**
SKU: **6652**
Base: GU10
Material: PC
Color: Black+Black
Size(mm): 85x85x40
Cutting Size: 72
Box Qty: 50



RECESSED FITTING GU10




Model No: **VT-931-WG**
SKU: **6648**
Base: GU10
Material: PC
Color: White+Gold
Size(mm): 85x40
Cutting Size: 72
Box Qty: 50



RECESSED FITTING GU10



Model No: **VT-932-WC**
SKU: **6653**
Base: GU10
Material: PC
Color: White+Chrome
Size(mm): 85x85x40
Cutting Size: 72
Box Qty: 50




RECESSED FITTING GU10




Model No: **VT-931-WRG**
SKU: **6649**
Base: GU10
Material: PC
Color: White+Rose Gold
Size(mm): 85x40
Cutting Size: 72
Box Qty: 50



RECESSED FITTING GU10




Model No: **VT-932-WG**
SKU: **6654**
Base: GU10
Material: PC
Color: White+Gold
Size(mm): 85x85x40
Cutting Size: 72
Box Qty: 50



RECESSED FITTING GU10




Model No: **VT-932-W**
SKU: **6650**
Base: GU10
Material: PC
Color: White+White
Size(mm): 85x85x40
Cutting Size: 72
Box Qty: 50



RECESSED FITTING GU10



Model No: **VT-932-WRG**
SKU: **6655**
Base: GU10
Material: PC
Color: White+Rose Gold
Size(mm): 85x85x40
Cutting Size: 72
Box Qty: 50



RECESSED FITTING GU10



Model No: VT-932-WB
SKU: 6651
Base: GU10
Material: PC
Color: White+Black
Size(mm): 85x85x40
Cutting Size: 72
Box Qty: 50



RECESSED FITTING GU10



Model No: VT-933-W
SKU: 6656
Base: GU10
Material: PC
Color: White
Size(mm): 102x102x42
Cutting Size: 95x95
Box Qty: 50



RECESSED FITTING GU10



Model No: VT-933-B
SKU: 6657
Base: GU10
Material: PC
Color: Black
Size(mm): 102x102x42
Cutting Size: 95x95
Box Qty: 50



RECESSED FITTING GU10



Model No: VT-980-WB
SKU: 6694
Base: GU10
Material: Aluminum
Color: White+black
Size(mm): 92x53
Cutting Size: 60
Box Qty: 50

RECESSED FITTING GU10



Model No: VT-934-B
SKU: 6659
Base: GU10
Material: PC
Color: Black
Size(mm): 102x42
Cutting Size: 85
Box Qty: 50



RECESSED FITTING GU10



Model No: VT-980-BW
SKU: 6695
Base: GU10
Material: Aluminum
Color: Black+white
Size(mm): 92x53
Cutting Size: 60
Box Qty: 50

RECESSED FITTING GU10



Model No: VT-974-W
SKU: 6682
Base: GU10
Material: Aluminum
Color: White
Size(mm): 68x72
Cutting Size: 61
Box Qty: 50



SURFACE FITTING GU10



Model No: VT-1131-W
SKU: 10379
Base: GU10
Material: Aluminium
Color: White
Size(mm): 65x100mm
Cutting Size: N/A
Box Qty: 50

RECESSED FITTING GU10



Model No: VT-974-B
SKU: 6683
Base: GU10
Material: Aluminum
Color: Black
Size(mm): 68x72
Cutting Size: 61
Box Qty: 50




SURFACE FITTING GU10




Model No: VT-1131-B
SKU: 10380
Base: GU10
Material: Aluminium
Color: Black
Size(mm): 65x100mm
Cutting Size: N/A
Box Qty: 50

SURFACE FITTING GU10




Model No: **VT-802-B**
SKU: **8945**
Base: GU10
Material: Aluminium
Color: Black
Size(mm): $\phi 70 \times 107$
Cutting Size: N/A
Box Qty: 50

SURFACE FITTING GU10




Model No: **VT-802-W**
SKU: **8944**
Base: GU10
Material: Aluminium
Color: White
Size(mm): $\phi 70 \times 107$
Cutting Size: N/A
Box Qty: 50

SURFACE FITTING GU10




Model No: **VT-804-W**
SKU: **8946**
Base: GU10
Material: Aluminium
Color: White
Size(mm): $\phi 59.5 \times 197$
Cutting Size: N/A
Box Qty: 20

RECESSED FITTING SQUARE-GU10




Model No: **VT-883-WB**
SKU: **8597**
Base: GU10
Material: Aluminium + PC
Color: White+Black Reflector
Size(mm): 83×40.7
Cutting Size: 75×75
Box Qty: 50

SURFACE FITTING GU10




Model No: **VT-804-B**
SKU: **8947**
Base: GU10
Material: Aluminium
Color: Black
Size(mm): $\phi 59.5 \times 197$
Cutting Size: N/A
Box Qty: 20

RECESSED FITTING SQUARE-GU10



Model No: **VT-883-B**
SKU: **8598**
Base: GU10
Material: Aluminium + PC
Color: Black
Size(mm): 83×40.7
Cutting Size: 75×75
Box Qty: 50

SURFACE FITTING GU10




Model No: **VT-807-W**
SKU: **8948**
Base: GU10
Material: Aluminium
Color: White
Size(mm): 60×100
Cutting Size: N/A
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: **VT-884-WB**
SKU: **8599**
Base: GU10
Material: Aluminium + PC
Color: White+Black Reflector
Size(mm): 83×40.7
Cutting Size: $\phi 75$
Box Qty: 50

RECESSED CHROME REFLECTOR FITTING ROUND-GU10




Model No: **VT-889**
SKU: **8879**
Base: GU10
Material: Aluminium
Color: White+Chrome Reflector
Size(mm): $\phi 140 \times 50$
Cutting Size: $\phi 85 / 90$
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: **VT-884-B**
SKU: **8608**
Base: GU10
Material: Aluminium + PC
Color: Black+ Black Reflector
Size(mm): 83×40.7
Cutting Size: $\phi 75$
Box Qty: 50

RECESSED CHROME REFLECTOR FITTING
SQUARE-GU10


Model No: VT-890
SKU: 8880
Base: GU10
Material: Aluminium
Color: White+Chrome Reflector
Size(mm): 128x75x55
Cutting Size: 79/85x75
Box Qty: 50

RECESSED FITTING ROUND-GU10-IP44




Model No: VT-981-B
SKU: 6699
Base: GU10
Material: PC
Color: Black
Size(mm): 92.5x33
Cutting Size: 70
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-438-W
SKU: 10296
Base: GU10
Material: Iron+PC
Color: White+White
Size(mm): 87.5x31
Cutting Size: 75
Box Qty: 100

RECESSED FITTING ROUND-GU10-IP44




Model No: VT-981-SN
SKU: 6700
Base: GU10
Material: PC
Color: Satin Nickel
Size(mm): 92.5x33
Cutting Size: 70
Box Qty: 50

RECESSED FITTING ROUND-GU10-IP44




Model No: VT-981-W
SKU: 6698
Base: GU10
Material: PC
Color: White
Size(mm): 92.5x33
Cutting Size: 70
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-872-WB
SKU: 3153
Base: GU10
Material: Aluminium+PC
Color: White+Black
Size(mm): 79x32
Cutting Size: 72
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-872-WC
SKU: 3156
Base: GU10
Material: Aluminium+PC
Color: White+Chrome
Size(mm): 79x32
Cutting Size: 72
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-873-WC
SKU: 3160
Base: GU10
Material: Aluminium+PC
Color: White+Chrome
Size(mm): 80x42
Cutting Size: 75
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-873
SKU: 8595
Base: GU10
Material: Aluminium + PC
Color: Black+ Black Reflector
Size(mm): ø83x40.7
Cutting Size: ø75
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-874
SKU: 8596
Base: GU10
Material: Aluminium + PC
Color: Black+ Black Reflector
Size(mm): ø83x40.7
Cutting Size: ø75
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-873-WB
SKU: 3157
Base: GU10
Material: Aluminium+PC
Color: White+Black
Size(mm): $\varnothing 83 \times 40.7$
Cutting Size: 75
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-874-WB
SKU: 3161
Base: GU10
Material: Aluminium+PC
Color: White+Black
Size(mm): $\varnothing 83 \times 40.7$
Cutting Size: 75
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-873-WG
SKU: 3158
Base: GU10
Material: Aluminium+PC
Color: White+Gold
Size(mm): 80x42
Cutting Size: 75
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-874-WG
SKU: 3162
Base: GU10
Material: Aluminium+PC
Color: White+Gold
Size(mm): 80x42
Cutting Size: 75
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-873-WR
SKU: 3159
Base: GU10
Material: Aluminium+PC
Color: White+Rose Gold
Size(mm): 80x42
Cutting Size: 75
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: VT-874-WR
SKU: 3163
Base: GU10
Material: Aluminium+PC
Color: White+Rose Gold
Size(mm): 80x42
Cutting Size: 75
Box Qty: 50

RECESSED FITTING GU10




Model No: VT-934-W
SKU: 6658
Base: GU10
Material: PC
Color: White
Size(mm): 102x42
Cutting Size: 85
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: **VT-874-WC**
SKU: **3164**
Base: GU10
Material: Aluminium+PC
Color: White+Chrome
Size(mm): 80x42
Cutting Size: 75
Box Qty: 50

RECESSED FITTING SQUARE-GU10




Model No: **VT-875-WC**
SKU: **3168**
Base: GU10
Material: Aluminium+PC
Color: White+Chrome
Size(mm): 85x85x62
Cutting Size: 80x80
Box Qty: 50

RECESSED FITTING ROUND-GU10




Model No: **VT-443-W**
SKU: **10297**
Base: GU10
Material: Iron+PC
Color: White+White
Size(mm): 88x88x30
Cutting Size: 75x75
Box Qty: 100

RECESSED FITTING SQUARE-GU10




Model No: **VT-876-SQ**
SKU: **3170**
Base: GU10
Material: Aluminium
Color: White
Size(mm): 85x85x32
Cutting Size: 75
Box Qty: 50

RECESSED FITTING SQUARE-GU10




Model No: **VT-875-WB**
SKU: **3165**
Base: GU10
Material: Aluminium+PC
Color: White+Black
Size(mm): 85x85x62
Cutting Size: 80x80
Box Qty: 50

RECESSED FITTING SQUARE-GU10




Model No: **VT-876-RD**
SKU: **3169**
Base: GU10
Material: Aluminium
Color: White
Size(mm): 85x32
Cutting Size: 75
Box Qty: 50

RECESSED FITTING SQUARE-GU10




Model No: **VT-875-WR**
SKU: **3167**
Base: GU10
Material: Aluminium+PC
Color: White+Rose Gold
Size(mm): 85x85x62
Cutting Size: 80x80
Box Qty: 50

RECESSED FITTING SQUARE-GU10




Model No: **VT-797-WH**
SKU: **3630**
Base: GU10
Material: Die Cast Aluminium
Color: White
Size(mm): 142x100x100
Cutting Size: N/A
Box Qty: 50

RECESSED FITTING SQUARE-GU10




Model No: **VT-797-SN**
SKU: **3632**
Base: GU10
Material: Die Cast Aluminium
Color: Satin Nickel
Size(mm): 100x100x142
Cutting Size: N/A
Box Qty: 50

RECESSED FITTING SQUARE-GU10




Model No: **VT-797-B**
SKU: **3631**
Base: GU10
Material: Die Cast Aluminium
Color: Black
Size(mm): 100x100x142
Cutting Size: N/A
Box Qty: 50

RECESSED FITTING SQUARE-GU10 ★




Model No: VT-796-WH
SKU: 3627
Base: GU10
Material: Die Cast Aluminium
Color: White
Size(mm): Ø100x142
Cutting Size: N/A
Box Qty: 50

FITTING-SQUARE-GU10




Model No: VT-727SQ
SKU: 3664
Base: GU10
Material: Gypsum
Color: White
Size(mm): 70x70x75
Cutting Size: N/A
Box Qty: 36

RECESSED FITTING SQUARE-GU10 ★




Model No: VT-796-B
SKU: 3628
Base: GU10
Material: Die Cast Aluminium
Color: Black
Size(mm): Ø100x142
Cutting Size: N/A
Box Qty: 50

FITTING-ROUND-GU10




Model No: VT-727RD
SKU: 3665
Base: GU10
Material: Gypsum
Color: White
Size(mm): Ø70x75
Cutting Size: N/A
Box Qty: 36

RECESSED FITTING SQUARE-GU10




Model No: VT-796-SN
SKU: 3629
Base: GU10
Material: Die Cast Aluminium
Color: Satin Nickel
Size(mm): Ø100x142
Cutting Size: N/A
Box Qty: 50

RECESSED FITTING-ROUND-GU10




Model No: VT-771
SKU: 3652
Base: GU10
Material: Gypsum
Color: White
Size(mm): Ø100x30
Cutting Size: Ø103
Box Qty: 20

FITTING-ROUND-GU10




Model No: VT-716RD
SKU: 3667
Base: GU10
Material: Gypsum
Color: White
Size(mm): Ø75x75
Cutting Size: N/A
Box Qty: 36

RECESSED FITTING-SQUARE-GU10



Model No: VT-772
SKU: 3653
Base: GU10
Material: Gypsum
Color: White
Size(mm): 132x132x74
Cutting Size: 135x135
Box Qty: 20

RECESSED FITTING-SQUARE-GU10




Model No: VT-762
SKU: 3648
Base: GU10
Material: Gypsum
Color: White
Size(mm): 215x120x60
Cutting Size: 218x123
Box Qty: 20

RECESSED FITTING-ROUND-GU10



Model No: VT-764
SKU: 3650
Base: GU10
Material: Gypsum
Color: White
Size(mm): Ø140x40
Cutting Size: Ø103
Box Qty: 20

RECESSED FITTING-SQUARE-GU10




Model No: VT-763
SKU: 3649
Base: GU10
Material: Gypsum
Color: White
Size(mm): 120x120x50
Cutting Size: 123x123
Box Qty: 24

RECESSED FITTING-ROUND-GU10




Model No: VT-773
SKU: 3654
Base: GU10
Material: Gypsum
Color: White
Size(mm): Ø132x74
Cutting Size: Ø135
Box Qty: 20

RECESSED FITTING-SQUARE-GU10



Model No: VT-765
SKU: 3651
Base: GU10
Material: Gypsum
Color: White
Size(mm): 100x100x30
Cutting Size: 103x103
Box Qty: 30


RECESSED FITTING-SQUARE-GU10-2PCS
PACK



2
PCS
PACK


Model No: VT-817-W-SQ
SKU: 8941
Base: GU10
Material: Ferrum
Color: White
Size(mm): 82x82x27
Cutting Size: 70x70
Box Qty: 100

RECESSED FITTING-SQUARE-GU10



Model No: VT-714
SKU: 3674
Base: GU10
Material: Gypsum
Color: White
Size(mm): 120x120x45
Cutting Size: 123x123
Box Qty: 24


RECESSED FITTING-SQUARE-GU10-2PCS
PACK



2
PCS
PACK


Model No: VT-817-SN-SQ
SKU: 8942
Base: GU10
Material: Ferrum
Color: Satin Nickel
Size(mm): 82x82x27
Cutting Size: 70x70
Box Qty: 100

RECESSED FITTING-SQUARE-GU10-FROST
GLASS



Model No: VT-801SQ
SKU: 3691
Base: GU10
Material: Gypsum
Color: White
Size(mm): 120x120x60
Cutting Size: 123x123
Box Qty: 24


RECESSED FITTING-ROUND-GU10-2PCS
PACK



2
PCS
PACK

Model No: VT-778-CH
SKU: 3586
Base: GU10
Material: Ferrum
Color: Chrome
Size(mm): Ø80x30
Cutting Size: Ø65
Box Qty: 200


RECESSED FITTING-ROUND-GU10-2PCS
PACK



2
PCS
PACK


Model No: VT-817-SN-RD
SKU: 8939
Base: GU10
Material: Ferrum
Color: Satin Nickel
Size(mm): Ø93x27
Cutting Size: Ø70
Box Qty: 100

RECESSED FITTING-ROUND-GU10-
CHANGING ANGLE




Model No: VT-780-SN
SKU: 3594
Base: GU10
Material: Ferrum
Color: Satin Nickel
Size(mm): Ø100x45
Cutting Size: Ø90
Box Qty: 100

RECESSED FITTING-ROUND-GU10




Model No: **VT-774-WH**
SKU: **3642**
Base: GU10
Material: Aluminium
Color: White
Size(mm): Ø81x34
Cutting Size: Ø73
Box Qty: 100

RECESSED FITTING-ROUND-GU10




Model No: **VT-774-SN**
SKU: **3643**
Base: GU10
Material: Aluminium
Color: Satin Nickel
Size(mm): Ø81x34
Cutting Size: Ø73
Box Qty: 100

RECESSED FITTING-ROUND-GU10 ★




Model No: **VT-782RD-WH**
SKU: **3599**
Base: GU10
Material: Aluminium
Color: White
Size(mm): Ø91x25
Cutting Size: Ø75
Box Qty: 100

RECESSED FITTING-ROUND-GU10




Model No: **VT-775-SN**
SKU: **3646**
Base: GU10
Material: Aluminium
Color: Satin Nickel
Size(mm): Ø95x32
Cutting Size: Ø85
Box Qty: 100

RECESSED FITTING-ROUND-GU10 ★




Model No: **VT-782RD-AB**
SKU: **3600**
Base: GU10
Material: Aluminium
Color: Aluminium Brush
Size(mm): Ø91x25
Cutting Size: Ø75
Box Qty: 100

RECESSED FITTING-ROUND-GU10 ★




Model No: **VT-775-MG**
SKU: **3647**
Base: GU10
Material: Aluminium
Color: Metallic Grey
Size(mm): Ø95x32
Cutting Size: Ø85
Box Qty: 100

RECESSED FITTING 2XGU10 ROUND WHITE




Model No: **VT-783**
SKU: **3601**
Base: 2xGU10
Material: Aluminium
Color: White
Size(mm): 173x91x25
Cutting Size: 155x75
Box Qty: 50

RECESSED FITTING-SQUARE-GU10 ★




Model No: **VT-782SQ-AB**
SKU: **3606**
Base: 1xGU10
Material: Aluminium
Color: Aluminium Brush
Size(mm): 91x91x25
Cutting Size: 75x75
Box Qty: 100

RECESSED FITTING 3XGU10 ROUND WHITE




Model No: **VT-784**
SKU: **3603**
Base: 3XGU10
Material: Aluminium
Color: White
Size(mm): 255x91x25
Cutting Size: 235x75
Box Qty: 50

RECESSED FITTING-SQUARE-GU10




Model No: **VT-783SQ-WH**
SKU: **3607**
Base: 2XGU10
Material: Aluminium
Color: White
Size(mm): 173x91x25
Cutting Size: 155x75
Box Qty: 50

RECESSED FITTING-SQUARE-GU10




Model No: VT-782SQ-WH
SKU: 3605
Base: 1XGU10
Material: Aluminium
Color: White
Size(mm): 91x91x25
Cutting Size: 75x75
Box Qty: 100

RECESSED FITTING 2XGU10 ROUND SILVER




Model No: VT-783
SKU: 3602
Base: 2xGU10
Material: Aluminium
Color: Silver
Size(mm): 173x91x25
Cutting Size: 155x75
Box Qty: 50

RECESSED FITTING-ROUND-GU10




Model No: VT-7227RD-WH
SKU: 3469
Base: GU10
Material: Ferrum
Color: White
Size(mm): Ø99x30.8
Cutting Size: Ø74
Box Qty: 100

RECESSED FITTING-SQUARE-GU10




Model No: VT-783SQ-AB
SKU: 3608
Base: GU10
Material: Aluminium
Color: Aluminium Brush
Size(mm): 173x91x25
Cutting Size: 155x75
Box Qty: 50

RECESSED FITTING-ROUND-GU10




Model No: VT-7227RD-SN
SKU: 3470
Base: GU10
Material: Ferrum
Color: Satin Nickel
Size(mm): Ø99x30.8
Cutting Size: Ø74
Box Qty: 100

RECESSED FITTING 3XGU10 ROUND SILVER




Model No: VT-784
SKU: 3604
Base: 3XGU10
Material: Aluminium
Color: Silver
Size(mm): 255x91x25
Cutting Size: 235x75
Box Qty: 50

RECESSED FITTING-ROUND-GU10




Model No: VT-7227RD-SS
SKU: 3471
Base: GU10
Material: Ferrum
Color: Stainless Steel
Size(mm): Ø99x30.8
Cutting Size: Ø74
Box Qty: 100

RECESSED FITTING-SQUARE-GU10




Model No: VT-784SQ-WH
SKU: 3609
Base: 3XGU10
Material: Aluminium
Color: White
Size(mm): 255x91x25
Cutting Size: 235x75
Box Qty: 50

RECESSED FITTING-ROUND-GU10




Model No: VT-786
SKU: 3612
Base: GU10
Material: Aluminium
Color: White
Size(mm): 88x38
Cutting Size: Ø75
Box Qty: 100

RECESSED FITTING-SQUARE-GU10




Model No: VT-784SQ-AB
SKU: 3610
Base: 3XGU10
Material: Aluminium
Color: Aluminium Brush
Size(mm): 255x91x25
Cutting Size: 235x75
Box Qty: 50

RECESSED FITTING-SQUARE-GU10




Model No: VT-7227SQ-WH
SKU: 3472
Base: GU10
Material: Ferrum
Color: White
Size(mm): 99x99x30.8
Cutting Size: 74x74
Box Qty: 100

ZOOM FITTING-SPOTLIGHT




Model No: VT-700S
SKU: 3690
Base: GU10
Material: Aluminium
Color: Satin Nickel
Size(mm): Ø102x46
Cutting Size: 93
Box Qty: 50

RECESSED FITTING-SQUARE-GU10




Model No: VT-7227SQ-SN
SKU: 3473
Base: GU10
Material: Ferrum
Color: Satin Nickel
Size(mm): 99x99x30.8
Cutting Size: 74x74
Box Qty: 100

RECESSED FITTING-ROUND-GU10




Model No: VT-787RD-WH
SKU: 3613
Base: GU10
Material: Zinc Alloy+Ferrum
Color: White
Size(mm): 84x38
Cutting Size: 75
Box Qty: 100

RECESSED FITTING-SQUARE-GU10




Model No: VT-7227SQ-SS
SKU: 3474
Base: GU10
Material: Ferrum
Color: Stainless Steel
Size(mm): 99x99x30.8
Cutting Size: 74x74
Box Qty: 100

RECESSED FITTING-ROUND-GU10




Model No: VT-787RD-SN
SKU: 3614
Base: GU10
Material: Zinc Alloy+Ferrum
Color: Satin Nickel
Size(mm): 84x38
Cutting Size: 75
Box Qty: 100

RECESSED FITTING-SQUARE METAL-MATT ROSE GOLD BOTTOM



Model No: VT-860-MR
SKU: 3115
Base: GU10
Material: Zinc Alloy+Ferrum
Color: White+Matt Rose Gold
Size(mm): 82x101
Cutting Size: N/A
Box Qty: 12

RECESSED FITTING-SQUARE-GU10





Model No: VT-787SQ-WH
SKU: 3615
Base: GU10
Material: Zinc Alloy+Ferrum
Color: White
Size(mm): 84x84x38
Cutting Size: 75
Box Qty: 100

ZOOM FITTING-SPOTLIGHT SQUARE METAL-CHROME BOTTOM




Model No: VT-860-CH
SKU: 3116
Base: GU10
Material: Aluminium
Color: White+Chrome
Size(mm): Ø102x46
Cutting Size: N/A
Box Qty: 12

RECESSED FITTING-SQUARE-GU10




Model No: VT-787SQ-SN
SKU: 3616
Base: GU10
Material: Zinc Alloy+Ferrum
Color: Satin Nickel
Size(mm): 84x84x38
Cutting Size: 75
Box Qty: 100

RECESSED FITTING-ROUND-GU10




Model No: VT-781RD-WH
SKU: 3595
Base: GU10
Material: Aluminium+Ferrum
Color: White
Size(mm): 100x45
Cutting Size: 90
Box Qty: 100

RECESSED FITTING-ROUND-GU10




Model No: VT-779-SN-RD
SKU: 3588
Base: GU10
Material: Zinc Alloy
Color: Satin Nickel
Size(mm): 82x25
Cutting Size: 74
Box Qty: 100

RECESSED FITTING-ROUND-GU10




Model No: VT-781RD-SN
SKU: 3596
Base: GU10
Material: Aluminium+Ferrum
Color: Satin Nickel
Size(mm): 100x45
Cutting Size: 90
Box Qty: 100

RECESSED FITTING GU10 ★




Model No: VT-779-BL
SKU: 8955
Base: GU10
Material: Zinc alloy
Color: Black
Size(mm): 82x25
Cutting Size: 74
Box Qty: 100

RECESSED FITTING-SQUARE-GU10



Model No: VT-781SQ-WH
SKU: 3597
Base: GU10
Material: Aluminium+Ferrum
Color: White
Size(mm): 100x100x38
Cutting Size: 90x90
Box Qty: 100

RECESSED FITTING-ROUND-GU10




Model No: VT-779-B
SKU: 8580
Base: GU10
Material: Zinc alloy
Color: Bronze
Size(mm): 82x25
Cutting Size: 74
Box Qty: 100

RECESSED FITTING-SQUARE-GU10




Model No: VT-781SQ-SN
SKU: 3598
Base: GU10
Material: Aluminium+Ferrum
Color: Satin Nickel
Size(mm): 100x100x38
Cutting Size: 90x90
Box Qty: 100

RECESSED FITTING-ROUND-GU10




Model No: VT-779-CH-RD
SKU: 3589
Base: GU10
Material: Zinc Alloy
Color: Chrome
Size(mm): 82x25
Cutting Size: 74
Box Qty: 100

RECESSED FITTING-ROUND-GU10




Model No: VT-779-WH-RD
SKU: 3587
Base: GU10
Material: Zinc Alloy
Color: White
Size(mm): 82x25
Cutting Size: 74
Box Qty: 100

RECESSED FITTING-SQUARE-GU10 ★




Model No: VT-779-WH-SQ
SKU: 3590
Base: GU10
Material: Zinc Alloy
Color: White
Size(mm): 82x82x22
Cutting Size: 74
Box Qty: 100

RECESSED FITTING-SQUARE-GU10




Model No: VT-779-CH-SQ
SKU: 3592
Base: GU10
Material: Zinc Alloy
Color: Chrome
Size(mm): 82x82x25
Cutting Size: 74
Box Qty: 100

RECESSED FITTING-SQUARE-GU10



Model No: VT-779-SB
SKU: 8582
Base: GU10
Material: Zinc alloy
Color: Bronze
Size(mm): 82x82x22
Cutting Size: 74
Box Qty: 100

RECESSED FITTING-SQUARE-GU10



Model No: VT-779-SG
SKU: 8581
Base: GU10
Material: Zinc alloy
Color: Gold
Size(mm): 82x82x22
Cutting Size: 74
Box Qty: 100

WALL FITTING-SQUARE-G9



Model No: VT-858SQ
SKU: 3695
Base: G9
Material: Gypsum
Color: White
Size(mm): 70x100x100
Cutting Size: N/A
Box Qty: 24

RECESSED FITTING-ROUND-GU10



Model No: VT-859RD
SKU: 3697
Base: GU10
Material: Gypsum
Color: White
Size(mm): $\phi 100 \times 40$
Cutting Size: $\phi 103$
Box Qty: 40

SURFACE FITTING-SQUARE METAL-MATT ROSE GOLD BOTTOM



Model No: VT-860-MRM
SKU: 3141
Base: GU10
Material: Gypsum with metal
Color: Grey+Matt Rose Gold
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12

SURFACE BOTTOM FITTING-SQUARE METAL-CHROME



Model No: VT-860-CHM
SKU: 3142
Base: GU10
Material: Gypsum with metal
Color: Grey+Chrome
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12

SURFACE FITTING-SQUARE METAL-MATT ROSE GOLD BOTTOM




Model No: VT-860-MR
SKU: 3115
Base: GU10
Material: Gypsum with metal
Color: White+Matt Rose Gold
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12

SURFACE BOTTOM FITTING-SQUARE METAL-CHROME



Model No: VT-860-CH
SKU: 3116
Base: GU10
Material: Gypsum with metal
Color: White+Chrome
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12

RECESSED GX53-FITTING



Model No: VT-715-G
SKU: 3676
Base: GX53
Material: Iron
Color: Gold
Size(mm): $\phi 105 \times 40$
Cutting Size: 90
Box Qty: 50

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-SQ-BG**
SKU: **8956**
Base: GU10
Material: Aluminium + PC
Color: Black+Gold
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RD-BRG**
SKU: **8997**
Base: GU10
Material: Aluminium + PC
Color: Black+Rose Gold
Size(mm): ø80x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-SQ-BRG**
SKU: **8993**
Base: GU10
Material: Aluminium + PC
Color: Black+Rose Gold
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RD-BC**
SKU: **8998**
Base: GU10
Material: Aluminium + PC
Color: Black+Chrome
Size(mm): ø80x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-SQ-BC**
SKU: **8994**
Base: GU10
Material: Aluminium + PC
Color: Black+Chrome
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-B**
SKU: **8584**
Base: GU10
Material: Aluminium + PC
Color: White+Black Reflector
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RD-BG**
SKU: **8996**
Base: GU10
Material: Aluminium + PC
Color: Black+Gold
Size(mm): ø80x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-C**
SKU: **8585**
Base: GU10
Material: Aluminium + PC
Color: White+Chrome Reflector
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-G**
SKU: **8586**
Base: GU10
Material: Aluminium + PC
Color: White+Gold Reflector
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RG**
SKU: **8591**
Base: GU10
Material: Aluminium + PC
Color: White+Gold Reflector
Size(mm): ø80x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING SQUARE-GU10



Model No: VT-882-SRG
SKU: 8587
Base: GU10
Material: Aluminium + PC
Color: White+Rose gold Reflector
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING ROUND-GU10



Model No: VT-882-RRG
SKU: 8592
Base: GU10
Material: Aluminium + PC
Color: White+Rose gold Reflector
Size(mm): ø80x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING SQUARE-GU10



Model No: VT-882-SW
SKU: 8583
Base: GU10
Material: Aluminium + PC
Color: White+White Reflector
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING ROUND-GU10



Model No: VT-882-RW
SKU: 8588
Base: GU10
Material: Aluminium + PC
Color: White+White Reflector
Size(mm): ø80x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING ROUND-GU10



Model No: VT-882-RB
SKU: 8589
Base: GU10
Material: Aluminium + PC
Color: White+Black Reflector
Size(mm): ø80x140
Cutting Size: NA
Box Qty: 50

SURFACE FITTING ROUND-GU10



Model No: VT-882-RC
SKU: 8590
Base: GU10
Material: Aluminium + PC
Color: White+Chrome Reflector
Size(mm): ø80x140
Cutting Size: NA
Box Qty: 50

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE



Model No: VT-862-MRG
SKU: 3118
Base: GU10
Material: Gypsum with metal
Color: Grey+Matt Rose Gold
Size(mm): 100x100x40
Cutting Size: ø80
Box Qty: 24

RECESSED-CHROME BOTTOM-SQUARE




Model No: VT-862-CHW
SKU: 3119
Base: GU10
Material: Gypsum with metal
Color: White+Chrome
Size(mm): 100x100x40
Cutting Size: ø80
Box Qty: 24

RECESSED-CHROME BOTTOM-SQUARE



Model No: VT-862-CHW
SKU: 3119
Base: GU10
Material: Gypsum with metal
Color: White+Chrome
Size(mm): 100x100x40
Cutting Size: ø80
Box Qty: 24

RECESSED-MATT ROSE GOLD BOTTOM-ROUND



Model No: VT-862-MGRD
SKU: 3124
Base: GU10
Material: Gypsum with metal
Color: Grey+Matt Rose Gold
Size(mm): ø100x40
Cutting Size: ø80
Box Qty: 24

RECESSED-CHROME BOTTOM-SQUARE



Model No: VT-862-CHG
SKU: 3120
Base: GU10
Material: Gypsum with metal
Color: Grey+Chrome
Size(mm): 100x100x40
Cutting Size: ø80
Box Qty: 24

RECESSED-MATT ROSE GOLD BOTTOM-ROUND



Model No: VT-862-MRC
SKU: 3125
Base: GU10
Material: Gypsum with metal
Color: Off White+Matt Rose Gold
Size(mm): ø100x40
Cutting Size: ø80
Box Qty: 24

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE



Model No: VT-862-MRR
SKU: 3121
Base: GU10
Material: Gypsum with metal
Color: Off White+Matt Rose Gold
Size(mm): 100x100x40
Cutting Size: ø80
Box Qty: 24

RECESSED-CHROME BOTTOM-ROUND




Model No: VT-862-MRD
SKU: 3126
Base: GU10
Material: Gypsum with metal
Color: Off White+Chrome
Size(mm): ø100x40
Cutting Size: ø80
Box Qty: 24

RECESSED-CHROME BOTTOM-SQUARE



Model No: VT-862-CHR
SKU: 3122
Base: GU10
Material: Gypsum with metal
Color: Off White+Chrome
Size(mm): 100x100x40
Cutting Size: ø80
Box Qty: 24

RECESSED-CHROME BOTTOM-ROUND



Model No: VT-862-MG
SKU: 3128
Base: GU10
Material: Gypsum with metal
Color: Grey+Chrome
Size(mm): ø100x40
Cutting Size: ø80
Box Qty: 24

FITTING-RECESSED-BLACK METAL-ROUND



Model No: VT-866-BRD
SKU: 3145
Base: GU10
Material: Gypsum with metal
Color: White+Black
Size(mm): ø100
Cutting Size: ø103
Box Qty: 30

FITTING-RECESSED-CHROME METAL-SQUARE




Model No: VT-866-CSQ
SKU: 3149
Base: GU10
Material: Gypsum with metal
Color: White+Chrome
Size(mm): ø100x100
Cutting Size: 103x103
Box Qty: 30

FITTING-RECESSED-CHROME METAL-ROUND



Model No: VT-866-CRD
SKU: 3146
Base: GU10
Material: Gypsum with metal
Color: White+Chrome
Size(mm): ø100
Cutting Size: ø103
Box Qty: 30

FITTING-RECESSED-MATT ROSE GOLD-SQUARE



Model No: VT-866-GSQ
SKU: 3150
Base: GU10
Material: Gypsum with metal
Color: White+Matt Rose Gold
Size(mm): ø100x100
Cutting Size: 103x103
Box Qty: 30

FITTING-RECESSED-MATT ROSE GOLD METAL-ROUND



Model No: VT-866-MRD
SKU: 3147
Base: GU10
Material: Gypsum with metal
Color: White+Matt Rose Gold
Size(mm): ø100
Cutting Size: ø103
Box Qty: 30



FITTING-RECESSED-SQUARE




Model No: VT-867-SQ
SKU: 3151
Base: GU10
Material: Gypsum with metal
Color: White
Size(mm): ø120x120
Cutting Size: 125x125
Box Qty: 24



FITTING-RECESSED-BLCAK METAL-SQUARE



Model No: VT-866-BSQ
SKU: 3148
Base: GU10
Material: Gypsum with metal
Color: White+Black
Size(mm): ø100x100
Cutting Size: 103x103
Box Qty: 30



FITTING-RECESSED-ROUND




Model No: VT-867-RD
SKU: 3152
Base: GU10
Material: Gypsum with metal
Color: White
Size(mm): ø120
Cutting Size: ø125
Box Qty: 24



RECESSED FITTING-ROUND-GU10-2PCS PACK




Model No: VT-817-W-RD
SKU: 8938
Base: GU10
Material: Ferrum
Color: White
Size(mm): Ø93x27
Cutting Size: Ø70
Box Qty: 100



RECESSED FITTING-ROUND-GU10-2PCS PACK



Model No: VT-817-CH-RD
SKU: 8940
Base: GU10
Material: Ferrum
Color: Chrome
Size(mm): Ø93x27
Cutting Size: Ø70
Box Qty: 100



V-TAC

Meaningful Innovation.



RASVJETA SA SENZOROM POKRETA

Mnoga područja poput lobija, parking garaža ili stubišta ne koriste se često ali zahtijevaju automatsko osvjetljenje u slučaju pokreta. Rasvjeta sa senzorom su uređaji koji detektiraju pokrete i u nekim slučajevima količinu svjetla, te prenose signal za paljenje rasvjete.

ZNAČAJKE

- Štedi energiju
- Za vanjsku i unutarnju primjenu
- Kompatibilno sa gotovo svim modelima rasvjete
- Dokazana kvaliteta
- Širok raspon asortimana





NEW REAL PRESENCE SENSOR



SKU	Model	Unit Color	Box Qty
23430	VT-81014	White	50

Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:110-240V,50/60Hz
Detection Distance: Max. 3m(radius)
Ambient Light: <3—2000LUX (adjustable)
IP Rating: IP20
Time Delay: Min.10sec±3sec, Max. 12min±1min
Rated Load: Max. 2000W/Max.1000W(LED)

NEW INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23425	VT-81009	White	50

Sensor Type: Infrared
Detection Angle: 120°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.10m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
IP Rating: IP20
Dimension: 80x80x43.5mm
Time Delay: Min. 10sec±3sec, Max. 7min±2min
Rated Load: Max 200W(LED)

NEW INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23427	VT-81011	White	50

Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.8m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
IP Rating: IP20
Dimension: 102x24.9mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 400W(LED)

NEW COB INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23426	VT-81010	White	50

Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.8m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type:
IP Rating: IP20
Dimension: 76x49mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 600W(LED)

NEW INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
5090	VT-8029-W	White	50
23679	VT-8029-B	Black	50

Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 6m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: PC
IP Rating: IP20
Dimension: 76x75.6mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 300W(LED)

INFRARED SENSOR-IP65



SKU	Model	Unit Color	Box Qty
23161	VT-80300	White	50

Sensor Type: Infrared
Detection Angle: 180°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.12m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
IP Rating: IP65
Dimension: 119.5x80x51.5mm
Time Delay: 10sec±3sec to 15min±2min(adjustable)
Rated Load: Max. 300W (LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23162	VT-81000	White	50

Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 30m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
IP Rating: IP20
Dimension: 103x53.5mm
Time Delay: Min. 10sec±3sec, Max. 7min±2min
Rated Load: Max 1000W(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
23165	VT-80360	White	50

Sensor Type: Microwave
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: 1-8m(radius) adjustable
Ambient Light: <3-2000LUX (adjustable)
IP Rating: IP20
Dimension: 80x66.6mm
Time Delay: Min.10sec±3sec, Max. 12min±1min
Rated Load: Max 300W(LED)

INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
6606	VT-8091-W	White	100
★ 6607	VT-8091-B	Black	100



Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:110-240V,50/60Hz
Detection Distance: Max.8m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP20
Dimension: Ø76x20.2mm
Time Delay: 10sec±3sec to 7min±2min(adjustable)
Rated Load: Max.200W /100W (LED)

INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
6608	VT-8092-W	White	100
6609	VT-8092-B	Black	100



Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.8m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP20
Dimension: Ø50x62mm
Time Delay: 10sec±3sec to 15min±2min(adjustable)
Rated Load: Max. 400W (LED)

INFRARED SENSOR-IP65

SKU	Model	Unit Color	Box Qty
6611	VT-8093-W	White	50
6610	VT-8093-B	Black	50



Sensor Type: Infrared
Detection Angle: 180°/360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.12m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP65
Dimension: 76x92x62.5mm
Time Delay: 10sec±3sec to 15min±2min(adjustable)
Rated Load: Max. 600W (LED)


INFRARED SENSOR-IP65

SKU	Model	Unit Color	Box Qty
6613	VT-8094-W	White	50
6612	VT-8094-B	Black	50



Sensor Type: Infrared
Detection Angle: 240°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.10m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP65
Dimension: 125.2x71.4x72.3mm
Time Delay: 10sec±3sec to 15min±2min(adjustable)
Rated Load: Max. 600W (LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
5086	VT-8027-W	White	50
★5087	VT-8027-B	Black	50
23677	VT-8027-B-N	Black	50

Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 8m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: PC
IP Rating: IP20
Dimension: 115x25mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 1000W(LED)

INFRARED SENSOR-MOVING HEAD-IP44



SKU	Model	Unit Color	Box Qty
★5089	VT-8028-B	Black	50
23678	VT-8028-B-N	Black	50

Sensor Type: Infrared
Detection Angle: 180°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 12m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: PC
IP Rating: IP44
Dimension: 445X345X19mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 400W(LED)


INFRARED SENSOR-IP44



SKU	Model	Unit Color	Box Qty
★4967	VT-8003-W	White	50
★5077	VT-8003-B	Black	50

Sensor Type: Infrared
Detection Angle: 180°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 12m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: PC
IP Rating: IP44
Dimension: 86.4x60.4x98mm
Time Delay: Min. 10sec±3sec, Max. 7min±2min
Rated Load: Max 300W(LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
15011	VT-8083-B	Black	50

Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.20m(<24°C)
Ambient Light: <3-2000LUX (adjustable)
Body Type: PC
IP Rating: IP65
Dimension: 86.5x172.5x56mm
Time Delay: Min.10sec±3sec, Max. 30min±2min
Rated Load: 1000w(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
15031	VT-8084-B	Black	50
15021	VT-8084-W	White	50

Sensor Type: Microwave
Detection Angle: 180°
Voltage: AC:220-240V,50/60Hz
Detection Distance: 5-15m
Ambient Light: <3-2000LUX (adjustable)
Body Type: PC+Glass
IP Rating: IP20
Dimension: 95x50x95mm
Time Delay: Min.10sec±3sec, Max. 12min±1min
Rated Load: 300w(LED)

MICROWAVE SENSOR-IP65



SKU	Model	Unit Color	Box Qty
5571	VT-8036-W	White	100
5572	VT-8036-B	Black	100

Sensor Type: Microwave
Detection Angle: 180°
Voltage: AC:220-240V,50/60Hz
Detection Distance: 5m/10m
Ambient Light: <25-2000LUX
Body Type: Plastic
IP Rating: IP65
Dimension: 115x35x25mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 200W(LED)

INFRARED SENSOR-MOVING HEAD



SKU	Model	Unit Color	Box Qty
5091	VT-8030	White	50

Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 8m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: PC
IP Rating: IP20
Dimension: 98x73x82mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 400W(LED)


INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
★ 4968	VT-8004	White	50

Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 12m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: PC
IP Rating: IP20
Dimension: Ø88x55mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 300W(LED)

INFRARED SENSOR-E27




SKU	Model	Unit Color	Box Qty
★ 4982	VT-8005	White	50

Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	Max. 6m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	55.5x116.5mm
Time Delay:	Min. 10sec±3sec, Max. 5min±1min
Rated Load:	Max 60W(LED)

INFRARED SENSOR



SKU	Model	Box Qty
1356	VT-8051	50



Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 6m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	76x75.6mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)

DAY LIGHT SENSOR - 1-10V



SKU	Model	Box Qty
★ 1369	VT-8059	100

Sensor Type:	Day Light
Detection Angle:	360°
Voltage:	DC:1-10V
Body Type:	PC
IP Rating:	IP20

Daylight Sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.


The illumination level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient, then gradually back to 100% level when it is getting darker.

INFRARED-HAND GESTURE DETECTION



SKU	Model	Box Qty
★ 5084	VT-8025	100




Sensor Type: Infrared
Detection Angle: 30°
Voltage: AC:110-240V,50/60Hz
Detection Distance: 5cm/6cm(<24°C)
Body Type: Plastic
IP Rating: IP20
Dimension: 35.5x78.2x20.6mm
Rated Load: Max 200W(LED)

INFRARED-DOOR DETECTION



SKU	Model	Box Qty
★ 5085	VT-8026	100




Sensor Type: Infrared
Detection Angle: 30°
Voltage: AC:110-240V,50/60Hz
Detection Distance: 5cm/6cm(<24°C)
Body Type: Plastic
IP Rating: IP20
Dimension: 35.5x78.2x18.7mm
Rated Load: Max 200W(LED)

MICROWAVE SENSOR



SKU	Model	Box Qty
★ 5078	VT-8018	100



Sensor Type: Microwave
Detection Angle: 180° / 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: 1-8m(radius) adjustable
Ambient Light: <3-2000LUX(adjustable)
Body Type: Plastic
IP Rating: IP20
Dimension: 37x25x61.5mm
Time Delay: Min. 10sec±3sec, Max. 12min±1min
Rated Load: Max 300W(LED)

PHOTOCELL SENSOR-IP44



SKU	Model	Box Qty
★ 5081	VT-8019	100




Sensor Type: Photocell
Detection Angle: 360°
Voltage: AC:220-240V,50Hz
Ambient Light: <5-15LUX(adjustable)
Body Type: Plastic
IP Rating: IP44
Dimension: 35.5x46x44.1mm
Time Delay: 5 sec to 8 min (adjustable)
Rated Load: Max 500W(LED)

INFRARED SENSOR



SKU	Model	Box Qty
★ 5082	VT-8022	100



Sensor Type: Infrared
Detection Angle: 120°/360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: 3/6m(<24°C)
Ambient Light: 10LUX/2000LUX(choice)
Body Type: Plastic
IP Rating: IP65
Dimension: 36.8x25.5x55.4mm
Time Delay: 5s,30s,1min,3min,5min,8min(choice)
Rated Load: Max 400W(LED)

INFRARED SENSOR



SKU	Model	Box Qty
1500	VT-8083-W	50



Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max 20m (<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: Plastic
IP Rating: IP65
Dimension: 86.5x172.5x56mm
Time Delay: Min 10sec±3sec, Max 30min±2min
Rated Load: Max 1000W(LED)

NEW PHOTOCELL SENSOR-IP65



SKU	Model	Unit Color	Box Qty
23423	VT-81007	White	50


Sensor Type: Photocell
Voltage: AC:220-240V,50/60Hz
Ambient Light: <3-500LUX(adjustable)
IP Rating: IP65
Dimension: 70x108.8mm

NEW INFRARED-DOOR DETECTION



SKU	Model	Unit Color	Box Qty
23428	VT-81012	White	100

Sensor Type: Infrared
Voltage: AC:220-240V,50/60Hz
Detection Distance: 5-6 Meters
IP Rating: IP20
Dimension: 90x40.2x16.8mm
Rated Load: Max 200W(LED)



LED LINEARNA RASVJETA

V-TAC LED Linearna rasvjeta je asortiman energetske učinkovite, lako-održive alternative tradicionalnoj rasvjeti u industriji i drugim komercijalnim djelatnostima. Optimalno rješenje za sustave koji trebaju nove svjetlosne instalacije, a pri maksimalnoj uštedi.

ZNAČAJKE

- Štedi do 80% energije
- Bez UV i infracrvenog zračenja
- Kompaktan i prilagodljiv dizajn
- Bez žive i olova
- Daje jednoliko osvijetljenje i podiže privlačnost prostora
- Odlično rješenje za potrebe serijskih modularnih sustava




SURFACED LINEAR LIGHTS

Surface-mounted linear lights are a type of lighting fixture that is installed directly onto the surface of a ceiling or wall, providing a sleek and modern lighting solution.

- 20,000 hr Lifespan
- IK08
- Linkable upto 1000W
- PC+Aluminium Body
- 120° Beam Angle
- IP20




LINKABLE
UPTO 1000W



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
23000 4000K DAY WHITE 10137 6500K WHITE	Black	VT-4140-B	40W	4300	36	1200x50x55mm
10138 4000K DAY WHITE 23001 6500K WHITE	White	VT-4140-W	40W	4300	36	1200x50x55mm

CONNECTORS SURFACED LINEAR LIGHTS

SKU	Unit Color	Watts	Lumens	Box Qty
 10173 4000K DAY WHITE	Black	8W	800	50
 10175 4000K DAY WHITE 10176 6500K WHITE	White	8W	800	50



Power Cable 1.5m, 3*0.75mm²

SKU	Unit Color
10178	Black
10180	White



Power Cable with 2 plugs 2m, 3*0.75mm²

SKU	Unit Color
10181	Black
10182	White



Recessed Kit

SKU
10184



V-TAC

Meaningful Innovation.



VANJSKA RASVJETA

Pretvori eksterijer ili vrt u čudesni arhitektski prikaz, a usput pomozi navigirati prolaze po noći, spriječi nezgode i povećaj sigurnost.

ZNAČAJKE


- Savršena zamjena za tradicionalnu rasvjetu
- Radi savršeno u rasponu temperature od -20° C do +45°C
- Dizajnirano za vanjsku upotrebu
- IP65 stupanj zaštite
- Lako održavanje
- Izvrstan izbor boja i kućišta



UNDERGROUND LIGHT



Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211464 - 6500K WHITE	VT-1151-N	1W	50	Ø48X82mm	50

UNDERGROUND LIGHT



Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211465 - 3000K WARM WHITE	VT-1161-W-N	1W	50	Ø60X93mm	50
211467 - 6500K WHITE					
211466 - 3000K WARM WHITE	VT-1161-B-N	1W	50	Ø60X93mm	50

UNDERGROUND LIGHT



Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1468 - 6500K WHITE	VT-1161-B	1W	10	Ø60X93mm	50

UNDERGROUND LIGHT



Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1471 - 6500K WHITE	VT-1171-W	1W	10	Ø60X93mm	50
211469 - 3000K WARM WHITE	VT-1171-W-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211465 - 3000K WARM WHITE 211467 - 6500K WHITE	VT-1161-W-N	1W	50	Ø60X93mm	50
211466 - 3000K WARM WHITE	VT-1161-B-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1468 - 6500K WHITE	VT-1161-B	1W	10	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1471 - 6500K WHITE	VT-1171-W	1W	10	Ø60X93mm	50
211469 - 3000K WARM WHITE	VT-1171-W-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211470 - 3000K WARM WHITE 211472 - 6500K WHITE	VT-1171-B-N	1W	50	Ø60X93mm	50

POOL LIGHTS-PAR56



Voltage/Frequency	AC/DC:12V
Beam Angle	120°
PF	
CRI	



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8024 - 6500K WHITE	VT-12118	18W	2000	178x110mm	18
8025 - 6500K WHITE	VT-12125	25W	2850	178x110mm	18
8026 - 6500K WHITE	VT-12135	35W	4100	178x110mm	18



WALL FITTINGS-E27



SKU	Model	Box Qty
★ 93573	VT-967	10

Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 130x100x228mm



WALL FITTINGS-E27



SKU	Model	Box Qty
★ 93574	VT-968	10

Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 150x91x228mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
2970	VT-11015-W	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
2971	VT-11015-B	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
★ 7503	VT-7622PIR	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110x67x220mm



WALL FITTING



SKU	Model	Box Qty
7501	VT-7621	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 93x85x118mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
★ 7500	VT-7622	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm



WALL FITTING



SKU	Model	Box Qty
7505	VT-7631	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 110x60x125mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
★ 7504	VT-7632	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110x60x178mm



WALL FITTING



SKU	Model	Box Qty
7506	VT-7641	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 105x76x118mm

UP-DOWN WALL FITTING




SKU	Model	Box Qty
★ 7509	VT-7652RD	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm



WALL FITTING



SKU	Model	Box Qty
7510	VT-7651SQ	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
★ 7511	VT-7652SQ	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm



WALL FITTING



SKU	Model	Box Qty
7539	VT-7651SQ-W	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

WALL FITTING



SKU	Model	Box Qty
7540	VT-7651RD-W	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7541	VT-7652SQ-W	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7570	VT-7622-W	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7543	VT-7662-W	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 85x87x250mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
8627	VT-842	24

Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63x99x170mm



WALL FITTING



SKU	Model	Box Qty
7553	VT-7611	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 100x66x92mm

UNDERGROUND

FITTINGS-MR16



SKU	Model	Box Qty
8567	VT-7678-1	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm



WALL FITTING



SKU	Model	Box Qty
8626	VT-841	24

Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63x99x120mm



UNDERGROUND

FITTINGS-MR16



SKU	Model	Box Qty
8566	VT-7678-3	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm



SENSOR FITTING

UP-DOWN WALL



SKU	Model	Box Qty
5157	VT-7632S	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 60x110x215mm



UNDERGROUND

FITTINGS-MR16



SKU	Model	Box Qty
8566	VT-7678-3	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm



UNDERGROUND

FITTINGS



SKU	Model
10374	VT-1127RD

Material: Stainless Steel
Holder: GU10
IP Rating: IP67
Dimension: 80x102mm



UNDERGROUND

FITTINGS



SKU	Model
10375	VT-1127SQ

Material: Stainless Steel
Holder: GU10
IP Rating: IP67
Dimension: 80x80x102mm



UNDERGROUND

FITTINGS



SKU	Model	Box Qty
★ 7515	VT-7677RD	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: Ø110x120mm



UNDERGROUND

FITTINGS



SKU	Model	Box Qty
★ 7516	VT-7677SQ	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: 110x110x120mm



GARDEN SPIKE



SKU	Model	Box Qty
★ 7517	VT-769	12

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 95x95x335mm

GARDEN

SPIKE BLACK-IP65



SKU	Model
10372	VT-1119

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 75x88x245mm



GARDEN

SPIKE BLACK-IP65



SKU	Model
10373	VT-1126

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 75x106x245mm



GARDEN SPIKE BLACK-IP65



SKU	Model	Box Qty
7571	VT-7701	20

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 100x92x270mm



GARDEN SPIKE BLACK-IP65



SKU	Model	Box Qty
7572	VT-7704	20

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 100x130x270mm



V-TAC

Meaningful Innovation.



LED VRTNA RASVJETA

Donosimo elegantnu seriju vrtne rasvjete, uz koju će vaš vrt zasjati punim sjajem kada se sunce spusti. Izkoračite van sa našim asortimanom modernih vanjskih rasvjetnih tijela i uredite puteve, zidove, podove i stropove s modernim dizajnom.

ZNAČAJKE

- Tradicionalne vrtne lampe začinjene modernim dizajnom i funkcionalnostima
- Dostupno u različitim oblicima i stilovima
- Jednostavna instalacija
- Sa bazama GU10-E27





BOLLARD LAMPS-ADJUSTABLE HEAD



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	90°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10475 - 3000K WARM WHITE 23051 - 4000K DAY WHITE	VT-1187-B	4W	390	Black	129x159x1000mm	4
10476 - 3000K WARM WHITE 23052 - 4000K DAY WHITE	VT-1187-W	4W	390	White	129x159x1000mm	4

2IN1 BOLLARD LAMPS



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	180°
CRI	>90



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23021 - 3000K WARM WHITE	VT-1160	12W	1265	Anthracite	150x800mm	10

GARDEN SPIKE LIGHT



Voltage/Frequency	AC:100-240V,50/60Hz
Beam Angle	30°
PF	>0.6
CRI	>80



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7546 - GREEN	VT-857-B	12W	720	Black	73x255mm	50
217545 - 4000K DAY WHITE	VT-857-B-N	12W	3000K - 880lm 4000K - 875lm	Black	73x255mm	50
7549 - GREEN	VT-857-W	12W	720	White	73x255mm	50
217547 - 3000K WARM WHITE	VT-857-W-N	12W	3000K - 920lm 4000K - 970lm	White	73x255mm	50
7552 - GREEN	VT-857-G	12W	720	Grey	73x255mm	50
217550 - 3000K WARM WHITE 217551 - 4000K DAY WHITE	VT-857-G-N	12W	3000K - 875lm 4000K - 930lm	Grey	73x255mm	50

BOLLARD LAMPS



Voltage/Frequency	AC:100-240V 50/60Hz
Beam Angle	350°
PF	>0.9
CRI	>80



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
5155 - 4000K DAY WHITE	VT-909	9W	500	Dark Grey	200x80x300mm	8

NEW GARDEN LIGHT ROUND IP65



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	100°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23053 - 4000K DAY WHITE	VT-10121	120W	9800	Black	380x380x120mm	1

GARDEN SPIKE



SKU	Model	Box Qty
7518	VT-770	8
Material: Stainless Steel		
Max.Watts: 35w		
Holder: GU10		
IP Rating: IP44		
Dimension: 60x60x420mm		


WALL FITTINGS-E27



SKU	Model	Box Qty
10470	VT-1183	6
Material: Plastic+Stainless Steel		
Max.Watts: 18W		
Holder: E27		
IP Rating: IP44		
Dimension: 400x76mm		




WALL FITTINGS-E27



SKU	Model	Box Qty
8623	VT-832	12
Material: Stainless Steel+PC		
Max.Watts: 60w		
Holder: E27		
IP Rating: IP44		
Dimension: 76x375mm		



WALL FITTINGS-E27



SKU	Model	Box Qty
8624	VT-833	12
Material: Stainless Steel+PC		
Max.Watts: 60w		
Holder: E27		
IP Rating: IP44		
Dimension: 76x140x335mm		

BOLLARD LAMPS



SKU	Model	Box Qty
8962	VT-838-S110	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x1100mm		



BOLLARD LAMPS



SKU	Model	Box Qty
10472	VT-1185	4
Material: Plastic+Stainless Steel		
Max.Watts: 18W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x119x1000mm		



BOLLARD LAMPS



SKU	Model	Box Qty
8594	VT-838-B110	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60w		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x1100mm		

BOLLARD LAMP



SKU	Model	Box Qty
8625	VT-838-S80	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60w		
Holder: E27		
IP Rating: IP44		
Dimension: Ø110x800mmxØ76		



BOLLARD LAMPS GU10



SKU	Model	Box Qty
7565	VT-7615	4
Material: Aluminium+clear PC diffuser		
Max.Watts: 35W		
Holder: GU10		
IP Rating: IP54		
Dimension: 80x80x800mm		



BOLLARD LAMPS



SKU	Model	Box Qty
8978	VT-838-B80	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: Ø110x800mmxØ76		

BOLLARD LAMPS GU10



SKU	Model	Box Qty
7564	VT-7614	4
Material: Aluminium+clear PC diffuser		
Max.Watts: 35W		
Holder: GU10		
IP Rating: IP54		
Dimension: 80x80x500mm		




BOLLARD LAMPS ★



SKU	Model	Box Qty
8959	VT-838-G45	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x450mm		

BOLLARD LAMPS




SKU	Model	Box Qty
8963	VT-838-G110	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x1100mm		

BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8984	VT-838-B580	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x800mm		

BOLLARD LAMPS GU10



SKU	Model	Box Qty
7567	VT-7617	4
Material: Aluminium+opal PC diffuser		
Max.Watts: 35W		
Holder: GU10		
IP Rating: IP54		
Dimension: 80x500mm		




BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8967	VT-838-SE110	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x1100mm		

BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8960	VT-838-S580	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x800mm		



BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8965	VT-838-GS45	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x450mm		



BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8964	VT-838-SE45	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x450mm		



BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8968	VT-838-GS110	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x1100mm		



BOLLARD LAMPS WITH SENSOR AND SOCKET




SKU v	Model	Box Qty
8976	VT-838-GS60	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x600mm		

BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8966	VT-838-GS80	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x800mm		

BOLLARD LAMPS WITH SENSOR AND SOCKET



SKU v	Model	Box Qty
8979	VT-838-BSS60	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x600mm		

NEW STAND LAMP



SKU	Model	Box Qty
23353	VT-7657	1
Material: Iron		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP65		
Dimension: 230x230x365mm		

WALL LAMPS E14




SKU	Model
10561	VT-1190
Material: Iron	
Max.Watts: 30W	
Holder: E14	
IP Rating: IP65	
Dimension: 200x168x350mm	



WALL LAMP ★




SKU	Model	Box Qty
8517	VT-837-B	10
Material: Aluminium+Clear Glass		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 113x236x113mm		



WALL LAMP ★



SKU	Model	Box Qty
7513	VT-7670	12
Material: Stainless Steel+PC		
Max.Watts: 14W		
Holder: E27		
IP Rating: IP44		
Dimension: 250x90x100mm		



WALL LAMP ★



SKU	Model	Box Qty
7514	VT-7680	12
Material: Stainless steel		
Max.Watts: 14W		
Holder: E27		
IP Rating: IP44		
Dimension: 90x250x100 mm		



WALL LAMP ★




SKU	Model	Box Qty
7076	VT-754	10
Material: Aluminium+Glass		
Max.Watts: 40W		
Holder: E27		
IP Rating: IP44		
Dimension: 245x180x93mm		



WALL LAMP ★




SKU	Model	Box Qty
7077	VT-754-MW	10
Material: Aluminium+Glass		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 245x180x93mm		

03
YEAR
WARRANTY

WALL LAMP



SKU	Model	Box Qty
8628	VT-835	6
Material: Stainless Steel+PC		
Max.Watts: 40w		
Holder: E27		
IP Rating: IP44		
Dimension: 148x165x245mm		

03
YEAR
WARRANTY

WALL LAMP



SKU	Model	Box Qty
10422	VT-1158	20
Material: Aluminium+Iron+Glass		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 250x305x340mm		

03
YEAR
WARRANTY

WALL LAMP




SKU	Model	Box Qty
7519	VT-760-B	12
Material: Aluminium+Glass		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 225x400x148mm		



WALL LAMP



SKU	Model	Box Qty
7520	VT-760-W	12
Material: Aluminium+Glass		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 225x400x148mm		



WALL LAMP



SKU	Model	Box Qty
10420	VT-1150	8
Material: Aluminium+Iron+Plastic		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 200x280x260mm		

03
YEAR
WARRANTY

WALL LAMP



SKU	Model	Box Qty
11823	VT-1223	8
Material: Aluminium+Plastic		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 200x325x250mm		

03
YEAR
WARRANTY

WALL LAMP



SKU	Model	Box Qty
11824	VT-1224	8
Material: Aluminium+Plastic		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 200x240x365mm		



WALL LAMP



SKU	Model	Box Qty
7521	VT-761-B	8
Material: Aluminium+Glass		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 245x445x185mm		



WALL LAMP



SKU	Model	Box Qty
7522	VT-761-W	8
Material: Aluminium+Glass		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 245x445x185mm		



WALL LAMP



SKU	Model	Box Qty
23020	VT-1149-W	8
Material: Aluminium+Iron+Plastic		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 93x116x234mm		



WALL LAMP ★




SKU	Model	Box Qty
7066	VT-749	10
Material: Aluminium+Glass		
Max.Watts: 40W		
Holder: E27		
IP Rating: IP44		
Dimension: 208x360x170mm		



WALL LAMP ★



SKU	Model	Box Qty
7068	VT-750-B	10
Material: Aluminium+Glass		
Max.Watts: 40W		
Holder: E27		
IP Rating: IP44		
Dimension: 208x360x170mm		



WALL LAMP ★



SKU	Model	Box Qty
7069	VT-750	10
Material: Aluminium+Glass		
Max.Watts: 40W		
Holder: E27		
IP Rating: IP44		
Dimension: 208x360x170mm		



WALL LAMP ★



SKU	Model	Box Qty
7076	VT-754	10
Material: Aluminium+Glass		
Max.Watts: 40W		
Holder: E27		
IP Rating: IP44		
Dimension: 245x180x93mm		



WALL LAMP



SKU	Model	Box Qty
7531	VT-852	6

Material: Aluminium
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 290x525x250mm




CEILING LAMP



SKU	Model	Box Qty
7072	VT-752-B	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 170x840mm



CEILING LAMP



SKU	Model	Box Qty
11825	VT-1226	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x870mm



CEILING LAMP



SKU	Model	Box Qty
7529	VT-850	8

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x890mm




STAND LAMP



SKU	Model	Box Qty
7059	VT-736	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x600mm




CEILING LAMP



SKU	Model	Box Qty
7058	VT-735	10

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x740mm




CEILING LAMP



SKU	Model	Box Qty
7073	VT-752-W	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 170x840mm




STAND LAMP



SKU	Model	Box Qty
7057	VT-734	10

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x290mm




POLE LAMP



SKU	Model	Box Qty
8629	VT-839	6

Material: Stainless Steel+PC
Max.Watts: 40w
Holder: E27
IP Rating: IP44
Dimension: Ø148X800mm



03
YEAR
WARRANTY

POLE LAMP



SKU	Model	Box Qty
10421	VT-1157	1

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x360x1050mm

03
YEAR
WARRANTY

POLE LAMP



SKU	Model	Box Qty
10423	VT-1159	8

Material: Aluminium+Iron+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x975mm

03
YEAR
WARRANTY

POLE LAMP



SKU	Model	Box Qty
11827	VT-1231	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x970mm

03
YEAR
WARRANTY

POLE LAMP



SKU	Model	Box Qty
7060	VT-737	1

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 345x1365mm

03
YEAR
WARRANTY

STAND LAMP



SKU	Model	Box Qty
11826	VT-1230	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x330mm

03
YEAR
WARRANTY

POLE LAMP



SKU	Model	Box Qty
8687	VT-845	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 175x950mm



03
YEAR
WARRANTY

STAND LAMP



SKU	Model	Box Qty
11828	VT-1232	1
Material: Aluminium+Plastic		
Max.Watts: 60Wx2		
Holder: E27		
IP Rating: IP44		
Dimension: 515x1990mm		



STAND LAMP



SKU	Model	Box Qty
7061	VT-738	1
Material: Aluminium+Glass		
Max.Watts: 60Wx2		
Holder: E27		
IP Rating: IP44		
Dimension: 480x1410mm		



STAND LAMP



SKU	Model	Box Qty
7062	VT-739	1
Material: Aluminium+Glass		
Max.Watts: 60Wx2		
Holder: E27		
IP Rating: IP44		
Dimension: 500x1990mm		



V-TAC

Meaningful Innovation.



LED ZIDNA RASVJETA

Predstavljamo moderna LED zidna svjetla, savršenu zamjenu za tradicionalne zidne lampe. Elegantna kombinacija efikasnosti i dizajna. Za vanjsku i unutarnju primjenu, podizanje raspoloženja u sobama, hodnicima, ili prolazima sa ovim nježnim svjetlima.

ZNAČAJKE

- Moderna zidna svjetla sa elegantnim dizajnom
- Podesivi kutevi svjetla na određenim modelima
- Dostupno u crnoj, sivoj i bijeloj varijanti
- Jednostavna instalacija
- Savršeno pristaju u svaki prostor





LED WALL LIGHTS



NEW

LED ROTATABLE WALL LIGHTS WITH USB CHARGING PORT




AC:220-260V, 50Hz

120° Beam Angle

>80 CRI

Steel+Acrylic Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
23405 - 3000K WARM WHITE	VT-10111	8W	900	Black	265x155x98mm

NEW

LED ROTATABLE WALL LIGHTS WITH USB CHARGING PORT




AC:220-260V, 50Hz

120° Beam Angle

>80 CRI

Steel+Acrylic Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23406 - 3000K WARM WHITE	VT-10112	8W	900	Black	265x140x88mm	

LED ROTATABLE WALL LIGHTS




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2934 - 3000K WARM WHITE 2935 - 4000K DAY WHITE	VT-11020-W	17W	3000K-2520lm 4000K-2580lm	White	212x165x100	12
2936 - 3000K WARM WHITE 2937 - 4000K DAY WHITE	VT-11020-B	17W	3000K-2520lm 4000K-2580lm	Black	212x165x100	12

LED ROTATABLE WALL LIGHTS-SENSOR




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
★ 2938 - 3000K WARM WHITE ★ 2939 - 4000K DAY WHITE	VT-11020S-W	17W	3000K-2520lm 4000K-2580lm	White	212x165x100	12
★ 2940 - 3000K WARM WHITE ★ 2941 - 4000K DAY WHITE	VT-11020S-B	17W	3000K-2520lm 4000K-2580lm	Black	212x165x100	12

LED ROTATABLE WALL LIGHTS



AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2942 - 3000K WARM WHITE 2943 - 4000K DAY WHITE	VT-11020-SQ-W	17W	3000K-2520lm 4000K-2580lm	White	178x170x160	12
2944 - 3000K WARM WHITE 2945 - 4000K DAY WHITE	VT-11020-SQ-B	17W	3000K-2520lm 4000K-2580lm	Black	178x170x160	12

LED ROTABLE WALL LIGHTS-SENSOR




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2946 - 3000K WARM WHITE 2947 - 4000K DAY WHITE	VT-11020S-SQ-W	17W	3000K-2520lm 4000K-2580lm	White	178x170x160	12
★ 2948 - 3000K WARM WHITE 2949 - 4000K DAY WHITE	VT-11020S-SQ-B	17W	3000K-2520lm 4000K-2580lm	Black	178x170x160	12

LED ROTATABLE WALL LIGHTS




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2950 - 3000K WARM WHITE 2951 - 4000K DAY WHITE	VT-11020-RD-W	17W	3000K-2480lm 4000K-2520lm	White	160x206x160	12
2952 - 3000K WARM WHITE 2953 - 4000K DAY WHITE	VT-11020-RD-B	17W	3000K-2480lm 4000K-2520lm	Black	160x206x160	12

LED ROTATABLE WALL LIGHTS-SENSOR




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2954 - 3000K WARM WHITE 2955 - 4000K DAY WHITE	VT-11020S-RD-W	17W	3000K-2480lm 4000K-2520lm	White	160x206x160	12
2956 - 3000K WARM WHITE 2957 - 4000K DAY WHITE	VT-11020S-RD-B	17W	3000K-2480lm 4000K-2520lm	Black	160x206x160	12



LED ROTATABLE WALL LIGHTS-SWITCH




AC:220-240V,50Hz

120° Beam Angle

>90 CRI


Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10447 - 3000K+4000K WARM WHITE+DAY WHITE	VT-1180-W	5W	600	White	153x183x185	20
10448 - 3000K+4000K WARM WHITE+DAY WHITE	VT-1180-B	5W	600	Black	153x183x185	20

LED ROTABLE WALL LIGHTS-2WAY




AC:220-240V,50/60Hz

90° Beam Angle

Aluminium+Glass Body

IP44 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10473 - 3000K WARM WHITE	VT-1186-B	2x2.6W	620	Black	172x105x253	4
10474 - 3000K WARM WHITE	VT-1186-W	2x2.6W	620	White	172x105x253	4
23049 - 4000K DAY WHITE	VT-1186	2x2.6W	620	Black	172x105x253	4
23050 - 4000K DAY WHITE	VT-1186	2x2.6W	620	White	172x105x253	4

LED SINGLE HEAD ROTATABLE WALL LIGHTS



AC:220-240V,50/60Hz


350° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218286 - 3000K WARM WHITE	VT-816-W-N	6W	800	White	110x54x97	20
218288 - 3000K WARM WHITE 218289 - 4000K DAY WHITE	VT-816-B-N	6W	800	Black	110x54x97	20
218291 - 4000K DAY WHITE	VT-816-G-N	6W	800	Grey	110x54x97	20

LED DOUBLE HEAD ROTATABLE WALL LIGHTS



AC:110-240V,50/60Hz


350° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8293 - 3000K WARM WHITE	VT-814-B	12W	1320	Black	230x54x97	20



LED WALL LIGHTS



LED UP-DOWN WALL LIGHTS



AC:220-240V,50Hz
120° Beam Angle
>0.45 PF
>80 CRI
Aluminium Body
IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218684 - 4000K DAY WHITE	VT-815-B-N	10W	1280	Black	200x130x100	20
218683 - 4000K DAY WHITE	VT-815-W-N	10W	1280	White	200x130x100	20

LED WALL LIGHTS



AC:220-240V,50/60Hz
41° Beam Angle
>0.4 PF
>80 CRI
Nylon Body
IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218561 - 3000K WARM WHITE 218563 - 6500K WHITE	VT-844-B-N	4W	400	Black	83x123x30	10
218560 - 3000K WARM WHITE 218562 - 6500K WHITE	VT-844-W-N	4W	400	White	83x123x30	10

LED WALL LIGHTS



AC:220-240V,50/60Hz


128° Beam Angle

>0.6 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Shape	Size(mm)	Box Qty
218537 - 3000K WARM WHITE 218538 - 4000K DAY WHITE	VT-827-RD-N	12W	1155	Round	Ø169x100	20
218539 - 3000K WARM WHITE 218540 - 4000K DAY WHITE	VT-827-SQ-N	12W	1160	Square	169x169x100	20

LED WALL LIGHTS



AC:220-240V,50/60Hz


128° Beam Angle

>0.6 PF

>80 CRI

PC Body

IP65 IP Rating




SKU	Model	Watts	Lumens	Shape	Size(mm)	Box Qty
218612 - 3000K WARM WHITE	VT-831-SQ-N	7W	610	Square	133x133x67	20
8541 - 3000K WARM WHITE	VT-828-RD	12W	900	Round	Ø169x100	20
218543 - 3000K WARM WHITE 218544 - 4000K DAY WHITE	VT-828-SQ-N	12W	1250	Square	169x169x100	20

LED OUTDOOR BOLLARD LAMP



AC:100-240V,50/60Hz
72° Beam Angle
>0.5 PF
>80 CRI
Aluminium Body
IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
128318 - 6400K WHITE	VT-830-W-N	10W	1000	White	Ø148x250 mm	8
★ 128319 - 3000K WARM WHITE	VT-830-G-N	10W	1000	Grey	Ø148x250 mm	8
★ 128320 - 4000K DAY WHITE						
★ 128321 - 6400K WHITE						
★ 128322 - 3000K WARM WHITE	VT-830-B-N	10W	1000	Black	Ø148x250 mm	8
★ 128323 - 4000K DAY WHITE						
★ 128324 - 6400K WHITE						

LED OUTDOOR BOLLARD LAMP



AC:220-240V,50Hz
110° Beam Angle
>0.5 PF
>80 CRI
Aluminium Body
IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
128325 - 3000K WARM WHITE	VT-820-W-N	10W	1000	White	Ø148x800 mm	4
128326 - 4000K DAY WHITE						
★ 128333 - 6400K WHITE	VT-820-B-N	10W	1000	Black	Ø148x800 mm	4

LED OUTDOOR BOLLARD LAMP



AC:220-240V,50Hz


110° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218328 - 3000K WARM WHITE	VT-820	10W	1000	Gray	Ø108x800 mm	4






LED WALL LIGHTS



LED UP-DOWN WALL LIGHTS



AC:220-240V,50Hz
Up150° / Down150° Beam Angle
>0.6 PF
>80 CRI
Aluminium Body
IP54 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218615 - 3000K WARM WHITE	VT-846-B-N	5W	630	Black	170x40x80	20
218614 - 4000K DAY WHITE	VT-846-W-N	5W	630	White	170x40x80	20
218619 - 3000K WARM WHITE 218620 - 4000K DAY WHITE	VT-848-B-N	7W	3000K-870lm 4000K-940lm	Black	220x48x90	20
218618 - 4000K DAY WHITE	VT-848-W-N	7W	3000K-870lm 4000K-940lm	White	220x48x90	20

LED WALL LIGHTS



AC:220-240V, 50Hz
167° Beam Angle
>80 CRI
PC Body
IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10284 - 3000K WARM WHITE 10285 - 4000K DAY WHITE	VT-732-B	8W	750	Brown	120x120x92	20

LED WALL LIGHTS




AC:220-240V, 50Hz

167° Beam Angle

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
★10282 - 3000K WARM WHITE ★10283 - 4000K DAY WHITE	VT-708	8W	750	Brown	120x120x92	20

LED WALL LIGHTS



AC:100-240V,50/60Hz


170° Beam Angle

>0.5 PF

>80 CRI

PC Body


IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218335 - 4000K DAY WHITE	VT-822-W-N	12W	1250	White	130x108x160mm	20
218338 - 4200K DAY WHITE	VT-822-G-N	12W	1350	Grey	130x108x160mm	20
218340 - 3000K WARM WHITE 218341 - 4000K DAY WHITE 218342 - 6400K WHITE	VT-822-B-N	12W	1350	Black	130x108x160mm	20



LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz


Adjustable 5°-120° Beam Angle

>0.45 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
★ 217079 - 3000K WARM WHITE 217088 - 4000K DAY WHITE	VT-759-W-N	5W	700	White	100x100x100	20
★ 217078 - 3000K WARM WHITE 217087 - 4000K DAY WHITE	VT-759-B-N	5W	700	Black	100x100x100	20
★ 217080 - 3000K WARM WHITE 217089 - 4000K DAY WHITE	VT-759-G-N	5W	700	Grey	100x100x100	20

LED UP-DOWN WALL LIGHTS




AC:200-240V, 50Hz

Adjustable 5°-120° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6820 - 3000K WARM WHITE	VT-759-12-C	11W	1360	Corten	100x100x100	20
218528 - 4000K DAY WHITE	VT-759-12-W-N	11W	1360	White	100x100x100	20
218529 - 3000K WARM WHITE 218530 - 4000K DAY WHITE	VT-759-12-B-N	11W	1360	Black	100x100x100	20
218531 - 3000K WARM WHITE 218532 - 4000K DAY WHITE	VT-759-12-G-N	11W	1360	Grey	100x100x100	20

LED UP-DOWN WALL LIGHTS




AC:200-240V, 50Hz

90° Beam Angle

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10443 - 3000K WARM WHITE 10444 - 4000K DAY WHITE	VT-1179-W	5W	500	White	90x70x130	20
10445 - 3000K WARM WHITE 10446 - 4000K DAY WHITE	VT-1179-B	5W	500	Black	90x70x130	20
23007 - 3000K WARM WHITE	VT-7504-B	10W	950	Black	135x100	10
23008 - 3000K WARM WHITE	VT-7504-W	10W	950	White	135x100	10

LED 4 SIDES LIGHT WALL LIGHTS



AC:220-240V,50/60Hz


4*60° Beam Angle

>0.5 PF

>80 CRI

Aluminium+Acrylic Body


IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218209 - 3000K WARM WHITE	VT-704-W-N	4W	428	White	150x150x50	20
218211 - 3000K WARM WHITE	VT-704-B-N	4W	428	Black	150x150x50	20



LED 4 SIDES LIGHT WALL LIGHTS



AC:220-240V,50/60Hz


4*60° Beam Angle

>0.5 PF

>80 CRI

Aluminium+Acrylic Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8213 - 3000K WARM WHITE	VT-706-W	4W	440	White	150x50	20

218215 - 3000K WARM WHITE	VT-706-B-N	4W	428	Black	150x50	20
---------------------------	------------	----	-----	-------	--------	----

LED 4 SIDES LIGHT WALL LIGHTS



AC:220-240V,50/60Hz


4*90° Beam Angle

>0.45 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218553 - 3000K WARM WHITE 218554 - 4000K DAY WHITE	VT-834-B-N	4W	428	Black	Ø112	20

LED WALL LIGHTS



AC:220-240V,50/60Hz


110° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8281 - 4000K DAY WHITE	VT-825-W	5W	550	White	170x170x75	20
218285 - 4000K DAY WHITE	VT-825-G-N	5W	3000K-568lm 4000K-645lm	Grey	170x170x75	20

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz


Up15°-Down120° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218297 - 3000K WARM WHITE	VT-826-B-N	6W	3000K-450lm 4000K-476lm	Black	90x200x90	20
218299 - 3000K WARM WHITE	VT-826-G-N	6W	450	Grey	90x200x90	20



LED UP-DOWN WALL LIGHTS




AC:220-240V,50/60Hz

Adjustable 0°-120° Beam Angle

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2975 - 3000K WARM WHITE 2976 - 4000K DAY WHITE	VT-8125-W	24W	2720	White	200x100x100	10
2978 - 4000K DAY WHITE	VT-8125-B	24W	2720	Black	200x100x100	10

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz


Adjustable 5°-120° Beam Angle

>0.45 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217082 - 3000K WARM WHITE 217091 - 4000K DAY WHITE	VT-756-W-N	5W	700	White	140x115x100	20
217081 - 3000K WARM WHITE 217090 - 4000K DAY WHITE	VT-756-B-N	5W	700	Black	140x115x100	20
217092 - 4000K DAY WHITE	VT-756-G-N	5W	700	Grey	140x115x100	20

LED CEILING-BLADE LIGHTS



AC:220-240V,50/60Hz


360° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218217 - 3000K WARM WHITE	VT-707-W-N	6W	645	White	110x120x170	20
8219 - 3000K WARM WHITE	VT-707-B	7W	770	Black	110x120x170	20

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz


Up-Down 90° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218301 - 3000K WARM WHITE 218302 - 4000K DAY WHITE	VT-836-W-N	4W	476	White	112x112x93	20
8303 - 3000K WARM WHITE	VT-836-B	6W	660	Black	112x112x93	20
218305 - 3000K WARM WHITE 218306 - 4000K DAY WHITE	VT-836-G-N	6W	476	Grey	112x112x93	20



COB UP-DOWN WALL LIGHTS



AC:100-265V,50/60Hz


60° Beam Angle

>0.5 PF

>80 CRI


Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23028 - 3000K WARM WHITE 23030 - 4000K DAY WHITE	VT-2503-B	2W	200	Black	50x40x40	100
23029 - 3000K WARM WHITE 23031 - 4000K DAY WHITE	VT-2503-W	2W	200	White	50x40x40	100

COB UP-DOWN WALL LIGHTS



AC:100-265V,50/60Hz

60° Beam Angle

>0.5 PF

>80 CRI


Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10584 - 3000K WARM WHITE 10586 - 4000K DAY WHITE	VT-2502-B	2W	200	Black	42x40	100
10585 - 3000K WARM WHITE 10587 - 4000K DAY WHITE	VT-2502-W	2W	200	White	42x40	100

COB 4 SIDES LIGHT WALL LIGHTS



AC:100-265V,50/60Hz


60° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10588 - 3000K WARM WHITE 10590 - 4000K DAY WHITE	VT-2544-B	4W	390	Black	50x50x30	100
10589 - 3000K WARM WHITE 10591 - 4000K DAY WHITE	VT-2544-W	4W	390	White	50x50x30	100

LED CEILING & WALL LIGHTS



AC:220-240V,50/60Hz


360° Beam Angle

>0.55 PF

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7525 - 4000K DAY WHITE	VT-741	6W	660	White	Ø135	20
217524 - 3000K WARM WHITE	VT-741-N	5W	710	White	Ø135	20
217527 - 4000K DAY WHITE	VT-743-N	8W	1280	White	Ø180	20

LED CEILING & WALL LIGHTS




AC:220-240V,50Hz

105° Beam Angle

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7853 - 3IN1	VT-83012-B	12W	1200	Black	160x160x60	20
7854 - 3IN1	VT-83012-W	12W	1200	White	160x160x60	20

LED CEILING & WALL LIGHTS




AC:220-240V,50/60Hz

105° Beam Angle

>80 CRI

PC Body

IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6787 - 3000K WARM WHITE 6788 - 4000K DAY WHITE	VT-8612-B	12W	1200	Black	160x160x60	50
6785 - 3000K WARM WHITE 6786 - 4000K DAY WHITE	VT-8612-W	12W	1200	White	160x160x60	50



LED WALL LIGHTS



LED UP-DOWN WALL LIGHTS




AC:220-240V,50Hz

340° Beam Angle

>80 CRI

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10559 - 3000K WARM WHITE 10560 - 4000K DAY WHITE	VT-1189	12W	1250	Black	160x65x200	

LED UP-DOWN WALL LIGHTS




AC:200-240V,50Hz

100° Beam Angle

>80 CRI

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10564 - 3000K WARM WHITE 23027 - 4000K DAY WHITE	VT-1192	15W	1950	Black	160x165x164	

LED OUTDOOR WALL LIGHTS




AC:220-240V,50Hz

140° Beam Angle

>80 CRI

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10558 - 3000K WARM WHITE	VT-1188	20W	2300	Black	200x50x400	

LED OUTDOOR WALL LIGHTS




AC:200-240V,50Hz

350° Beam Angle

>80 CRI

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10562 - 3000K WARM WHITE 10563 - 4000K DAY WHITE	VT-1191	15W	1650	Black	330x150x44	

LED LINEAR WALL LIGHTS




AC:220-240V,50Hz

150° Beam Angle

>90 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10428 - 4000K DAY WHITE	VT-1173-B	10W	1250	Black	510x60x50	20
10437 - 4000K DAY WHITE	VT-1178-B	23W	2875	Black	1410x60x50	10




LED WALL LIGHTS



LED OUTDOOR WALL LIGHTS



AC:220-240V,50/60Hz
>90 CRI
Aluminium Body
IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6828 - 3000K WARM WHITE 6829 - 4000K DAY WHITE	VT-11117-C	17W	2160	Corten	85x54x625	10

6830 - 3000K WARM WHITE 6831 - 4000K DAY WHITE	VT-11117-B	17W	2160	Black	85x54x625	10
---	------------	-----	------	-------	-----------	----

LED OUTDOOR WALL LIGHTS




AC:220-240V,50/60Hz
120° Beam Angle
>90 CRI
Aluminium Body
IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6832 - 3000K WARM WHITE 6833 - 4000K DAY WHITE	VT-11112-W	12W	1400	White	16x72x650	10

★ 6834 - 3000K WARM WHITE 6835 - 4000K DAY WHITE	VT-11112-B	12W	1400	Black	16x72x650	10
---	------------	-----	------	-------	-----------	----

LED OUTDOOR SOFT LIGHTS



AC:100-240V,50/60Hz


90° Beam Angle

>0.9 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218239 - 3000K WARM WHITE 218240 - 4200K DAY WHITE 218241 - 6500K WHITE	VT-8056-N	9W	850	Grey	173x81x46	20
218242 - 3000K WARM WHITE 218243 - 4200K DAY WHITE 218244 - 6500K WHITE	VT-8057-N	12W	1150	Grey	230x100x90	20

LED OUTDOOR SOFT LIGHTS



AC:100-240V,50/60Hz


130° Beam Angle

>0.9 PF

>80 CRI

PC Body

IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218245 - 3000K WARM WHITE 218247 - 6500K WHITE	VT-8058-N	12W	1160	Grey	230x110x76	20



LED OUTDOOR SOFT LIGHTS



AC:220-240V, 50/60Hz
110° Beam Angle
>0.9 PF
>80 CRI
PC Body
IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6808 - 4000K DAY WHITE 6809 - 6400K WHITE	VT-8054-B	12W	1250	Black	265x120x81	20
6813 - 3000K WARM WHITE 6814 - 4000K DAY WHITE 6815 - 6400K WHITE	VT-8054-W	12W	1250	White	265x120x81	20
★ 218233 - 3000K WARM WHITE 218234 - 4200K DAY WHITE 218235 - 6500K WHITE	VT-8054-N	12W	1150	Grey	265x120x81	20
6811 - 4000K DAY WHITE 6812 - 6400K WHITE	VT-8055-B	20W	2045	Black	319x170x114	20
6816 - 3000K WARM WHITE 6817 - 4000K DAY WHITE 6818 - 6400K WHITE	VT-8055-W	20W	2045	White	319x170x114	20
218236 - 3000K WARM WHITE 218237 - 4200K DAY WHITE 218238 - 6500K WHITE	VT-8055-N	20W	2050	Grey	319x170x114	20

LED ROTATABLE WALL LIGHT



AC:110-240V,50/60Hz


10-360° Beam Angle

>0.45 PF

>80 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217093 - 4000K DAY WHITE	VT-757-N	5W	645	White	140x105x140	20

ADJUSTABLE LED WALL LIGHTS



AC:220-240V,50/60Hz


Adjustable 5°-90° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP44 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218533 - 3000K WARM WHITE 218534 - 4000K DAY WHITE	VT-819-W-N	16W	2150	White	600x100x42	10



LED WALL LIGHTS



LED SINGLE HEAD WALL LIGHTS




AC:220-240V, 50Hz

38° Beam Angle

>80 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10293 - 4000K DAY WHITE	VT-412-W	2W	150	White	140x60x60	50

LED WALL LIGHT WITH SWITCH



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



With Switch



218676 - 3000K WARM WHITE

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218676 - 3000K WARM WHITE	VT-805-N-B-N	4.5W	420	Black	100x94x45	12

LED WALL LIGHT WITH SWITCH




AC:220-240V, 50Hz

38° Beam Angle

>80 CRI

Aluminium Body

IP20 IP Rating



With Switch

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10289 - 4000K DAY WHITE	VT-402-W	2W	150	White	145x150x60	50

LED SINGLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218262 - 3000K WARM WHITE 218264 - 4000K DAY WHITE	VT-805-W-N	4.5W	420	White	100x94x45	12
★ 218263 - 3000K WARM WHITE 218265 - 4000K DAY WHITE	VT-805-B-N	4.5W	420	Black	100x94x45	12

LED DOUBLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218266 - 3000K WARM WHITE	VT-810-W-N	9W	820	White	400x100x94	12
8267 - 3000K WARM WHITE	VT-810-B	9W	720	Black	400x100x94	12
218269 - 4000K DAY WHITE	VT-810-B-N	9W	840	Black	400x100x94	12



LED TRIPLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218270 - 3000K WARM WHITE 218272 - 4000K DAY WHITE	VT-813-W-N	13.5W	1260	White	600x100x94	12
218271 - 3000K WARM WHITE 218273 - 4000K DAY WHITE	VT-813-B-N	13.5W	1260	Black	600x100x94	12

LED SINGLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218250 - 3000K WARM WHITE 218252 - 4000K DAY WHITE	VT-806-W-N	5W	580	White	100x93	24

LED DOUBLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218254 - 3000K WARM WHITE	VT-812-W-N	10W	1160	White	405x100x93	12
218255 - 3000K WARM WHITE 218257 - 4000K DAY WHITE	VT-812-B-N	10W	1160	Black	405x100x93	12

LED TRIPLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218258 - 3000K WARM WHITE 218260 - 4000K DAY WHITE	VT-818-W-N	15W	1740	White	605x100x93	12
218259 - 3000K WARM WHITE	VT-818-B-N	15W	1740	Black	605x100x93	12




CABINET LIGHTS WITH SENSOR



CABINET LIGHTS WITH SENSOR




- DC:5V, 1A
- 270° Beam Angle
- Aluminium Body
- IP20 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2958 - 4000K DAY WHITE	VT-8141-S	1.5W	110	Silver	300x40x9	50
2965 - 3000K WARM WHITE 2962 - 4000K DAY WHITE	VT-8142-S	2W	160	Silver	400x40x9	50
2964 - 3000K WARM WHITE 2963 - 4000K DAY WHITE	VT-8142-B	2W	160	Black	400x40x9	50
2966 - 4000K DAY WHITE	VT-8143-S	2.5W	260	Silver	600x40x9	30
2967 - 4000K DAY WHITE	VT-8143-B	2.5W	260	Black	600x40x9	30

LED STEP LIGHTS



- AC:220-240V,50Hz
- 270° Beam Angle
- >80 CRI
- Aluminium Body
- IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10376 - 3000K WARM WHITE	VT-1128	3W	180	White	58x58x45	100

LED STEP LIGHTS




AC:220-240V,50Hz

270° Beam Angle

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10377 - 3000K WARM WHITE	VT-1129	5W	380	White	84x84x50	50

LED STEP LIGHTS




AC:220-240V,50Hz

270° Beam Angle

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
★ 10378 - 3000K WARM WHITE	VT-1130	3W	180	White	58x103x45	100

LED STEP LIGHTS



AC:100-240V,50/60Hz

90° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1398 - 3000K WARM WHITE 1399 - 4000K DAY WHITE	VT-1172-B	3W	210	Black	151x72x154	20
1401 - 4000K DAY WHITE	VT-1172-G	3W	210	Grey	151x72x154	20
121402 - 3000K WARM WHITE 121403 - 4000K DAY WHITE	VT-1172-W-N	3W	70	White	151x72x154	20



LED STEP LIGHTS



LED STEP LIGHTS



AC:100-240V,50/60Hz


15° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP20 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211209 - 3000K WARM WHITE	VT-1109	3W	270	White	80x80x51	100

★ 211207 - 3000K WARM WHITE
★ 211208 - 4000K DAY WHITE

VT-1109RD	3W	270	White	Ø80x51	100
-----------	----	-----	-------	--------	-----

LED STEP LIGHTS



AC:100-240V,50/60Hz


55° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211326 - 4000K DAY WHITE	VT-1162-W	3W	110	White	230x80x28	50

★ 211329 - 3000K WARM WHITE
★ 211328 - 4000K DAY WHITE

VT-1162-B	3W	110	Black	230x80x28	50
-----------	----	-----	-------	-----------	----

★ 211331 - 3000K WARM WHITE
★ 211330 - 4000K DAY WHITE

VT-1162-G	3W	110	Grey	230x80x28	50
-----------	----	-----	------	-----------	----

V-TAC

Meaningful Innovation.



DEKORATIVNE VISILICE


Sa uključenim svim potrebnim dodacima za instalaciju.
Žarulje se prodaju zasebno.

ZNAČAJKE

- Dizajnerske visilice u raznim oblicima, materijalima i veličinama
- Prikladno za sve V-TAC žarulje
- Žive i elegantne boje




STRING LIGHTS



SKU	Model	Box Qty
8971	VT-720S	1Pc

IP Rating: IP65
 Holder Type: E27
 Max Watts: 60W x6
 Globe: Clear ø150mm (PMMA)
 Bulb Holder: Brushed Brown Bronze ø49mm (Aluminium)
 Cable: Black (H05RN-F-3x1mm²)
 Catenary Length: 3M Total Length (6 Luminaires at 50cm spacing)


WALL LAMP



SKU	Model	Box Qty
8973	VT-720R	4


IP Rating: IP65
 Holder Type: E27
 Max Watts: 60W
 Lampshade: Natural Ø250mm (Galvanized Iron)
 Bulb Holder: Rose Gold Ø49mm (Aluminium)
 Cable: Black (H05RN-F-3x0.75mm²)
 Wall Lamp Arm: Natural Ø14mm (Galvanized Iron)
 Wall Mount: Rose Gold Ø130mm (Galvanized Iron)
 L/S Wire Guard: Rose Gold Ø256mm (Galvanized Iron)

WOODEN PENDANT



SKU	Model	Material:	Holder:	Dimension:	Box Qty:
40501	VT-3450	Wooden	E27	Ø350xH450mm	1

WOODEN PENDANT




SKU	Model	Material:	Holder:	Dimension:	Box Qty:
40551	VT-4453	Wooden	E27	Ø450xH450mm	1

WOODEN PENDANT




SKU	Model	Material:	Wooden
		Holder:	E27
40531	VT-3200	Dimension:	Ø330xH220mm
		Box Qty:	8

DIAMOND CUT GLASS BLACK




SKU	Model	Material:	Glass+Metal
		Holder:	E27
3880	VT-7350-HB	Dimension:	Ø330x260x1000mm
		Box Qty:	8

DESIGNER GLASS TRANSPARENT




SKU	Model	Material:	Glass
		Holder:	E27
3881	VT-7305	Dimension:	Ø270x1280mm
		Box Qty:	4

VINTAGE GLASS TRANSPARENT




SKU	Model	Material:	Glass
		Holder:	E27
37372	VT-7300	Dimension:	Ø200x1080mm
		Box Qty:	8

TRANSPARENT GLASS METAL SERIES



SKU	Model	Material:	Glass+Metal
		Holder:	E27
3738	VT-7185	Dimension:	Ø180x230x1110mm
		Box Qty:	12

GLASS METAL SERIES



SKU	Model	Material:	Glass+Metal
		Holder:	E27
3730	VT-7210	Dimension:	Ø245x230x1100mm
		Box Qty:	8

ALUMINIUM SHADE WHITE



SKU	Model	Material:	Aluminium
		Holder:	E27
3729	VT-7422-WH	Dimension:	Ø230x310x1150mm
		Box Qty:	8

MESH METAL GOLD



SKU	Model	Material:	Metal
		Holder:	E27
3821	VT-7200-CG	Dimension:	Ø200x270x1300mm
		Box Qty:	8

MESH METAL GREY



SKU	Model	Material:	Metal
		Holder:	E27
3822	VT-7200-MG	Dimension:	Ø200x270x1300mm
		Box Qty:	8

CAN SHAPE WHITEPENDANT



SKU	Model	Material:	Metal
		Holder:	E27
3829	VT-7132-MW	Dimension:	Ø130x220x1300mm
		Box Qty:	10

COPPER SERIES ROSE GOLD



SKU	Model	Material:	Iron+ copper paint
		Holder:	E27
3710	VT-8300	Dimension:	Ø300
		Box Qty:	4

COPPER SERIES ROSE GOLD



SKU	Model	Material:	Iron+ Copper Paint
		Holder:	E27
3714	VT-8170	Dimension:	Ø170mm
		Box Qty:	8

CONCRETE TABLE LAMP




SKU	Model	Material:	Concrete
		Holder:	E27
3851	VT-7160	Dimension:	160x150x2000mm
		Box Qty:	4

CONCRETE TABLE LAMP




SKU	Model	Material:	Concrete
		Holder:	E27
3852	VT-7171	Dimension:	180x130x2000mm
		Box Qty:	8

PENDANT ALUMINIUM SHADE WHITE




SKU	Model	Material:	Plastic+Aluminium
		Holder:	E14
3920	VT-7100-WH	Dimension:	Ø180x100x1200mm
		Box Qty:	12

PENDANT ALUMINIUM SHADE PINK




SKU	Model	Material:	Plastic+Aluminium
		Holder:	E14
3923	VT-7100-P	Dimension:	Ø180x100x1200mm
		Box Qty:	12

PENDANT ALUMINIUM SHADE BLACK



SKU	Model	Material:	Plastic+Aluminium
		Holder:	E14
3921	VT-7100-B	Dimension:	Ø180x100x1200mm
		Box Qty:	12

PENDANT ALUMINIUM SHADE RED



SKU	Model	Material:	Plastic+Aluminium
		Holder:	E14
3924	VT-7100-R	Dimension:	Ø180x100x1200mm
		Box Qty:	12

MODERN WOODEN TOP WHITE



SKU	Model	Material:	Aluminium+Wood
		Holder:	E27
3756	VT-7425-WH	Dimension:	Ø250x200x1100mm
		Box Qty:	8

PENDANT ALUMINIUM SHADE BLUE



SKU	Model	Material:	Plastic+Aluminium
		Holder:	E14
3925	VT-7100-BL	Dimension:	Ø180x100x1200mm
		Box Qty:	12

METAL PLATE ROSE GOLD



SKU	Model	Material:	Metal
		Holder:	E27
3751	VT-7777-RG	Dimension:	Ø300x90x1000mm
		Box Qty:	20

CONE PRISM WHITE



SKU	Model	Material:	Metal
		Holder:	E27
3952	VT-7255-W	Dimension:	Ø250x255mm
		Box Qty:	4

CONE PRISM BLUE



SKU	Model	Material:	Metal
		Holder:	E27
3953	VT-7255-B	Dimension:	Ø250x255mm
		Box Qty:	4



Model: VT-7778-BL
SKU: **3722**
Material: Wooden
Dimension: 73x102x1000mm
Color: Blue Wire
Box Qty: 50



Model: VT-7778-R
SKU: **3723**
Material: Wooden
Dimension: 73x102x1000mm
Color: Red Wire
Box Qty: 50



Model: VT-799-GN
SKU: **3797**
Material: Porcelain
Dimension: Ø47x64mm
Color: Green
Box Qty: 100



Model: VT-799-BL
SKU: **3798**
Material: Porcelain
Dimension: Ø47x64mm
Color: Blue
Box Qty: 100



Model: VT-7778-PR
SKU: **3724**
Material: Wooden
Dimension: 73x102x1000mm
Color: Purple Wire
Box Qty: 50



Model: VT-7778-GN
SKU: **3725**
Material: Wooden
Dimension: 73x102x1000mm
Color: Green Wire
Box Qty: 50



Model: VT-799-R
SKU: **3799**
Material: Porcelain
Dimension: Ø47x64mm
Color: Red
Box Qty: 100



Model: VT-799-GY
SKU: **3800**
Material: Porcelain
Dimension: Ø47x64mm
Color: Grey
Box Qty: 100



Model: VT-7998-GN
SKU: **3805**
Material: Porcelain
Dimension: Ø105x750mm
Color: Green
Box Qty: 60



Model: VT-7998-BL
SKU: **3806**
Material: Porcelain
Dimension: Ø105x750mm
Color: Blue
Box Qty: 60



Model: VT-799-Y
SKU: **3801**
Material: Porcelain
Dimension: Ø47x64mm
Color: Yellow
Box Qty: 100



Model: VT-799-BR
SKU: **3802**
Material: Porcelain
Dimension: Ø47x64mm
Color: Brown
Box Qty: 100



Model: VT-7998-R
SKU: **3807**
Material: Porcelain
Dimension: Ø105x750mm
Color: Red
Box Qty: 60



Model: VT-7998-GY
SKU: **3808**
Material: Porcelain
Dimension: Ø105x750mm
Color: Grey
Box Qty: 60



Model: VT-7668-GN
SKU: **3742**
Material: Concrete
Dimension: 50x95x1050mm
Color: Green
Box Qty: 40



Model: VT-7668-R
SKU: **3743**
Material: Concrete
Dimension: 50x95x1050mm
Color: Red
Box Qty: 40



Model: VT-7998Y
SKU: **3809**
Material: Porcelain
Dimension: Ø105x750mm
Color: Yellow
Box Qty: 60



Model: VT-7998-BR
SKU: **3810**
Material: Porcelain
Dimension: Ø105x750mm
Color: Brown
Box Qty: 60



Model: VT-7668-BL
SKU: **3744**
Material: Concrete
Dimension: 50x95x1050mm
Color: Blue
Box Qty: 40



Model: VT-7668-Y
SKU: **3745**
Material: Concrete
Dimension: 50x95x1050mm
Color: Yellow
Box Qty: 40



Model: VT-7668-BR
SKU: **3749**
Material: Concrete
Dimension: 50x95x1050mm
Color: Brown
Box Qty: 40



Model: VT-7668-BE
SKU: **3750**
Material: Concrete
Dimension: 50x95x1050mm
Color: Beige
Box Qty: 40



Model: VT-7338-PE
SKU: **3790**
Material: Chrome
Dimension: Ø39x1000mm
Color: Purple Wire
Box Qty: 40



Model: VT-7338-R
SKU: **3791**
Material: Chrome
Dimension: Ø39x1000mm
Color: Red Wire
Box Qty: 40



Model: VT-7448
SKU: **3777**
Material: Chrome
Dimension: Ø39x1000mm
Color: Rose Gold Set
Box Qty: 40



Model: VT-7338-BE
SKU: **3794**
Material: Chrome
Dimension: Ø39x1000mm
Color: Beige Wire
Box Qty: 40



Model: VT-7338-RR
SKU: **3792**
Material: Chrome
Dimension: Ø39x1000mm
Color: Rose Red Wire
Box Qty: 40



Model: VT-7338-Y
SKU: **3793**
Material: Chrome
Dimension: Ø39x1000mm
Color: Yellow Wire
Box Qty: 40



Model: VT-7338-BL
SKU: **3783**
Material: Chrome
Dimension: Ø39x1000mm
Color: Blue Wire
Box Qty: 40



Model: VT-7338-LB
SKU: **3787**
Material: Chrome
Dimension: Ø39x1000mm
Color: Light Blue Wire
Box Qty: 40



Model: VT-7338-O
SKU: **3788**
Material: Chrome
Dimension: Ø39x1000mm
Color: Orange Wire
Box Qty: 40



Model: VT-7338-PK
SKU: **3789**
Material: Chrome
Dimension: Ø39x1000mm
Color: Pink Wire
Box Qty: 1



Model: VT-7338-GN
SKU: **3785**
Material: Chrome
Dimension: Ø39x1000mm
Color: Green Wire
Box Qty: 40



Model: VT-7228-LB
SKU: **3482**
Material: Silicone
Dimension: Ø40x1000mm
Color: Light Blue
Box Qty: 100



Model: VT-7228-PE
SKU: **3483**
Material: Silicone
Dimension: Ø40x1000mm
Color: Purple
Box Qty: 100



Model: VT-7228
SKU: **3486**
Material: Silicone
Dimension: Ø40x1000mm
Color: Turquoise
Box Qty: 100



Model: VT-7228-PN
SKU: **3479**
Material: Silicone
Dimension: Ø40x1000mm
Color: Pink
Box Qty: 100




Model: VT-7228-O
SKU: **3484**
Material: Silicone
Dimension: Ø40x1000mm
Color: Orange
Box Qty: 100



Model: VT-7228-Y
SKU: **3485**
Material: Silicone
Dimension: Ø40x1000mm
Color: Yellow
Box Qty: 100

V-TAC

Meaningful Innovation.



DEKORATIVNA RASVJETA

Predstavljamo moderan dizajn za vaš ugođaj. Od toplih do jarkih boja, asortiman svjetala za ogledala, LED visilica i plafonjera će sigurno osvijetliti svaki prostor.

ZNAČAJKE

- Dizajnerske visilice dostupne u raznim oblicima, veličinama i materijalima
- Najbolje rade sa A60, svijeća, ST-64 i ostalim V-TAC žaruljama
- Jednostavno za instalaciju
- Elegantne boje





LED PENDANTS



- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7992 - 3000K WARM WHITE	VT-7794-G	8.5W	850	100x1620	Light Grey	10
7993 - 3000K WARM WHITE	VT-7794-W	8.5W	850	100x1620	White	10
7994 - 3000K WARM WHITE	VT-7794-B	8.5W	850	100x1620	Brown	10

PENDANT LIGHT-ADJUSTABLE HEIGHT-TOUCH ON/OFF



- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7995 - 3000K WARM WHITE	VT-7795-G	8.5W	850	100x1600	Light Grey	10
7996 - 3000K WARM WHITE	VT-7795-W	8.5W	850	100x1600	White	10
7997 - 3000K WARM WHITE	VT-7795-B	8.5W	850	100x1600	Brown	10

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7998 - 3000K WARM WHITE	VT-7796-B	8.5W	850	120x1620	Black	10
7999 - 3000K WARM WHITE	VT-7796-W	8.5W	850	120x1620	White	10
8000 - 3000K WARM WHITE	VT-7796-CG	8.5W	850	120x1620	Champagne Gold	10

PENDANT LIGHT-ADJUSTABLE HEIGHT-TOUCH ON/OFF



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8001 - 3000K WARM WHITE	VT-7797-B	8.5W	850	120x1600	Black	10
8002 - 3000K WARM WHITE	VT-7797-W	8.5W	850	120x1600	White	10
8003 - 3000K WARM WHITE	VT-7797-CG	8.5W	850	120x1600	Champagne Gold	10

LED PENDANTS



- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10084 - 3000K WARM WHITE 10083 - 4000K DAY WHITE	VT-7832-B	9W	1000	300x1400	Black
10085 - 3000K WARM WHITE 10086 - 4000K DAY WHITE	VT-7832-BG	9W	1000	300x1400	Black+Gold

LED PENDANTS-ADJUSTABLE UP
DOWN FUNCTION



- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23101 - 3000K WARM WHITE	VT-7832M-WB	9W	1000	300x1370	White+Black
23102 - 3000K WARM WHITE	VT-7832M-W	9W	1000	300x1370	White
23103 - 3000K WARM WHITE	VT-7832M-WG	9W	1000	300x1370	White+Grey

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10078 - 3000K WARM WHITE 10077 - 4000K DAY WHITE	VT-7830-B	9W	1000	100x1230	Black
10080 - 3000K WARM WHITE 10079 - 4000K DAY WHITE	VT-7830-W	9W	1000	100x1230	White

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10045 - 4000K DAY WHITE	VT-7821-B	24W	3000	800x200x1040	Black
10048 - 3000K WARM WHITE 10047 - 4000K DAY WHITE	VT-7821-W	24W	3000	800x200x1040	White



LED PENDANTS




DESIGNER SOFT LIGHTS



- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10074 - 3000K WARM WHITE	VT-7829-W	13W	1500	100x70x1530	White


DESIGNER SOFT LIGHTS



- AC:220-240V, 50Hz
- >80 CRI
- Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14998 - 3000K WARM WHITE 14999 - 4000K DAY WHITE	VT-7917-B	12W	1300	280x1960	Black	1
15000 - 3000K WARM WHITE 15338 - 4000K DAY WHITE	VT-7917-W	12W	1300	280x1960	White	1

METAL HOLDER ALUMINIUM



AC:220-240V, 50Hz

Holder type: E27

Material: Aluminium

Body type: Pendant with holder

Body color: Gold

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
3812 - E27 BULB (NOT INCLUDED)	VT-7999	Max. 60W	Depends on bulb	Ø50x100	Gold
3814 - E27 BULB (NOT INCLUDED)	VT-7999	Max. 60W	Depends on bulb	Ø50x100	Bronze Gold
3815 - E27 BULB (NOT INCLUDED)	VT-7999	Max. 60W	Depends on bulb	Ø50x100	Rose Gold

NEW

LED PENDANTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23409 - 3000K WARM WHITE	VT-10114	5W	450	200x1950mm	Clear Glass	4



LED PENDANTS



LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10082 - 3000K WARM WHITE 10081 - 4000K DAY WHITE	VT-7831	9W	1000	200x1300	Black

LED PENDANTS-TRIAC DIMMABLE



AC:220-240V, 50/60Hz

>80 CRI


Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6903 - 3000K WARM WHITE 6904 - 4000K DAY WHITE	VT-7755	48W	5000	485x1030	White	5

LED PENDANTS



AC:220-240V, 50Hz

>80 CRI

Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6931 - 4000K DAY WHITE	VT-7765	12W	1280	240x500	Black	5

LED PENDANTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23099 - 3000K WARM WHITE	VT-7581	25W	3000	500x1220	White

LED PENDANTS-COLOR CHANGING



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

PC Body


30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213959 -3IN1	VT-7605-N	36W	3900	600x2000mm	White	1



NEW DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23434 - 3000K WARM WHITE 23435 - 4000K DAY WHITE	VT-10124	12W	1440	400x160x1650mm	Black	1
23436 - 3000K WARM WHITE 23437 - 4000K DAY WHITE	VT-10125	16W	1920	500x160x1700mm	Black	1

LED PENDANTS-TRIAC DIMMABLE



AC:180-240V,50/60Hz

120° Beam Angle

>80 CRI

Iron+Acrylic Body


30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3992 -3000K WARM WHITE	VT-25-1-W	20W	1500	450mm	White	1
3994 -3000K WARM WHITE	VT-25-1-C	20W	1500	450mm	Coffee	1

DESIGNER SOFT LIGHTS



DIMMABLE

AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10044 - 3000K WARM WHITE 10043 - 4000K DAY WHITE	VT-7820	38W	4560	974x260x1100	Black

DESIGNER SOFT LIGHTS



DIMMABLE

AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10052 - 3000K WARM WHITE 10051 - 4000K DAY WHITE	VT-7823	19W	2160	400x1080	Black

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10054 - 3000K WARM WHITE	VT-7824	57W	6840	1510x910x1080	Black

DESIGNER SOFT LIGHTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Aluminium+Acrylic Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213986 - 3000K WARM WHITE	VT-101-2-W-N	113W	6300	600x1200mm	White	1
213987 - 3000K WARM WHITE	VT-101-2-B-N	113W	6300	600x1200mm	Black	1
213988 - 3000K WARM WHITE	VT-101-2-C-N	113W	6300	600x1200mm	Coffee	1

DESIGNER SOFT LIGHTS



AC:180-240V,50/60Hz

120° Beam Angle

>80 CRI

Aluminium+Acrylic Body


25,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213989 - 3000K WARM WHITE	VT-82-3-W-N	86W	4550	600x1200mm	White	1
213990 - 3000K WARM WHITE	VT-82-3-B-N	86W	4550	600x1200mm	Black	1
213991 - 3000K WARM WHITE	VT-82-3-C-N	86W	4550	600x1200mm	Coffee	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15345 - 3000K WARM WHITE	VT-7924	46W	4900	800x1660	Black	1

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz

>80 CRI


Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14986 - 3000K WARM WHITE	VT-7908	48W	5150	840x1200	White	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6939 - 4000K DAY WHITE	VT-7769	12W	1200	905x1000	Black	1

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz
>80 CRI
Steel+Aluminum+PC Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6906 - 3000K WARM WHITE	VT-7756	45W	4470	1140x160x1580	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz
>80 CRI
Aluminium+Steel+Silicone
Body
20,000 hr lifespan
IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15340 - 3000K WARM WHITE	VT-7919	49W	5220	700x1200	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

270° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8010 - 3000K WARM WHITE	VT-7798-B	24W	3240	720x300	Black	1
8011 - 3000K WARM WHITE	VT-7798-CG	24W	3240	720x300	Champagne Gold	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
8020 - 3000K WARM WHITE	VT-7817-B	18W	2260	700x1000	Black
8021 - 3000K WARM WHITE	VT-7817-PG	18W	2260	700x1000	Paint Gold

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

270° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8022 - 3000K WARM WHITE	VT-7818-B	16W	1820	860x300	Black	5
8023 - 3000K WARM WHITE	VT-7818-PG	16W	1820	860x300	Paint Gold	5

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8017 - 3000K WARM WHITE	VT-7816-B	32W	3880	600x1000	Black	5
8018 - 3000K WARM WHITE	VT-7816-W	32W	3880	600x1000	White	5



DESIGNER BEND GLASS HANGING PENDANT



AC:220-240V,50Hz
120° Beam Angle
>80 CRI
Stainless Steel+Metal+Glass Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3898 - 4000K DAY WHITE	VT-7020	18W	1350	985x55x800mm	Chrome+Glass	6

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz
120° Beam Angle
>80 CRI
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10087 - 3000K WARM WHITE 10057 - 4000K DAY WHITE	VT-7826	20W	2500	1000x600x475	Black+Brass

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz
120° Beam Angle
>80 CRI
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10090 - 3000K WARM WHITE	VT-7828	32W	4000	430x370x1120	White+Wood

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10088 - 3000K WARM WHITE 10060 - 4000K DAY WHITE	VT-7827	19W	2160	800x1150	Black

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10050 - 3000K WARM WHITE 10049 - 4000K DAY WHITE	VT-7822	30W	3450	1200x120x1150	White

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI


20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10056 - 3000K WARM WHITE 10055 - 4000K DAY WHITE	VT-7825	24W	2760	790x200x1080	White



DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI


Aluminium+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15344 - 3000K WARM WHITE	VT-7923	45W	4800	1200x1580	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15341 - 3000K WARM WHITE	VT-7920	46W	4900	500x1500	Gold	1



DESIGNER SERIES COLOR CHANGING



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

PC+Iron Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213970 -3IN1	VT-7309-N	25W	2500	300x300x80mm	White	1

DESIGNER SERIES COLOR CHANGING



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

PC+Iron Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213966 -3IN1	VT-7308-N	20W	2150	300x85mm	White	1
213969 -3IN1	VT-7752-N	78W	8500	750x130mm	White	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6986 - 4000K DAY WHITE	VT-7779B-RD	18W	1280	350x62	Black	5
6988 - 4000K DAY WHITE	VT-7780B-RD	24W	2500	400x62	Black	5
6908 - 4000K DAY WHITE	VT-7757B-RD	38W	4050	450x62	Black	5
6911 - 4000K DAY WHITE	VT-7758B-RD	42W TRIAC Dimmable	4400	500x62	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6990 - 4000K DAY WHITE	VT-7781B-SQ	18W	1490	350x350x62	Black	3
6992 - 4000K DAY WHITE	VT-7782B-SQ	24W	2450	400x400x62	Black	5
6914 - 4000K DAY WHITE	VT-7757B-SQ	38W	4000	450x450x62	Black	5
6917 - 4000K DAY WHITE	VT-7758B-SQ	48W TRIAC Dimmable	4480	500x500x62	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6987 - 4000K DAY WHITE	VT-7779W-RD	18W	1280	350x62	White	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6991 - 4000K DAY WHITE	VT-7781W-SQ	18W	1490	350x350x62	White	3

SMART DECORATIVE CEILING LAMP- 3IN1-REMOTE CONTROL



AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15358 - 3IN1	VT-7960	95W	9900	520x500	White	5

SMART DECORATIVE CEILING LAMP- 3IN1-REMOTE CONTROL



AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15359 - 3IN1	VT-7961	125W	13100	500x500	White	5



DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz
>80 CRI
Aluminum+Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6994 - 4000K DAY WHITE	VT-7783B	24W	2560	310x60	Black	5
6920 - 4000K DAY WHITE	VT-7761B	38W	4050	465x60	Black	5

DESIGNER SERIES SURFACE LIGHT




AC:220-240V,50Hz
>80 CRI
Aluminum+Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6995 - 4000K DAY WHITE	VT-7783W	24W	2560	310x60	White	5
6921 - 4000K DAY WHITE	VT-7761W	38W	4050	465x60	White	5



DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz
>80 CRI
Aluminum+Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6927 - 4000K DAY WHITE	VT-7763W	20W	2130	250x130	White	5
6998 - 4000K DAY WHITE	VT-7785W	24W	2560	310x115	White	5
6929 - 4000K DAY WHITE	VT-7764W	43W	4580	520x165	White	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz
>80 CRI
Aluminum+Steel+Acrylic Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7000 - 3000K WARM WHITE	VT-7787	20W	2130	450x300x105	Black	5


DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz
>80 CRI
Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
★7001 - 3000K WARM WHITE	VT-7788	12W	1280	945x60	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Aluminum+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7002 - 3000K WARM WHITE	VT-7789	24W	2560	525x185x80	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50/60Hz

>80 CRI


Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7003 - 3000K WARM WHITE	VT-7790	24W	2500	125x445	Black	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7004 - 3000K WARM WHITE	VT-7791	24W	2560	610x120x360	Black	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7005 - 3000K WARM WHITE	VT-7792	20W	2130	460x410x125	Black	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14990 - 3000K WARM WHITE	VT-7911	48W TRIAC Dimmable	5150	620x100	Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14994 - 3000K WARM WHITE	VT-7915	38W	4100	880x105	Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI



Aluminum+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15347 - 3000K WARM WHITE	VT-7926	47W	5010	905x670x100	Black	1

DESIGNER SERIES SURFACE LIGHT-TWO FRAME



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7006 - 3000K WARM WHITE	VT-7786	14W	1490	340x95x160	Satin Nickel	5



STEEL CANOPY-SURFACE-3 HOLES-RED COPPER



SKU: 15349
Material: Steel
Unit Color: Red Copper
Dimension: Ø300x25
Box Qty: 10

STEEL CANOPY-SURFACE-3 HOLES-MATT WHITE



SKU: 15350
Material: Steel
Unit Color: Matt White
Dimension: Ø300x25
Box Qty: 10

STEEL CANOPY-SURFACE-4 HOLES-RED COPPER



SKU: 15351
Material: Steel
Unit Color: Red Copper
Dimension: Ø300x25
Box Qty: 10

STEEL CANOPY-SURFACE-4 HOLES-MATT WHITE



SKU: 15352
Material: Steel
Unit Color: Matt White
Dimension: Ø300x25
Box Qty: 10

MAGNETISM CANOPY-SURFACE-8 HOLES-MATT WHITE



SKU: 15355
Material: Steel
Unit Color: Matt White
Dimension: Ø150x36
Box Qty: 20

STEEL CANOPY-SURFACE-3 HOLES-MATT WHITE



SKU: 15353
Material: Steel
Unit Color: Matt White
Dimension: 800x70x43
Box Qty: 10

STEEL CANOPY-SURFACE-9 HOLES-MATT WHITE



SKU: 15354
Material: Steel
Unit Color: Matt White
Dimension: 800x600x20
Box Qty: 2

MIRROR LIGHTS



AC:200-240V,50/60Hz

17W=120°/35-42W=110° Beam Angle

>80 CRI

IP44 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2140451 - 6400K WHITE	VT-8700-N	35W	95	H:700xW:500xT:35mm	1

2140471 - 6400K WHITE	VT-8800-N	42W	100	H:800xW:600xT:35mm	1
-----------------------	-----------	-----	-----	--------------------	---

MIRROR LIGHTS TOUCH SWITCH



AC:200-240V,50/60Hz

120° Beam Angle

>80 CRI

IP44 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2140491 - 3IN1	VT-8602-N	25W	85	D:600x35mm	1




LED PICTURE/MIRROR LAMP



AC:220-240V,50Hz
120° Beam Angle
>80 CRI
Metal+PMMA Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213985 - 3000K WARM WHITE	VT-7008-N	9W	3000K-550	500x55x185mm	Chrome	12

LED PICTURE/MIRROR LAMP



AC:220-240V,50Hz
120° Beam Angle
>80 CRI
Stainless Steel+Metal+PMMA Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3893 - 4000K DAY WHITE	VT-7037	36W	2700	940x120x60mm	Chrome	6

DESIGNER BEND SERIES CHROME



AC:220-240V,50Hz
120° Beam Angle
>80 CRI
Stainless Steel+Metal+Glass Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3899 - 4000K DAY WHITE	VT-7038	36W	2700	985x120x75mm	Chrome	6



DESIGNER TABLE LAMP



AC:220-240V,50Hz

1.5m Wire

Metal Body

IP20 Rating

5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40331	VT-7412	E27	150x420mm	Red+Bronze	4

STONE LIGHT



Lithium Battery 1000mAh

AC:100-240V,50Hz

LLDPE Body

50,000 hr lifespan

IP67 Rating

280x210x170mm Size

White Unit Color

BATTERY RECHARGEABLE

RGB

REMOTE CONTROL

IP67 RATING

SKU	Model	Watts	Lumens	Box Qty
40151 - RGB	VT-7802	1W	18	8

POT LIGHT



Lithium Battery 1000mAh

AC:100-240V,50Hz

LLDPE Body

50,000 hr lifespan

IP54 Rating

280x280x290mm Size

White Unit Color

BATTERY RECHARGEABLE

RGB

REMOTE CONTROL

IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40181 - RGB	VT-7805	1W	18	1

ICE BUCKET LIGHT



Lithium Battery 2000mAh

AC:100-240V,50Hz

LLDPE Body

50,000 hr lifespan

IP54 Rating

290x330x350mm Size

White Unit Color



SKU	Model	Watts	Lumens	Box Qty
40191 - RGB	VT-7806	1.5W	54	1

POT LIGHT



Lithium Battery 2000mAh

AC:100-240V,50Hz

LLDPE Body

50,000 hr lifespan

IP54 Rating


355x355x325mm Size

White Unit Color



SKU	Model	Watts	Lumens	Box Qty
40211 - RGB	VT-7808	1.5W	54	1

BALL LIGHT



Lithium Battery 3600mAh

AC:100-240V,50Hz

LLDPE Body

50,000 hr lifespan

IP54 Rating

500x500x260mm Size

White Unit Color



SKU	Model	Watts	Lumens	Box Qty
40221 - RGB	VT-7809	6W	108	1





STOOL LIGHT



Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
400x400x360mm Size
White Unit Color

BATTERY RECHARGEABLE

RGB

REMOTE CONTROL

IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40231 - RGB	VT-7810	3W	54	1



TABLE LIGHT



Lithium Battery 3600mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
720x720x580mm Size
White Unit Color

BATTERY RECHARGEABLE

RGB

REMOTE CONTROL

IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40251 - RGB	VT-7812	6W	108	1



V-TAC

Meaningful Innovation.




LED STOLNE I PODNE LAMPE

Najudobniji i najdraži kutevi zaslužuju udobnu rasvjetu. Kako bi Vam pomogli u ovome, donosimo ekskluzivan asortiman LED stolnih lampi. Elegantan dizajn sa dodirnom klase, ove lampe donose ugodno osvjetljenje, sa prigodnim funkcionalnostima.

ZNAČAJKE

- Energetski učinkovito
- Lako prilagodljivo
- Velik broj funkcija, prigušivanja, mijenjanja boja
- Sa USB punjenjem na određenim modelima
- Moderan dizajn






RECHARGEABLE & ADJUSTABLE FLOOR LAMP
-TOUCH CONTROL



Watts:	4W
Lumens:	300
Beam Angle:	180°
Material:	Aluminium
Dimension:	140x1300
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	6 Hours
Box Qty:	4



SKU	Model	Unit Color
7007 - 3000K WARM WHITE	VT-7544-W	White
7008 - 3000K WARM WHITE	VT-7544-C	Corten



Watts:	3W
Lumens:	70
Beam Angle:	180°
Material:	Iron
Dimension:	105x390
IP Rating:	IP20
Battery:	4000mAh
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12

RECHARGEABLE DESK LAMPS

SKU	Model	Unit Color
10187 - 3000K WARM WHITE 10188 - 4000K DAY WHITE	VT-7703-RB-G	Grey
10192 - 4000K DAY WHITE	VT-7703-RB-W	White
10194 - 4000K DAY WHITE	VT-7703-RB-B	Black



Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø78.5x386
IP Rating:	IP54
Battery:	4400mA
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12

TABLE LAMP WITH WIRELESS CHARGER AND TOUCH BUTTON

SKU	Model	Unit Color
7651 - 3000K WARM WHITE	VT-7522-W	White

NEW




Watts:	1.5W
Lumens:	150
Beam Angle:	180°
Material:	Aluminium
Dimension:	70x275mm
IP Rating:	IP54
Battery:	1900mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3 Hours
Working Time:	8-10 Hours
Box Qty:	20

TABLE LAMP WITH WIRELESS CHARGER AND TOUCH BUTTON

SKU	Model	Unit Color
23445 - 3000K WARM WHITE	VT-7997-W	White
23446 - 3000K WARM WHITE	VT-7997-C	Corten
23447 - 3000K WARM WHITE	VT-7997-B	Black


RECHARGEABLE CONTROL




Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø108x325
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12 Pc

SKU	Model	Unit Color
7689 - 3000K WARM WHITE	VT-7562-W	White
6821 - 3000K WARM WHITE	VT-7562-C	Corten

NEW




2IN1 SOLAR AND USB CHARGING MAGNETIC TABLE LAMPS CCT



Watts:	5W
Lumens:	400
Beam Angle:	60°
Material:	Metal+ABS+PC
Dimension:	352x120
IP Rating:	IP65
Battery:	3600mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-24 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
23412 - 3IN1	VT-10116-W	White
23413 - 3IN1	VT-10116-B	Black

RECHARGEABLE TOUCH CONTROL-3IN1 DESIGNER TABLE LAMP WITH



Watts:	1.5W
Lumens:	150
Beam Angle:	180°
Material:	Aluminium
Dimension:	86x210
IP Rating:	IP54
Battery:	2200mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	20

SKU	Model	Unit Color
10449 - 3IN1	VT-1181-W	White
10450 - 3IN1	VT-1181-B	Black

NEW



Watts:	1W
Lumens:	120
Material:	Metal
Dimension:	420x305
IP Rating:	IP44
Battery:	Lin-ion 18650, 3.7V, 4000mAh
Charing Time:	8-10 Hours
Working Time:	12 Hours
Box Qty:	1 Pc

SOLAR DESIGNER TABLE LAMP-CCT

SKU	Model	Unit Color
23383 - 3000K+6000K WARM WHITE+WHITE	VT-7993-B	Black
23384 - 3000K+6000K WARM WHITE+WHITE	VT-7993-G	Grey

NEW



Watts:	0.5W
Lumens:	21
Material:	Metal
Dimension:	120x220
IP Rating:	IP20
Battery:	Lin-ion 18650, 3.7V, 1200mAh
Charing Time:	6-8 Hours
Working Time:	10 Hours
Box Qty:	20 Pc


SOLAR DESIGNER TABLE LAMP WITH HANDLE

SKU	Model	Unit Color
23385 - 3000K WARM WHITE	VT-7994	Black

NEW



MAGNETIC UP/DOWN TABLE LAMP-RECHARGEABLE-TOUCH CONTROL




BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	300
Beam Angle:	45°
Material:	Metal+ABS+PC
Dimension:	353x110mm
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	4-15 Hours
Box Qty:	20

SKU	Model	Unit Color
23410 - 3IN1	VT-10115-W	White
23411 - 3IN1	VT-10115-B	Black



BATTERY RECHARGEABLE


TOUCH CONTROL
DIMMING + ON/OFF

Watts:	3W
Lumens:	300
Beam Angle:	120°
Material:	ABS+PC+Metal
Dimension:	130x350
IP Rating:	IP20
Battery:	1500mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	2-3 Hours
Box Qty:	

SKU	Model	Unit Color
23041 - 4000K DAY WHITE	VT-7413-W	White
23043 - 4000K DAY WHITE	VT-7413-R	Red
23042 - 4000K DAY WHITE	VT-7413-B	Black



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL





BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

Watts:	3W
Lumens:	100
Beam Angle:	180°
Material:	Metal
Dimension:	120x360
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours

SKU	Model	Unit Color
23092 - 3000K WARM WHITE	VT-7574-W	White
23093 - 3000K WARM WHITE	VT-7574-B	Black




Watts:	1W
Lumens:	100
Beam Angle:	300°
Material:	Metal+Acrylic
Dimension:	150x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL

SKU	Model	Unit Color
7940 - 3000K WARM WHITE	VT-1049-B	Black
7941 - 3000K WARM WHITE	VT-1049-W	White
7944 - 3000K WARM WHITE	VT-1049-G	Grey



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



Watts:	2W
Lumens:	100
Beam Angle:	300°
Material:	Metal+Glass
Dimension:	140x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7988 - 3IN1	VT-1056-BT	Black+Transparent

NEW



RECHARGEABLE CONTROL-3IN1



TABLE LAMP WITH TOUCH

Watts:	2.7W
Lumens:	110
Beam Angle:	180°
Material:	Iron
Dimension:	105x340
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	4-5 Hours
Working Time:	3-4 Hours
Box Qty:	10 Pc



SKU	Model	Unit Color
23354 - 3IN1	VT-7967-BR	Brown
23355 - 3IN1	VT-7967-W	White
23356 - 3IN1	VT-7967-B	Black



RECHARGEABLE CONTROL-3IN1




TABLE LAMP WITH TOUCH

Watts:	1.5W
Lumens:	150
Beam Angle:	100°
Material:	Plastic+Metal
Dimension:	Ø130x372
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours
Box Qty:	10 Pc



SKU	Model	Unit Color
10324 - 3IN1	VT-1034-W	White
10330 - 3IN1	VT-1034-B	Black



RECHARGEABLE CONTROL-3IN1



TABLE LAMP WITH TOUCH

Watts:	1.5W
Lumens:	150
Beam Angle:	100°
Material:	Plastic+Metal
Dimension:	Ø115x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours
Box Qty:	10 Pc



SKU	Model	Unit Color
10326 - 3IN1	VT-1028-W	White
10325 - 3IN1	VT-1028-B	Black



RECHARGEABLE CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH
CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)


TABLE LAMP WITH TOUCH

Watts:	1.6W
Lumens:	130
Beam Angle:	120°
Material:	Metal
Dimension:	105x295
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3.5-4.5 Hours
Working Time:	6-8 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
10329 - 3IN1	VT-1073-W	White
10328 - 3IN1	VT-1073-B	Black



RECHARGEABLE CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH
CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)


TABLE LAMP WITH TOUCH

Watts:	1W
Lumens:	40
Beam Angle:	180°
Material:	Metal
Dimension:	95x225
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	7-9 Hours

SKU	Model	Unit Color
10569 - 3IN1	VT-7566-W	White
10568 - 3IN1	VT-7566-B	Black



RECHARGEABLE CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH
CONTROL
DIMMING + ON/OFF


3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

TABLE LAMP WITH TOUCH

Watts:	3W
Lumens:	210
Beam Angle:	120°
Material:	Metal+Acrylic
Dimension:	120x255
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4-6 Hours
Working Time:	6-8 Hours

SKU	Model	Unit Color
10571 - 3IN1	VT-7567-W	White+Transparent
10570 - 3IN1	VT-7567-B	Black+Transparent


RECHARGEABLE TOUCH CONTROL-3IN1



Watts:	1W
Lumens:	55
Beam Angle:	120°
Material:	Metal
Dimension:	120x220
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	20

SKU	Model	Unit Color
7895 - 3IN1	VT-1041-B	Black
7896 - 3IN1	VT-1041-W	White
7897 - 3IN1	VT-1041-CG	Champagne Gold

RECHARGEABLE TOUCH CONTROL-3IN1




Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	150x250
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7898 - 3IN1	VT-1047-B	Black
7899 - 3IN1	VT-1047-W	White

RECHARGEABLE CONTROL-3IN1




DESIGNER TABLE LAMP WITH TOUCH



Watts:	1W
Lumens:	55
Beam Angle:	180°
Material:	Metal+Acrylic
Dimension:	135x265
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10


SKU	Model	Unit Color
7938 - 3IN1	VT-1048-FG	French Gold

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	115x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7985 - 3IN1	VT-1052-B	Black
7986 - 3IN1	VT-1052-W	White
7987 - 3IN1	VT-1052-G	Grey



Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	180x240
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

SKU	Model	Unit Color
7949 - 3IN1	VT-1051-G	Grey



DIMMABLE RECHARGEABLE LED TABLE LAMP 3IN1



Watts:	3W
Lumens:	110
Beam Angle:	120°
Material:	Metal
Dimension:	80x370
IP Rating:	IP20
Battery:	1800mAh
Cable:	Type C
Charging Time:	3-4 Hours
Working Time:	5-7 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
23683 - 3IN1	VT-75001	Black
23684 - 3IN1	VT-75001	White



Watts:	3W
Lumens:	110
Beam Angle:	120°
Material:	Metal+Acrylic
Dimension:	130x285
IP Rating:	IP20
Battery:	1800mAh
Cable:	Type C
Charging Time:	3-4 Hours
Working Time:	5-7 Hours
Box Qty:	20 Pc

DIMMABLE RECHARGEABLE LED TABLE LAMP 3IN1

SKU	Model	Unit Color
23685 - 3IN1	VT-75002	Black
23686 - 3IN1	VT-75002	White



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY
RECHARGEABLETOUCH
CONTROL
DIMMING + ON/OFF3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	2.4W
Lumens:	210
Beam Angle:	120°
Material:	Acrylic+Metal
Dimension:	130x295
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	18

SKU	Model	Unit Color
10327 - 3IN1	VT-1033-NS	Sand Nickel



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1


BATTERY
RECHARGEABLETOUCH
CONTROL
DIMMING + ON/OFF3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1W
Lumens:	50
Beam Angle:	180°
Material:	PS
Dimension:	160x250
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7894 - 3IN1	VT-1040-T	Transparent



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL

BATTERY
RECHARGEABLETOUCH
CONTROL
DIMMING + ON/OFF

Watts:	3W
Lumens:	310
Beam Angle:	120°
Material:	Metal+Acrylic
Dimension:	106x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	3-4 Hours

SKU	Model	Unit Color
23094 - 3000K WARM WHITE	VT-7576-B	Black
23095 - 3000K WARM WHITE	VT-7576-W	White



TABLE LAMPS



Watts:	5W
Lumens:	500
Beam Angle:	60°
Material:	Iron
Dimension:	150x445
IP Rating:	IP20
Box Qty:	4

SKU	Model	Unit Color
10345 - 3000K WARM WHITE	VT-7506-B	Black
10346 - 3000K WARM WHITE	VT-7506-W	White


HANGING LAMP



Watts:	5W
Lumens:	500
Beam Angle:	60°
Material:	Iron
Dimension:	100x2000
IP Rating:	IP20
Box Qty:	10

SKU	Model	Unit Color
10341 - 3000K WARM WHITE	VT-7508-B	Black
10342 - 3000K WARM WHITE	VT-7508-W	White

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1W
Lumens:	55
Beam Angle:	180°
Material:	Metal+Acrylic
Dimension:	120x225
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7989 - 3IN1	VT-1057-FG	French Gold
7990 - 3IN1	VT-1057-CH	Chrome
7991 - 3IN1	VT-1057-AB	Antique Bronze

CANDLE TABLE LAMP WITH TOUCH CONTROL



Watts:	1W
Lumens:	40
Material:	Metal
Dimension:	85x130
IP Rating:	IP20
Battery:	2400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4-6 Hours
Working Time:	7-9 Hours

SKU	Model	Unit Color
10566 - 3000K WARM WHITE	VT-7564-CA	Champagne Gold+Amber Glass
10567 - 3000K WARM WHITE	VT-7564-BS	Black Lamp+Smoky Glass

TABLE TOP FLAMELESS CANDLE LAMP



SKU	Model	Size
10572 - 2700K WARM WHITE	VT-7568-110	53x110
10573 - 2700K WARM WHITE	VT-7568-125	53x125
10574 - 2700K WARM WHITE	VT-7568-150	53x150
10575 - 2700K WARM WHITE	VT-7568-175	53x175
10576 - 2700K WARM WHITE	VT-7568-200	53x200

- 2xAA Battery Included
- On/Off Switch
- No Smoke/No Wax Spills
- IP20
- 2 Years Warranty





TABLE LAMPS




Watts:	20W
Lumens:	1840
Material:	Silicone+Aluminium
Dimension:	210x350
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	20

LED TABLE LAMP WITH EU PLUG
CORD+SWITCH

SKU	Model	Unit Color
2140311 - 3000K WARM WHITE	VT-7312-B-N	Black
2140321 - 3000K WARM WHITE	VT-7312-W-N	White

TABLE LAMPS-SLIM



Watts:	6.5W
Lumens:	110
Material:	PC-Rubber Finish
Voltage:	DC:12V,1A
CRI:	>80
Box Qty:	10

SKU	Model	Unit Color
8520 31 N 1	VT-1037	White




TABLE MIRROR LIGHTS



Watts:	3w
Lumens:	30
Material:	Plastic
Dimension:	135x205x325mm
Voltage:	DC:5V
CRI:	>80
Box Qty:	20

SKU	Model	Unit Color
6629	VT-7572	Chrome

WALL MIRROR LIGHTS



Q3X
MAGNIFYING

AA
BATTERIES

CORDLESS

Watts:	3w
Lumens:	30
Material:	Plastic
Dimension:	175x435x280mm
Voltage:	DC:5V
CRI:	>80
Box Qty:	20

SKU	Model	Unit Color
6628	VT-7571	Nickel

SUCTION MIRROR LIGHTS



Q10X
MAGNIFYING

AA
BATTERIES

CORDLESS

Watts:	3.2w
Lumens:	30
Material:	Plastic
Dimension:	162x80x192mm
Voltage:	DC:4.5V
CRI:	>80
Box Qty:	36

SKU	Model	Unit Color
6630	VT-7573	Black

HANGING LAMP



Watts:	7W
Lumens:	360
Material:	PC+Metal
Dimension:	Ø150x151x1241
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	9

SKU	Model	Unit Color
8504 - 4000K DAY WHITE	VT-1036-P	Purple
8506 - 4000K DAY WHITE	VT-1036-B	Blue



TABLE LAMPS



TABLE LAMPS+SPEAKER



Watts:	2*3W
Dimension:	Ø92x218
Voltage:	DC:5V
Box Qty:	12



SKU	Model	Unit Color
★ 8571	VT-6211-R	Red

FLOOR LAMP-E27



Material:	Marble+Metal
Dimension:	380x280x275
Voltage:	AC: 220-240V,50/60Hz
Box Qty:	1 Pc

SKU	Model	Unit Color
8565	VT-7451	Ivory
8564	VT-7451-B	Black

V-TAC

Meaningful Innovation.



LED SOLARNA RASVJETA

Pretvori bilo koji eksterijer u vrhunski arhitektski doživljaj. Pri ugodnom svjetlu lakše se navigira preprekama po mraku, podiže se sigurnost i sprečavaju nezgode.

ZNAČAJKE

- Prilagodljivije i učinkovitije od klasičnih rasvjetnih tijela
- Radi savršeno na ekstremnim temperaturama od -20°C do $+45^{\circ}\text{C}$
- Dizajnirano za vanjsku upotrebu
- IP65 razina zaštite
- Odličan izbor boja i dizajna
- Lako održavanje



LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr
Working Time: 12 hr
IP Rating: IP65
Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7822 - 4000K DAY WHITE 7821 - 6400K WHITE	VT-40W-B	6W Solar Panel	400	3.2V-5000mAh	190x55x170	10
★ 7824 - 4000K DAY WHITE 7823 - 6400K WHITE	VT-80W-B	10W Solar Panel	800	3.2V-6000mAh	190x55x170	10
★ 7826 - 4000K DAY WHITE 7825 - 6400K WHITE	VT-120W-B	15W Solar Panel	1200	3.2V-12000mAh	235x55x180	6
7828 - 4000K DAY WHITE 7827 - 6400K WHITE	VT-180W-B	20W Solar Panel	1800	3.2V-16000mAh	290x55x235	5
7830 - 4000K DAY WHITE 7829 - 6400K WHITE	VT-240W-B	30W Solar Panel	2600	3.2V-20000mAh	365x55x260	4

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr
Working Time: 12 hr
IP Rating: IP65
Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7840 - 4000K DAY WHITE 7839 - 6400K WHITE	VT-40W-W	6W Solar Panel	400	3.2V-5000mAh	190x55x170	10
7842 - 4000K DAY WHITE 7841 - 6400K WHITE	VT-80W-W	10W Solar Panel	800	3.2V-6000mAh	190x55x170	10
7844 - 4000K DAY WHITE 7843 - 6400K WHITE	VT-120W-W	15W Solar Panel	1200	3.2V-12000mAh	235x55x180	6
7846 - 4000K DAY WHITE 7845 - 6400K WHITE	VT-180W-W	20W Solar Panel	1800	3.2V-16000mAh	290x55x235	5
7848 - 4000K DAY WHITE 7847 - 6400K WHITE	VT-240W-W	30W Solar Panel	2600	3.2V-20000mAh	365x55x260	4

LED FLOODLIGHT-CUBE WITH SOLAR PANEL-SENSOR



Sensing Range: <6 Meters

Charging Time: 4-6 hr

Working Time: Max.60 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10310 - 4000K DAY WHITE 10311 - 6400K WHITE	VT-432	12W Solar Panel	4800	6.4V-6000mAh	197.2x49x190.9	8

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 8-12 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6964 - 6400K WHITE	VT-55050	6W Solar Panel	400	3.2V-5000mAh	175x50x210	12
★ 6967 - 4000K DAY WHITE 6966 - 6400K WHITE	VT-55100	12W Solar Panel	1200	3.2V-10000mAh	215x50x260	7
6968 - 6400K WHITE	VT-55200	16W Solar Panel	1600	3.2V-15000mAh	215x50x260	7
6971 - 4000K DAY WHITE 6970 - 6400K WHITE	VT-55300	20W Solar Panel	2400	3.2V-20000mAh	255x50x310	4

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4 hr

Working Time: 8 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
★ 8573 - 4000K DAY WHITE ★ 94006 - 6000K WHITE	VT-25W	12W Solar Panel	550	3.2V-5000mAh	206x54x148	8
★ 8574 - 4000K DAY WHITE ★ 94008 - 6000K WHITE	VT-40W	16W Solar Panel	1050	3.2V-10000mAh	255x68x190	6
★ 8575 - 4000K DAY WHITE ★ 94010 - 6000K WHITE	VT-60W	20W Solar Panel	1650	6.4V-10000mAh	284x76x223	5
8576 - 4000K DAY WHITE 94012 - 6000K WHITE	VT-100W	35W Solar Panel	2450	6.4V-15000mAh	335x86x250	2
8577 - 4000K DAY WHITE	VT-200W	40W Solar Panel	3100	6.4V-20000mAh	360x90x290	2
8578 - 4000K DAY WHITE	VT-300W	50W Solar Panel	4200	6.4V-25000mAh	445x110x380	2

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4 hr

Working Time: 8 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23018 - 4000K DAY WHITE 10405 - 6400K WHITE	VT-25W-W	12W Solar Panel	550	3.2V-5000mAh	206x54x148	8
10406 - 4000K DAY WHITE 10407 - 6400K WHITE	VT-40W-W	16W Solar Panel	1050	3.2V-10000mAh	255x68x190	6
10408 - 4000K DAY WHITE 10409 - 6400K WHITE	VT-60W-W	20W Solar Panel	1650	3.2V-20000mAh	284x76x223	5
10410 - 4000K DAY WHITE 23019 - 6400K WHITE	VT-100W-W	35W Solar Panel	2450	3.2V-30000mAh	335x86x250	2
10413 - 4000K DAY WHITE 10414 - 6400K WHITE	VT-200W-W	40W Solar Panel	3100	3.2V-40000mAh	360x90x290	2
10415 - 4000K DAY WHITE 10416 - 6400K WHITE	VT-300W-W	50W Solar Panel	4200	3.2V-50000mAh	445x110x380	2

NEW LED FLOODLIGHT WITH SOLAR PANEL



Detecting Angle: Detection Angle

Sensing Range: Sensing Range

Charging Time: Charging Time

Working Time: Working Time

IP Rating: IP Rating

Body Type: Body Type



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23438 - 4000K DAY WHITE	VT-55W	10W Solar Panel	1000	3.7V, 8000mAh	191x241x73	5
23439 - 4000K DAY WHITE	VT-102W	15W Solar Panel	1800	3.7V, 12000mAh	191x241x73	4

LED PIR SENSOR SOLAR FLOODLIGHT



Detecting Angle: 180°

Sensing Range: 2-6M

Charging Time: 6-7 hr

Working Time: 2-24 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
★ 8547 - 4000K DAY WHITE	VT-777-5	5W	500	3.7V-3000mAh	231.9x33.68x149.62	18
9869 - 4000K DAY WHITE	VT-787-10	10W	1100	3.7V-7200mAh	266x43x175	8

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 5-6 hr

Working Time: max. 60 hours

IP Rating: IP65

Body Type: ABS + PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23756 - 4000K DAY WHITE + 6000K WHITE	VT-411CCT	10W Solar Panel	1500	3.2V-3600mAh	134x31.2x121	12

LED FLOODLIGHTS WITH USB PORT



Detecting Angle: 120°
Sensing Range: ≤8Mtr
Charging Time: 6-7 hr
Working Time: Max 24 hr
IP Rating: IP65
Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8674 - 4000K DAY WHITE	VT-788-10	10W	1100	3.7V-7200mAh	232x166x33	10

LED SOLAR STREETLIGHT



Detecting Angle: 120°
Sensing Range: 3-8M
Charging Time: 6-7 hr
Working Time: 2-36 hr
IP Rating: IP65
Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8549 - 4000K DAY WHITE 8548 - 6000K WHITE	VT-ST15	15W	1600	7.4V-5400mAh	413x232x58	10

LED STREETLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr
Working Time: 8-12 hr
IP Rating: IP65
Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Box Qty
5502 - 4000K DAY WHITE	VT-ST200	50W Solar Panel	4000	6.4V-50000mAh	1

NEW
HYBRID LED STREETLIGHT WITH SOLAR PANEL

Charging Time: 4-6 hr
Working Time: 8-12 hr
IP Rating: IP65
Body Type: Aluminium



- Uses Solar Panel for efficient photovoltaic conversion and lengthy lifespan
- Remote Control with Auto and Timer function
- Automatically switches to AC mode when the battery power is low

SKU	Model	Watts	Lumens	Battery	Box Qty
23578 - 4000K DAY WHITE 23579 - 6500K WHITE	VT-ST201	50W Solar Panel	4000	3.4V-50000mAh	1

LED STREETLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr
Working Time: 8-12 hr
IP Rating: IP65
Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Box Qty
95509 - 6000K WHITE	VT-ST200	50W Solar Panel	4000	6.4V-50000mAh	1



LED SOLAR STREETLIGHT



Charging Time: 4-6 hr


Working Time: 8-10 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10224 - 4000K DAY WHITE 10225 - 6500K WHITE	VT-15111ST	40W Solar Panel	2500	3.2V-30000mAh	200x530	1
10226 - 4000K DAY WHITE 10227 - 6500K WHITE	VT-15200ST	60W Solar Panel	3000	3.2V-50000mAh	200x530	1
10228 - 4000K DAY WHITE 10229 - 6500K WHITE	VT-15300ST	70W Solar Panel	3500	3.2V-75000mAh	200x530	1

LED SOLAR GARDEN LIGHT SENSOR



FUTURISTIC DESIGN



- ✓ REMOTE CONTROL
- ✓ RADAR SENSOR
- ✓ TIMER FUNCTION

Detecting Angle: 120°

Sensing Range: <6M

Charging Time: 6-8 hr

Working Time: 10-12 hr


IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
11258	Pole for Solar Garden light				3 meter (1000x3pcs)	2

LED SOLAR GARDEN LIGHT SENSOR



Detecting Angle: 120°

Sensing Range: <8Mtr

Charging Time: 8 hr


Working Time: Constant Lighting Mode: 3 nights+ Sensor Mode: 5 nights+

IP Rating: IP65

Body Type: Aluminium+ABS

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5505 - 4000K DAY WHITE 5506 - 6400K WHITE	VT-130W	20W	2000	6.4V-6000mAh	601.1x200x292.8	1

LED SOLAR STREETLIGHT HIGH LUMEN



3 Types of installation

- ① Straight pole installation
- ② Curved pole installation
- ③ Wall mounted

Detecting Angle: 120°

Sensing Range: 8-12m

Charging Time: 8-10hr

Working Time: Min 36 hr and Max 120 hr

IP Rating: IP65

Body Type: ABS+PC and Aluminium

Including Accessories



For straight Pole



Remote Control



Allen Wrench



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5503 - 4000K DAY WHITE 5504 - 6000K WHITE	VT-ST42	40W	4800	9.6V-12000mAh	289.7x73.6x706.1	4



LED SOLAR TRI-PROOF LIGHT WITH SENSOR



Charging Time: 4-6 hr

Working Time: 8-10 hr


IP Rating: IP65

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6500 - 3IN1	VT-120018	25W Solar Panel	3000K - 920 lm 4000K - 950 lm 6400K - 1000 lm	3.7V-18,000mAh	1185x80x65	10

NEW LED SOLAR COB WALL LIGHT-SENSOR



Battery: 3.7V-2600mAh

Detecting Angle: 120°

Sensing Range: 4-5 Meters

Charging Time: 8 hr

Working Time: Max 30 hr

IP Rating: IP65

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
11887 - 4000K DAY WHITE	VT-11109-W	3W Solar Panel	860	White	150x153x150mm	12

LED SOLAR WALL LIGHT-8IN1-SENSOR



INTEGRATED
WALL MOUNT



SPLIT
WALL MOUNT




PORTABLE




STANDABLE




HANGING IN
TWO-DIRECTIONS



MAGNETIC
ADSORPTIVE



STICK-ON



POLE MOUNTED



IP65
RATING



PIR
MOTION
SENSOR

Battery: 3.7V-4000mah

Sensing Range: <8 Meters

Charging Time: 5-6 hr

Working Time: Min 20 - Max 60 hr

IP Rating: IP65

Body Type: ABS+PC

SKU	Model	Watts	Lumens	Unit Color	Box Qty
★ 6844 - 3000K WARM WHITE	VT-11108	8W	950	Black	12
6849 - 4000K DAY WHITE					
6850 - 6000K WHITE					

LED SOLAR YARD LIGHT-KEEPER-SENSOR



Battery: 3.2V--6000mAh


Sensing Range: <8 Meters

Charging Time: 5 hr

Working Time: Up to 80 hr

IP Rating: IP65

Body Type: ABS+PC



IP65
RATING




PIR
MOTION
SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10315 - 6000K+4000K WHITE+DAY WHITE	VT-414-B	15W	2000	Black	294x236x77	6
10316 - 6000K+4000K WHITE+DAY WHITE	VT-414-W	15W	2000	White	294x236x77	6



LED SOLAR WALL LIGHT-BRICK-SENSOR



Battery: 3.7V-1200mAh

Sensing Range: <6 Meters

Charging Time: 5 hr

Working Time: Up to 50 hr


IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
★ 10305 - 4000K+3000K DAY WHITE+WARM WHITE	VT-403-B	3W	350	Black	137.6x90.4x35.4	24
★ 10306 - 4000K+3000K DAY WHITE+WARM WHITE	VT-403-W	3W	350	White	137.6x90.4x35.4	24

LED SOLAR WALL LIGHT-BRICK-SENSOR



Battery: 3.7V-3000mAh

Sensing Range: <6 Meters

Charging Time: 8-10 hr

Working Time: Mode A: 4 Nights +, Mode B: 2 Nights +

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
★ 10307 - 4000K DAY WHITE	VT-406-B	6W	900	Black	230x97x42.7	24
★ 10308 - 4000K DAY WHITE	VT-406-W	6W	900	White	230x97x42.7	24

NEW SOLAR GARDEN LAWN LIGHT



Battery: 3.7V 2600mAh (Li(NiCoMn)O2)

Charging Time: 9 hr

Working Time: Upto 8 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23351 - 3000K WARM WHITE	VT-7655	3W	40	Black+White	205x205x190mm	4
23352 - 3000K WARM WHITE	VT-7656	5W	50	Black+White	305x305x190mm	1

LED SOLAR GARDEN PILLAR LIGHT-SENSOR



Battery: 3.7V-2600mAh

Sensing Range: 3-5 Meters

Charging Time: 4-6 hr

Working Time: Min 3 hr Max 12 hr

IP Rating: IP65

Body Type: AL+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6805 - 3000K WARM WHITE	VT-11022-B	2W	90	Black	140x140x163	20
6806 - 3000K WARM WHITE	VT-11022-W	2W	90	White	140x140x163	20



LED SOLAR GARDEN WALL LIGHT-SENSOR

- Battery: 3.7V-2200mAh
- Detecting Angle: 50°
- Sensing Range: 3-4 Meters
- Charging Time: 11-13 hr
- Working Time: 18-20 hr
- IP Rating: IP54
- Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23032 - 3000K WARM WHITE	VT-1193-B	0.5W	95	Black	126x83x252	10

LED SOLAR GARDEN WALL LIGHT-SENSOR

- Battery: 3.7V-2200mAh
- Detecting Angle: 50°
- Sensing Range: 3-4 Meters
- Charging Time: 11-13 hr
- Working Time: 18-20 hr
- IP Rating: IP54
- Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23033 - 3000K WARM WHITE	VT-1193-G	0.5W	95	Dark Grey	126x83x252	10

LED SOLAR WALL LIGHT



Detecting Angle: 90°

Sensing Range: 2-6M

Charging Time: 6-7 hr

Working Time: Min 8 hr and Max 24 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
★ 8276 - 4000K DAY WHITE	VT-767-2-W	1.5W	220	White+Black	3.7V-1200mAh	144.5x96x79	20
★ 8277 - 4000K DAY WHITE	VT-767-2-B	1.5W	220	Black	3.7V-1200mAh	144.5x96x79	20

LED SOLAR WALL LIGHT



Detecting Angle: 120°

Sensing Range: 2-6M

Charging Time: 12-15 hr

Working Time: 5 hr to 4 nights- 3 modes

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
8279 - 4000K DAY WHITE	VT-767-7-B	8W	850	Black	3.7V-4000mAh	232x220.6x121.4	20





LED SOLAR LIGHTS



NEW

SOLAR TABLE LAMP



Battery: Lin-ion 18650, 3.7V, 4000mAh

Charging Time: 8-10 Hours

Working Time: 12 Hours

IP Rating: IP44

Body Type: Metal



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23383 - 3000K+6000K WARM WHITE+WHITE	VT-7993-B	1W	120	Black	420x305mm	1
23384 - 3000K+6000K WARM WHITE+WHITE	VT-7993-G	1W	120	Grey	420x305mm	1

NEW

SOLAR TABLE LAMP



Battery: Lin-ion 18650, 3.7V, 1200mAh

Charging Time: 6-8 Hours

Working Time: 10 Hours

IP Rating: IP44

Body Type: Metal

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23385 - 3000K WARM WHITE	VT-7994	0.5W	21	Black	180x210mm	20

LED SOLAR WALL LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23012 - 3000K WARM WHITE	VT-1139-B	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT




Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23013 - 3000K WARM WHITE	VT-1139-W	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10399 - 3000K WARM WHITE	VT-1145	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90°-110°
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54
RATING

PIR
MOTION
SENSOR

03
YEAR
WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23016 - 3000K WARM WHITE	VT-1147-RD	5.5W	220	3.7V-2200mAh	229x155x155	6

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90°-110°
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54
RATING

PIR
MOTION
SENSOR

03
YEAR
WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10402 - 3000K WARM WHITE	VT-1147-SQ	5.5W	220	3.7V-2200mAh	224x130x155	6

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90°-110°
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+Glass

IP54
RATING

PIR
MOTION
SENSOR

03
YEAR
WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23017 - 3000K WARM WHITE	VT-1148	2.5W	100	3.7V-2000mAh	181x91x66	12

LED SOLAR WALL LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10384 - 3000K WARM WHITE	VT-1138-B	1W	70	3.7V-1200mAh	121x90x121.5	32

LED SOLAR WALL LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10395 - 3000K WARM WHITE	VT-1138-W	1W	70	3.7V-1200mAh	121x90x121.5	32

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC




SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23014 - 3000K WARM WHITE	VT-1140	1W	70	3.7V-1200mAh	121x90x121.5	32



LED SOLAR LIGHTS



LED SOLAR WALL LIGHT-DIAMOND



Sensing Range: <8 Meters
Charging Time: 7 hr
Working Time: Up to 80 hr
IP Rating: IP65
Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23004 - 6000K+4000K WHITE+DAY WHITE	VT-425	15W	1900	3.2V--6000mAh	257x288.5x206.5	4

LED SOLAR PILLAR LIGHT-DIAMOND




Sensing Range: <8 Meters
Charging Time: 7 hr
Working Time: Up to 80 hr
IP Rating: IP65
Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23005 - 6000K+4000K WHITE+DAY WHITE	VT-426	15W	2200	3.2V--6000mAh	257x257x217	4

LED SOLAR PATH LIGHT-DIAMOND




Sensing Range: <8 Meters
Charging Time: 7 hr
Working Time: Up to 80 hr
IP Rating: IP65
Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23006 - 6000K+4000K WHITE+DAY WHITE	VT-413	15W	2200	3.2V--6000mAh	257x257x879.7	125

LED SOLAR WALL LIGHT-PANDA-SENSOR



Sensing Range: <6 Meters

Charging Time: 8-10 hr

Working Time: Min 35 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
★ 10309 - 4000K DAY WHITE	VT-422	2W	200	3.7V-1200mAh	138.9x68.5x106.9	24

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Polycrystalline Solar Panel



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23010 - 3000K WARM WHITE	VT-1136	2.5W	150	3.7V-2000mAh	185x120x260	6

LED SOLAR BOLLARD LIGHT-SENSOR



Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Polycrystalline Solar Panel



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23009 - 3000K WARM WHITE	VT-1134	2.5W	150	3.7V-2000mAh	120x120x800	6



LED SOLAR WALL LIGHT-REMOTE CONTROL



Sensing Range: 3-5M
Charging Time: 4-6 hr
Working Time: Min 3 hr and Max 12 hr
IP Rating: IP44
Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)
93575 - 3IN1	VT-969	0.8W	60-75Lm	3.7V-1200mAh	160x230

LED SOLAR WALL LIGHT-REMOTE CONTROL



Sensing Range: 3-5M
Charging Time: 4-6 hr
Working Time: Min 3 hr and Max 12 hr
IP Rating: IP44
Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)
93578 - 3IN1	VT-972	0.8W	60-75Lm	3.7V-1200mAh	160x160x230

LED SOLAR WALL LAMP



Charging Time: 5-6 hr
Working Time: 3-12 hr
IP Rating: IP44
Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2889 - 3IN1	VT-982-S	2W	110	3.7V-2200mAh	20x15.5x25.5	6

LED SOLAR STAND LAMP



Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP44

Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2890 - 3IN1	VT-983-S	2W	110	3.7V-2200mAh	15.5x15.5x27	6

LED SOLAR WALL LAMP



Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP44

Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2892 - 3000K+6000K WARM WHITE+WHITE	VT-982	2W	110	3.7V-2200mAh	22x17.5x25	6

LED SOLAR STAND LAMP



Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP44

Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2893 - 3000K+6000K WARM WHITE+WHITE	VT-983	2W	110	3.7V-2200mAh	17.5x17.5x27	6



LED SOLAR LIGHTS



LED SOLAR LAWN LAMP



Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2894 - 3000K+6000K WARM WHITE+WHITE	VT-984	2W	110	3.7V-2200mAh	175x175x930	4

LED SOLAR LAWN LAMP



Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2891 - 3IN1	VT-984-S	2W	110	3.7V-2200mAh	150x150x940	4

LED SOLAR BOLLARD LIGHT



Charging Time: 12-15 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6666 - 3000K WARM WHITE 6665 - 4000K DAY WHITE	VT-945	5W	400	3.7V-2000mAh	705.7x155	8

LED SOLAR BOLLARD LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23011 - 3000K WARM WHITE	VT-1137	2W	120	3.7V-2000mAh	800x180x270	4

LED SOLAR GARDEN LIGHT - ADJUSTABLE



Charging Time: 4-5 hr

Working Time: 30-36 hr

IP Rating: IP65

Body Type: ABS+PC+Metal



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6669 - 4000K DAY WHITE	VT-948	8W	500	7.4V-2000mAh	264x1290.55	4

NEW

LED SOLAR BOLLARD LIGHT WITH SENSOR



Detecting Angle: 90-110°

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23398 - 3000K WARM WHITE	VT-1167	5.5W	220	DC:3.7V Li-ion 2200mAh	130x203.5x800	6



NEW LED SOLAR BOLLARD LIGHT WITH SENSOR



Detecting Angle: 90-110°
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23399 - 3000K WARM WHITE	VT-1168	5.5W	220	DC:3.7V Li-ion 2200mAh	130x203.5x800	6

NEW LED SOLAR BOLLARD LIGHT WITH SENSOR



Detecting Angle: 90-110°
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23401 - 3000K WARM WHITE	VT-1170	2.5W	250	DC:3.7V Li-ion 2200mAh	145x145x800	4

NEW SOLAR GARDEN LIGHT-HEMP ROPE WITH HANDLE



Charging Time: 9 hr

Working Time: Upto 8 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23349 - 3000K WARM WHITE	VT-7653	2.4W	20	3.7V 2600mAh (Li(NiCoMn)O2)	200x325mm	1

NEW LED SOLAR HANGING LANTERN LIGHT



Charging Time: 6-8 hr

Working Time: 8-12 hr

IP Rating: IP44

Body Type: Metal



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23386 - 2700K WARM WHITE	VT-7995	0.16W	8	2V, 300mAh	180x210	20

NEW LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90-110°

Sensing Range: 2-8 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23400 - 3000K WARM WHITE	VT-1169	3W	250	3.7V Li-ion 2200mAh	162x145x170	8



LED SOLAR LIGHTS



NEW LED SOLAR LAWN LAMP



Charging Time: 9 hr
Working Time: Upto 8 hr
IP Rating: IP65
Body Type: Iron



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23350 - 3000K WARM WHITE	VT-7654	2W	20	3.7V 2600mAh (Li(NiCoMn)O2)	150x150x635	1

2IN1(SPIKE+STAND) GARDEN LIGHT



Charging Time: 6-8 hr
Working Time: 10-12 hr
IP Rating: IP65
Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10304 - 3IN1	VT-4102	3W	220	3.7V-2600mAh	155x720	10

LED SOLAR SPIKE LIGHT



Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23015 - 3000K WARM WHITE	VT-1146	1.8W	90	3.7V-1800mAh	Ø155x200mm	24

LED SOLAR SPIKE LIGHT



Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6660 - 3000K WARM WHITE 6661 - 4000K DAY WHITE 6662 - 6400K WHITE	VT-952	2W	40	3.7V-1200mAh	140x150x280	20

LED SOLAR SPIKE LIGHT



Charging Time: 4-6 hr

Working Time: 3-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
20488 - 3000K WARM WHITE	VT-11031	1.2Wx2	90x2	3.7V-4000mAh	60x75x250	20

LED SOLAR SPIKE LIGHT



Charging Time: 4-6 hr

Working Time: 3-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
20489 - 3000K WARM WHITE	VT-11032	1.2Wx3	50x3	3.7V-4000mAh	60x75x250	10

NEW

SOLAR BUG ZAPPER



- UV Light Solar Bug Zapper
- Silicone handle for easy carrying or hanging
- Tabletop, hang and spike installation
- Flexibility in positioning to maximize bug zapping efficiency
- Collection tray for dead insects
- UV Light:2W
- Tabletop size (12.8x12.8x34.4cm), Standing size (12.8x12.8x67.2cm)
- Charging Time 8-10 hours (Solar), 4 hours (Type-C)
- Work time maximum of 4 hours when fully charged
- High voltage grid rated at 1000V

SKU	Model	Watts	Battery	Size(mm)	Box Qty
23459	VT-3215	1.3W	3.7V,2200mAh	128x128x672mm	12

LED SOLAR STRING LIGHT-REMOTE CONTROL



IP Rating: IP44

Body Type: PVC Wire, Plastic Bulb

G50x10 Bulbs



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
★7804 - 3000K WARM WHITE	VT-70512	5W	300	3.7V-1200mAh	12 Meters	10

LED SOLAR STRING LIGHT



Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC

10 Bulbs



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
★8559 - 3000K WARM WHITE	VT-71010	10W	100	1pc AA Ni-MH 1.2V-300mAh	2 Meters	24

LED SOLAR STRING LIGHT



IP Rating: IP44

ST64x15 Bulbs



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
23034 - 3000K WARM WHITE	VT-7155	3W	50	3.7V (2 x 1200mAh)	15.6 Meters	2

LED SOLAR PANEL STRIP KIT-IP67-2IN1



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
23044 - 3000K WARM WHITE 23045 - 4000K DAY WHITE 23046 - RGB	VT-2835 60	1.2W	120	3.7V-1500mAh	5 Meter Roll	20

LED SOLAR EGG LIGHT



Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8557 - RGB+WW	VT-7815	0.2W	4	1xAA BATTERY, 1.2V/500mAH NI-MH	D:188x395	4

LED SOLAR FLAME LIGHT



Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC

4 IN 1

4 DIFFERENT WAY OF INSTALLATION

1: SPIKE 2: HANGING

3: LAMP POST 4: WALL MOUNTING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
★ 8558 - 2200K WARM WHITE	VT-719	0.4W	5	3.7V/500mAH Lithium Battery,	100x100x650	12

LED SOLAR FLAME LIGHT



Charging Time: 8 hr

Working Time: 6 hr

IP Rating: IP44

Body Type: PP

4

PCS PACK

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
★ 8689 - 2200K WARM WHITE	VT-724	1W	10	1.2V 2/3AAA NI-MH	75x75x500	24







100% GARANCIJE
0% DISKUSIJE